

PRICE LIST

Consumer



BOSCH

EFFECTIVE

Q1 2020

TABLE OF CONTENTS

REFRIGERATION	1-1	MAINLINE OVENS	7-1
French Door Refrigerator	1-1	Built-in Ovens	7-1
French Door Refrigerator /Side-By-S		Built-in Warming Drawers	7-7
Bottom Freezer	1-4		
		BENCHMARK OVENS	7B-1
BENCHMARK REFRIGERATION	1B-1	Built-In Ovens	
Built-In Bottom Freezer		Built-In Steam Convection Ovens	
Built-In French Door Bottom Freeze		Built-in Combination Ovens	
Built-in Single Door		Built-In Speed Oven	
Accessories	1B-4	Accessories	7B-4
MAINLINE DISHWASHERS	2-1	MAINLINE COOKTOPS	8- 1
Dishwashers		Induction	
Special Application/ADA Dishwashe	rs 2-7	Electric	
		Gas	8-5
BENCHMARK DISHWASHERS	2B-1		
Accessories	2B-3	BENCHMARK COOKTOPS	8B-1
		Induction	
LAUNDRY	3-1	Electric	
Washers		Gas	
Dryers		Gas/Accessories	8B-4
Accessories	3-5		
		MAINLINE VENTILATION	9-1
COFFEE MACHINE	4-1	Under-Cabinet Hoods/Accessories	
Built-in	4-1	Island Hoods/Accessories	
MAINI INC DANCES	- 4	Chimney Wall Hoods	
MAINLINE RANGES	5-1	Chimney Wall Hood Accessories	
Slide-in Ranges	5-1	Pull-Out Hood/Accessories	
DENCHMARK DANCEC	5D 4	Custom Insert	
BENCHMARK RANGES	5B-1	Downdraft/Accessories	9- <i>1</i>
Slide-In Ranges		INDEX	10-1
Accessories	5B-3	INDEX	10-
MICROWAVES	6-1		
Over-the-Range Microwave Ovens	6-1		
Built-in Microwave Ovens	6-2		
BENCHMARK MICROWAVES	6B-1		
Over-the-Range Microwave Oven	6B-1		

Model Number Description MAP **MSRP**

All Bosch 800 Series Freestanding French Door Refrigerators Include the Following Features:

• SuperCool/SuperFreeze®

• Door Alarm

· Hidden Hinges

· Covered Dairy Bin

800 Series

36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- Home Connect[™] Features
- 20.5 cu.ft.
- · True Counter Depth
- 72" Height
- Dual Compressor and Dual Evaporator
- Easy-To-Clean Stainless Steel
- MultiAirFlow®
- · Built-In Look

B36CL80ENS

- Automatic VitaFreshPro™
- · Dual Temperature and **Humidity Controlled** Crisper Drawers
- Dual Activated Internal Water Dispenser
- FlexBar™ With Shelving Accessories
- · Freezer With Three-Tiered Shelving

- · Full-Width Chiller Drawer
- · SoftClose® Drawer Closing
- · Ice Maker
- ENERGY STAR® Certified
- LED Lighting
- · Adjustable Tempered Glass Shelving
- · Gallon Door Storage Bins
- · Ice Scoop



B36CL80SNS

B36CL80SNS Stainless Steel, Bar Handle

Stainless Steel, Recessed Handle

3,299 3,649

3,399 3,749

Model
Number Description MAP MSRP

800 Series

36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- Home Connect[™] Features
- 20.8 cu.ft.
- · True Counter Depth
- 72" Height
- Dual Compressor and Dual Evaporator
- Easy to Clean Stainless Steel
- MultiAirFlow®
- · Built-In Look

- Automatic VitaFreshPro™
- Dual Temperature and Humidity Controlled Crisper Drawers (individual)
- Dual Activated Internal Water Dispenser
- FlexBar™ With Shelving Accessories
- Freezer With Three-Tiered Shelving

- · Full-Width Chiller Drawer
- · SoftClose® Freezer
- · Ice Maker
- ENERGY STAR® Certified
- LED Lighting
- Adjustable Tempered Glass Shelving
- Gallon Door Storage Bins
- · Ice Scoop









440

B36CT80SNS Stainless Steel, Bar Handle 3,099 3,449

B36CT80SNB Black Stainless Steel, Bar Handle 3,199 3,549

B36CT81SNS Stainless Steel, Pro Handle 3,499 3,849

36" Freestanding Counter-Depth French Door Refrigerator

- 20.7 cu.ft.
- Counter Depth
- 69" Height
- Retractable Half Shelf
- Dual Cycle & Dual Air-Cooled System
- Retractable Half Shelf
- Full-Width Chiller Drawer
- Humidity-Controlled Crisper Drawers
- True Flat Door
- Assisted Freezer Drawer Closing
- Reduced-Energy Output Eco Mode
- LED Lighting
- · Metal Rail Drawer

Extraction System

- Adjustable Tempered Glass Shelving
- Clear Gallon Door Storage Bins
- Ultraclarity® Water Filter
- · Ice Scoop
- Toe Kick Trim Cover
- Door Alarm

2,999 3,299



B21CT80SNS

800 Series

300 Series

36" Freestanding Standard-Depth French Door Refrigerator-Stainless Steel

- 25 cu.ft.
- · Standard Depth
- ENERGY STAR® Qualified
- Fingerprint Resistant Stainless Steel
- Crisper Drawers

B26FT50SNS

- · Storable Partial Shelf
- MultiAirFlow™ Circulation System

- Updated Handle Design
- All-Level LED Lighting
- Full Size Deli Drawer
- Frameless Exterior Ice and Water Dispenser Featuring SteelTouch® Controls
- · Quick Ice
- Transparent Storage
- Dispenser Control Lock

- Hide-Away Water Filter
- Spill-Proof Tempered Glass Shelves
- Adjustable Split Glass Shelving
- · Gallon Door Storage Bins
- · Bottle Holder



B26FT50SNS



2,799 3,099

36" Side-by-Side-Stainless Steel

- 20.2 cu.ft.
- Counter Depth
- · Energy Star® Qualified
- Fingerprint Resistant Stainless Steel
- MultiAirFlow™ Circulation System
- SoftClose® Doors
- · MultiBox Storage Drawers
- · Easy Access Glass Shelf
- LED Lighting
- SuperCool/SuperFreeze®
- · Transparent Storage
- Dispenser Control Lock
- Tempered Glass Shelves
- · Gallon Door Storage Bins
- · Hidden Hinges
- Door Alarm
- Egg Tray

2,199 2,449



B20CS30SNS



B20CS30SNS

Stainless Steel

Stainless Steel

All Bosch Freestanding Counter-Depth Two Door Bottom Freezer Refrigerators Include the Following Features:

· Counter Depth

MultiAirFlow[™] System

CoolPaks

· Reversible Doors

- · Spill-Proof Glass Shelves
- Door Alarm
 ENERGY STAR® Certified

Wine Rack

· Removable Freezer Bins

800 Series

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator

- 10 cu.ft.
- 24"×73" European Style
- Tempered Glass Refrigerator/Freezer Door
- HydroFresh Humidity-Controlled Crisper
- LED Bright Lighting
- Ice Trays







B10CB80NVB

B10CB80NVW

B10CB80NVS



B10CB80NVB	Black Glass Door	2,699	2,999
B10CB80NVW	White Glass Door	2,699	2,999
B10CB80NVS	Glass-on-Stainless Steel Door	2.699	2.999

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator-Stainless Steel

- 11 cu.ft.
- 24"x79" European Style
- · Hidden Hinges
- SuperCool/SuperFreeze®
- AirFresh Filter®
- Sidewall LED Lighting
- HydroFresh Humidity-Controlled Crisper
- Telescopic Drawers
- · Internal Ice Maker

B11CB81SSS Stainless Steel, With Internal Ice Maker

2,799 3,099



B11CB81SSS



Number Description MAP **MSRP**

800 Series

24" Built-in Two Door Bottom Freezer Refrigerator-Custom Panel

- Home Connect[™] Features
- 9.6 cu.ft.
- VitaFreshPro—Temperature and humidity controlled drawer
- · Installs True Flush

B09IB81NSP

- · Sidewall LED Theater Lighting
- Full Length Cantilever Rack System
- Full Width Shelving

24" Bottom-Freezer, Custom Panel

- Full Extension Drawers
- · OptiFlex® Hinge
- Electronic Controls
- SuperCool/SuperFreeze®
- · Sabbath/Economy/ Vacation Mode

2,199 2,449









24" Built-in Two Door Bottom Freezer Refrigerator-Custom Panel

- Home Connect[™] Features
- 8.4 cu.ft.
- · VitaFreshPro-Temperature and humidity controlled drawer
- · Installs True Flush

NEW B09IB91NSP

Available Q1/Q2 2020

- · Recessed LED Theater Lighting
- · Garage Shelving

24" Bottom-Freezer, Custom Panel

- · Full Width Shelving
- Full Extension Drawers
- · OptiFlex® Hinge
- Electronic Controls
- SuperCool/SuperFreeze®
- · Sabbath/Economy/ Vacation Mode

2,399 2,649









500 Series

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator-Stainless Steel Door

- 11 cu.ft.
- 24"x79" European Style
- · Hidden Hinges
- SuperCool/SuperFreeze®
- AirFresh Filter®
- Sidewall LED Lighting
- · HydroFresh Humidity-Controlled Crisper
- Telescopic Drawers

2,599 2,899





B11CB50SSS Stainless Steel

All Bosch Benchmark Series Built-In Refrigerators Include the Following Features:

Home Connect[™] Capability

- · Sidewall LED Theater Lighting
- · OptiFlex® Hinge

- · Carbon Air Filter
- SuperCool/SuperFreeze™
- · Sabbath/Economy/Vacation Mode
- ENERGY STAR® Certified
- · New Interior Design

Benchmark Series

30" Built-in Two Door Bottom Freezer Refrigerator-Custom Panel

- Home Connect[™] Features
- 16.0 cu.ft.

B301B900SP

- Tall Door Built-in Refrigeration
- · Installs True Flush
- · Dual Compressor and Evaporator
- · Full Width Shelving

30" Bottom-Freezer, Custom Panel

- Full Extension Drawers
- Temperature Controlled Deli Drawer
- · Internal Ice Maker
- Water Filter
- TFT Controls
- · Gallon Door Bins



B30IB900SP





30" Built-in Two Door Bottom Freezer Refrigerator-Stainless Steel Panel

- Home Connect[™] Features
- 16.0 cu.ft.
- · Installs True Flush Or Framed
- · Dual Compressor and
- Evaporator
- · Full Width Shelving
- Full Extension Drawers
- Temperature Controlled Drawer
- · Internal Ice Maker
- · Water Filter
- Electronic Controls
- · Gallon Door Bins

Pre-Assembled Package Includes: Flat Stainless Panels • Bosch Handles

B30BB930SS 30" Bottom-Freezer, Stainless Steel 7,499 8,249

6,199 6,849



B30BB930SS





Model Number Description MAP MSRP

Benchmark Series

36" Fully-Integrated French Door Bottom Freezer Refrigerator—Custom Panel

Home Connect[™] Features

19.5 cu.ft.

B36IT900NP

• Installs True Flush Or Framed

· Dual Compressor and

Evaporator

• Full Width Shelving

Full Extension Drawers

• Temperature Controlled Drawer

· Internal Ice Maker

• Water Filter

• TFT Controls

· Gallon Door Bins

36" French Door Bottom-Freezer, Custom Panel

7,099 7,849

B36BT930NS 36" French Door Bottom-Freezer, Stainless Steel 8,299 9,149



B36IT900NP





B36BT930NS





Number Description MAP MSRP

Benchmark Series

30" Built-in Single Door Refrigerator-Custom Panel

- Home Connect[™] Features
- 17.2 cu.ft.

B30IR900SP

• 8.6 cu.ft.

B18IF900SP

- Tall Door Built-in Freezer
- Installs True Flush Or Framed
- VitaFresh System
- · Full Width Shelving

30" Freezer, Custom Panel Single Door

- Full Extension Drawers
- OptiFlex® Hinge
- TFT Controls

• Water Filter

• TFT Controls

• Gallon Door Bins

5,599 6,199



B30IR900SP





18" Built-In Single Door Freezer-Custom Panel

- Home Connect[™] Features
- Installs True Flush Or Framed
- Internal Ice Maker

18" Freezer, Custom Panel Single Door

4,599 5,099



B18IF900SP





Accessorie	Accessories for Refrigeration						Ma	ainli	ne				Benchmark						
	Model Number	Description	MAP	MSRP	B26FT50SNS	B21CT80SNS	B21CT80SNB	B20CS30SNS	B21CL80SNS	B21CL81SNS	B20CS30SNS	B301B900SP	B30BB930SS	B36IT900NP	B36BT930NS	B18IF900SP	B30IR900SP		
	BORPLFTR10	Replacement Water Filter	49	59	•	•	•	•			•	•	•	•	•	•			
	BOHANDL50	Pro Handle Accessory Kit Kit Includes 2 Handles for Refrige 1 Handle for Freezer, Hardware a Necessary for Installation		329		•	•												
	BFL18IF800	18" Stainless Steel Flat Panel Freezer Door	450	499												•			
ı	BFL30IR800	30" Stainless Steel Flat Panel Freezer Door	550	649													•		
	B36HNDL800	36" Handle for Single Door	100	109												•	•		
	HEATKITB80	Bosch Heater Kit	299	329								•	•	•	•	•	•		

Please make sure to order HEATKITB80 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB80 is recommended for use with any installation in areas that are subject to extreme humidity.

All Bosch 800 Series Dishwashers Include the Following Features:

Quiet Operation:

- · Multiple Layers of Sound-Absorbing Insulation
- EcoSilence[™] Dual Brushless Motor System
- Solid Molded Base* to Absorb Noise While Minimizing Vibration

Design:

- · Integrated Control System
- Flush Installation With Full Size Tub
- · Self-Latching Door
- Touch Controls
- InfoLight® Except for Front Control Models

· Time Remaining Display

Racks:

- 3 Step RackMatic®
- FlexSpace[™] Tines
- 2 Flip Tines Upper Rack
- 16 Place Setting Capacity

- EasyGlide™ Upper Rack
- · Full Stainless Steel Tub
- 24/7 AguaStop® Leak Protection System
- Concealed Water Heating Element
- ENERGY STAR® Certified

- · Easily Accessible 3-Stage Filtration System
- · Quick Installation Kit Included
- Full Stainless Steel Tub

Efficiency:

269 KWh/yr

Performance:

- · Six Wash Cycles: Heavy, Auto Wash, Eco, Normal Wash, Speed60, Rinse & Hold
- · Five Options: Sanitize, Delicate, 24H Delay Start, Half Load, **CrystalDry™**

Introducing CrystalDry™—a patented drying technology that transforms moisture into heat to get dishes, including plastics, 60% drier. Available on all New 800 Series models.

*Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

800 Series

Quietness: • 40 dBA • InfoLight®	Racks: • MyWay™ 3rd Rack • 2 Flip Tines Lower Rack • Long Silverware Basket	Performance: • Additional Options: Eco	SHPM88Z75N
SHPM88Z75N	Pocket Handle, Stainless Steel	1,399 1,549	n n
<u>SHXM88Z75N</u>	Bar Handle, Stainless Steel	1,399 1,549	SHXM88Z75N
<u>SHVM88Z73N</u>	Fully Integrated – Requires Custom Pa	nel 1,399 1,549	
			SHVM88773N



DISHWASHERS

800 Series

Quietness • 42 dBA	RacksFlexible 3rd Rack		3 torre
 InfoLight® 	 Long Silverware Basket 		SHEM78Z55N
<u>SHEM78Z52N</u> *	Recessed Handle, White	1,149 1,2	299
SHEM78Z55N*	Recessed Handle, Stainless Steel	1,149 1,2	299 SHPM78Z54N
SHEM78Z56N*	Recessed Handle, Black	1,149 1,2	
SHPM78Z52N	Pocket Handle, White	1,149 1,2	299
SHPM78Z54N	Pocket Handle, Black Stainless Steel	1,199 1,	349 SHPM78Z55N
SHPM78Z55N	Pocket Handle, Stainless Steel	1,149 1,2	299
SHPM78Z56N	Pocket Handle, Black	1,149 1,2	299 SHXM78Z54N
SHXM78Z52N	Bar Handle, White	1,199 1,	349
SHXM78Z54N	Bar Handle, Black Stainless Steel	1,249 1,	399 _{SHXM78Z55N}
SHXM78Z55N	Bar Handle, Stainless Steel	1,199 1,	349
SHXM78Z56N	Bar Handle, Black	1,199 1,	
SHVM78Z53N	Fully Integrated - Requires Custom Panel	1,199 1,	SHVM78Z53N 349

Quietness

SHEM78ZH5N

• 42 dBA

Racks

• Flexible 3rd Rack

Recessed Handle, Stainless Steel

• Long Silverware Basket

Performance

- Home Connect[™] Allows You to Remotely Monitor and Control With Wi-Fi Connectivity
- Additional Options: Remote Start











All Bosch 500 Series Dishwashers Include the Following Features:

Quietness

- 44 dBA
- · InfoLight®

SHXM65Z55N

Design

- Pocket Handle Design
- Electronic Controls
- · Time Remaining Display

Racks

let fresh air circulate for drier dishes. Available on all New 500 Series models.

Bar Handle, Stainless Steel

- 16 Place Setting Capacity
- Flexible 3rd Rack
- 3 Step RackMatic®
- FlexSpace[™] Tines
- 2 Flip Tines Upper Rack Quality
- · Full Stainless Steel Tub
- 24/7 AquaStop®
- · Easily Accessible 3-Stage Filtration System

Introducing AutoAir™—a new drying technology that automatically opens the door at the end of the drying cycle to

• EasyGlide™ Upper Rack

Efficiency

269 kWh/yr

Performance

1,049 1,199

- Five Wash Cycles: Heavy, Auto Wash, Normal Wash, Speed60, Rinse & Hold
- Four Options: Sanitize, 24H Delay Start, Half Load, AutoAir™

500 Series

Performance Racks

· Long Silverware Basket · Additional Options: Delicate



SHPM65Z52N	Pocket Handle, White	999	1,099
SHPM65Z55N	Pocket Handle, Stainless Steel	999	1,099
SHPM65Z56N	Pocket Handle, Black	999	1,099



SHXM65Z55N



All Bosch 300 Series Dishwashers Include the Following Features:

Quietness

- 44 dBA
- · InfoLight®
- · Time Remaining Display

Design

• Electronic Controls

Racks

- 16 Place Setting Capacity
- · Standard 3rd Rack
- 3 Step RackMatic®
- FlexSpace™ Tines
- 1 Flip Tine Upper Rack

Quality

- · Deeper Full Stainless Steel Tub
- 24/7 AquaStop®
- Easily Accessible 3-Stage Filtration System

Efficiency

269 kWh/yr

Performance

- Five Wash Cycles: Auto Wash, Heavy, Normal Wash, Speed60, Rinse & Hold
- Four Options: Sanitize, Extra Dry, 24H Delay Start, Half Load

SHEM63W55N

300 Series

Racks

• Long Silverware Basket

<u>SHEM63W52N</u> *	Recessed Handle, White	799	899	W COLD
<u>SHEM63W55N</u> *	Recessed Handle, Stainless Steel	849	949	0.000
<u>SHEM63W56N</u> *	Recessed Handle, Black	799	899	SHSM63W55N
SHSM63W52N	Scoop Handle, White	799	899	
SHSM63W55N	Scoop Handle, Stainless Steel	849	949	SHXM63W55N
SHSM63W56N	Scoop Handle, Black	799	899	The second second
SHXM63W55N	Bar Handle, Stainless Steel	899	999	SHXM63WS5N
SHXM63WS5N	Bar Handle, Stainless Steel, Touch Controls, Water Softener	1,149	1,299	
SHVM63W53N	Fully Integrated - Requires Custom Panel	899	999	SHVM63W53N



All Bosch 100 Series Dishwashers Include the Following Features:

Quality

· Anti-Finger Print Stainless Steel

- · Filter Color Touch Point
- Stainless Steel Tub With Polypropylene
- · 24/7 Overflow Protection

Efficiency

269 kWh/year

Performance

- Up to Six Wash Cycles Including: Heavy, Auto, Normal, Speed 60 and Rinse & Hold
- Up to Five Performance Enhancing Options Including: Sanitize

100 Series

Quietness

- 48 dBA
- InfoLight®

Design

- Electronic Controls
- · Time Remaining Display

Racks

- 15-Place Setting Capacity
- Standard 3rd Rack
- 3 Step RackMatic®
- Upper & Lower Rack Flip **Tines**
- Silverware Basket

Performance

- Additional Wash Cycles: Speed 60
- · Additional Options: 24 H Delay Start, and Extra Dry



SHXM4AY55N



SHXM4AY54N

SHXM4AY52N	Bar Handle, White	699	799
SHXM4AY54N	Bar Handle, Black Stainless Steel	849	949
SHXM4AY55N	Bar Handle, Stainless Steel	749	849
SHXM4AY56N	Bar Handle, Black	699	799

Quietness

• 50 dBA

Design

· Electronic Scrolling Controls

Racks

- 14-Place Setting Capacity
- · Manual Upper Rack
- 2 Flip Tines
- Long Silverware Basket

Performance

- · Additional Wash Cycles: **Delicate, Express**
- · Additional Options: 3/6/9 H Delay Start



SHE3AR75UC



SHX3AR75UC

SHE3AR72UC	Recessed Handle, White	499	549
SHE3AR75UC	Recessed Handle, Stainless Steel With Silver Fascia	599	699
SHE3AR76UC	Recessed Handle, Black	499	549
SHX3AR72UC	Bar Handle, White	599	699
SHX3AR75UC	Bar Handle, Stainless Steel	699	799
SHX3AR76UC	Bar Handle, Black	599	699



100 Series

Quietness

• 50 dBA

Design

• Standard Button Controls *Racks*

• 14-Place Setting Capacity

• Utility Rack

- Manual Upper Rack
- 2 Flip Tines
- Long Silverware Basket

Performance

 Additional Wash Cycles: Delicate, Express

 Additional Options: Delay Start



SHEM3AY55N

SHEM3AY52N	Recessed Handle, White	499	549
SHEM3AY55N	Recessed Handle, Stainless Steel With Silver Fascia	599	699
SHEM3AY56N	Recessed Handle, Black	499	549



SPECIAL APPLICATION/ADA DISHWASHERS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description **MSRP**

All Bosch ADA Dishwashers Include the Following Features:

D	esign		
	Timo	Domaining	

· Time Remaining Display

• ADA Compliant Height (32" Tall)

Racks

- RackMatic®
- · Flexible Silverware Basket

Quality

- · Full Stainless Steel Tub
- 24/7 AquaStop® Plus
- Easily Accessible 3-Stage Filtration System
- · Water Softener
- · Made in Germany

Efficiency

• 259 kWh/yr

Performance

- Four Wash Cycles: Heavy, Auto, Normal, Rinse & Hold
- · Three Options: Delicate, Sanitize, 24H Delay Start
- Extra Tall Item Sprinkler

800 Series EuroTub/ADA 18" and 24"

Quietness • 44 dBA • InfoLight®	Racks • 10 (18" Width)/ 15 (24" Width) Place Setting Capacity • Standard 3rd Rack Quality • Vase Holder and Small Item Clips	Performance • Additional Wash Cyc Delicate, Express • Additional Options: ExtraShine®	les:	SPE68U55UC SPX68U55UC
<u>SPE68U55UC</u> *	18" Recessed Handle, Stainless Steel	949	1,049	SPV68U53UC
SPX68U55UC	18" Bar Handle, Stainless Steel	1,049	1,199	
SPV68U53UC	18" Fully Integrated – Requires Custom	Panel 1,049	1,199	
				SGE68X55UC
<u>SGE68X55UC</u> *	24" Recessed Handle, Stainless Steel	949	1,049	p n
SGX68U55UC	24" Bar Handle, Stainless Steel	1,049	1,199	SGX68U55UC
SGV68U53UC	24" Fully Integrated - Requires Custom	Panel 1,049	1,199	

300 Series EuroTub/ADA 18" and 24"

SGV68U53UC

Quietness • 46 dBA	Racks • 9 (18" Width)/ 14 (24" Width) Place Setting Capacity	Performance • Additional Options: Extra Dry		SPE53U55UC
SPE53U52UC	18" Recessed Handle, White	849	949	0
SPE53U55UC	18" Recessed Handle, Stainless Steel	849	949	SGE53X55UC
SPE53U56UC	18" Recessed Handle, Black	849	949	3GE33X33UC
SGE53X52UC *	24" Recessed Handle, White	849	949	
SGE53X55UC*	24" Recessed Handle, Stainless Steel	849	949	
SGE53X56UC* * No InfoLight®	24" Recessed Handle, Black	849	949	LEARN MORE AT CONTROL LISTED

All Bosch Benchmark Series Dishwashers Include the Following Features:

Quiet Operation:

- · Multiple Layers of Sound-Absorbing
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise While Minimizing Vibration

Design:

- Integrated Control System
- · Flush Installation With Full Size Tub

- Self Latching Door
- · InfoLight® Or TimeLight® Except for Front Control Models

Racks

- 3 Step RackMatic®
- DoubleFlex™ Silverware Basket

Quality:

- 24/7 AquaStop® Leak Protection System
- Concealed Heating Element

Efficiency

- 269 kWh/yr
- ENERGY STAR® Certified

Performance

- · Six Cycles: Heavy, Auto Wash, Normal Wash, Speed60, Glass, Rinse & Hold
- Four Options: Sanitize, Delicate, 24H Delay Start, Half Load
- · Corrugated Shaped Filter
- · Quick Installation Kit Included

Introducing CrystalDry™—a patented drying technology that transforms moisture into heat to get dishes, including plastics, 60% drier. Available on all New 800 Series models.

*Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

Benchmark® Series

Quietness

- 38 dBA
- InfoLight®

Design

- · Touch Screen Display
- Time Remaining Display Racks

- 15 Place Setting Capacity
- Flexible Third Rack

- 6 Flip Tines Upper Rack
- 8 Flip Tines Lower Rack Quality
- · Full Stainless Steel Tub
- · Interior Light
- 24/7 AquaStop® Plus
- Telescopic Glides on All 3 **Loading Levels**
- · Stainless Steel Toekick

- · Water Softener
- Vase Holder and Small Item Clips
- · Made in Germany

Performance

- · Additional Wash Cycle: Express
- Additional Options: ExtraDry, SpeedPerfect, ExtraScrub



SHV89PW73N





2,099 2,349 SHE89PW75N* Recessed Handle TFT Display, Stainless Steel

SHX89PW75N Bar Handle TFT Display, Stainless Steel 2,099 2,349

SHV89PW73N** **Fully Integrated TFT Display** 2,099 2,349 **Requires Custom Panel**

Quietness

- 40 dBA
- · InfoLight®

Design

Touch Screen Display

- · Time Remaining Display Racks
- · 16 Place Setting Capacity
- MyWay™ 3rd Rack
- FlexSpace™ Plus Tines

- 4 Flip Tines Upper Rack
- 2 Flip Tines Lower Rack

Quality

Requires Custom Panel

- · Deeper Full Stainless Steel Tub
- Interior Light
- EasyGlide™ Racks on All 3 **Loading Levels**
- · Water Softener

Performance

- Home Connect[™] Allows You to Remotely Monitor and Control With Wi-Fi Connectivity
- · Additional Wash Cycles: **Express**
- Additional Options: CrystalDry™, Remote Start, SpeedPerfect





SHX88PZ65N



SHV88PZ63N

SHE88PZ65N* Recessed Handle TFT Display, Stainless Steel 1,849 2,049 SHX88PZ65N Bar Handle TFT Display, Stainless Steel 1,849 2,049 SHV88PZ63N **Fully Integrated TFT Display** 1,849 2,049





* No InfoLight® ** 39 dBA

Benchmark® Series

Quietness

- 40 dBA
- TimeLight®

Design

- · Touch Controls
- · Time Remaining Display

Racks

- 16 Place Setting Capacity
- MyWay™ 3rd Rack
- FlexSpace™ Plus Tines
- 4 Flip Tines Upper Rack
- 2 Flip Tines Lower Rack

Quality

- Deeper Full Stainless Steel
- EasyGlide™ Upper and **Lower Rack**
- **Water Softener**

Performance

• Additional Options: CrystalDry™, ExtraScrub



SHP88PZ55N



SHX88PZ55N



SHV88PZ53N

SHP88PZ55N	Pocket Handle,	Stainless	Steel
------------	----------------	-----------	-------

SHX88PZ55N Bar Handle, Stainless Steel

SHV88PZ53N Fully Integrated - Requires Custom Panel

Quietness

- 42 dBA
- · TimeLight®

Design

- · Touch Controls
- · Time Remaining Display

Racks

- 16 Place Setting Capacity
- MyWay™ 3rd Rack
- FlexSpace™ Tines
- 2 Flip Tines Upper Rack
- 2 Flip Tines Lower Rack

Quality

· Deeper Full Stainless Steel

• EasyGlide™ Upper Rack

Performance

 Additional Options: CrystalDry™, ExtraScrub





SHX87PZ55N

Pocket Handle, Stainless Steel SHP87PZ55N

Bar Handle, Stainless Steel SHX87PZ55N

1,349 1,499

1,599 1,799

1,599 1,799


1,799

1,599

1,349 1,499

Model Number Description MAP MSRP

Accessorie	es for Dishwash	ers			100 Series	300 Series	500 Series	800 Series	Benchmark	SPV68U55UC
	SMZPC002UC	Dishwasher 3-Prong Power Cord Kit (Rear Connection)	19	29		•	•	•	•	
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	20	29	•	•	•	•	•	
	SMZEP001UC	Edge Protector For Dishwasher Installations Through Metal Cab Water/drain/electrical Lines	5 inetry,	9 for	•	•	•	•	•	
	SGZPC001UC	Dishwasher 3-Prong Power Cord 61"	19	29	•					
	SMZSH002UC	Bosch Dishwasher Water Supply Hose	20	29		•	•	•	•	
	SMZPCSH2UC	Bosch Dishwasher Water Supply Hose & Accessory Power Cord (Rear Connection	40)	49		•	•	•	•	
	SGZ1010UC	Dishwasher Drain Hose Extension 76¾"	18	19	•	•	•	•	•	
	SGZ9091UC	Dishwasher Softener Salt (4.4 lbs) — Models With Water Softener Only	16	19					•1	
	SMZ1007UC	Bosch Dishwasher Bar Handle, Stainless Steel	59	69		•2	•2	•2	•2	
13.80	NEW SMZCD2000	JC Flexible 3rd Rack	49	59	•3	•	•	•	•	
PPF	<u>SMZ5000</u>	Dishwasher Accessory Kit With Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29		•	•	•	*1	
2000	SGZ1052UC	Dishwasher Accessory Kit With Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•					



² Excludes SH_87PW55N models





³ Alternative for Models with Existing 3rd Racks Only (SHX84AYD5N, SHXM4AY5_N)

Model Number

Description

MAP MSRP

Accessorie	es for Dishwash	ners			100 Series	300 Series	500 Series	800 Series	Benchmark	SPV68U55UC
	SMZ4026	MyWay™ Rack Silverware Insert Accessory	20	29				•1	•	
	<u>SMZ5400</u>	MyWay™ Rack Large Silverware Insert Accessory	30	39				•2	•	
	SMZ4000UC	Long Flexible Silverware Basket	25	29	•	•	•	•	•	
	SMZ5002UC	Anti-Tarnish Silverware Cassette With Clips	25	29	•	•	•	•	•3	
M M M	<u>SMZ5003</u>	18" Dishwasher Accessory Hinge for 4" Toekick Height Installation	150	169						•

SH_M98W7_N models only

² SH_M98W7_N models only

³ Excludes SH_89PW7_N models

All Bosch Washers Include the Following Features:

- EcoSilence™ BLDC Motor for Quieter Operation
- Improved Energy Efficiency and Performance
- · Wave Profiled Stainless Steel Drum
- · Anti-Vibration Circular Side Walls
- · Spin Speed Up to 1400 rpm

- ENERGY STAR® Certified
- Energy Consumption 84 kWh/year
- Exceeds the March 2015 ENERGY STAR® Water Consumption Standards
- Child Lock
- Signal

- · Internal Water Heater
- · ActiveClean® System
- *Installation:* Stackable, Side-by-Side, Under Counter Or Pedestal Option
- 208-240 V

800 Series

24" Compact Washer

- Home Connect[™] Features
- App Allows You to Operate Washer from Anywhere in the Home
- Easy Start Option for Your Wash Cycle
- Energy Management Information
- Design: White Cabinet With Chrome Illuminated Selection Dial and Chrome Door Ring
- Premium Large Touch Control Display
- Large 2.2 cu.ft. Capacity, Wash Up to 17.6 lbs Or 18 Bath Towels

- Interior LED Drum Light
- Clear Glass Window With Bosch Magneto
- Matching Dryer WTG865H2UC
- Quality: AquaStop® Plus Leak Protection System
- Silence Level: Washing/ Spinning 50/71 dBA
- 14 Individually-Tailored Washing Programs: Super Quick 15 Min., Whitest Whites, Cotton, Permanent Press, Permanent Press Heavy Soil, Sanitize, Quick Wash 30 Min., Delicates, Hand Wash/Wool, Towels,

Bulky/Large Items, Drum Clean, Spin/Drain, Rinse

- 10 Options: EcoPerfect, Prewash, Rinse Plus, Remote Start, Start/ Pause, Finish in, Spin Speed, Temperature, SpeedPerfect™, Stains (Stains Program Treats Oil, Food Based, Red Wine and Grass Based Stains)
- Plugs Into Dryers WTG865H2UC, WTG865H3UC, WTG86402UC, WTG86401UC Or WTG86400UC



WAW285H2UC





WAW285H2UC

24" White Cabinet With Chrome Illuminated Selection Dial and Chrome Door Ring

1,549 1,749

500 Series

24" Compact Washer

- Design: White Cabinet With Silver/White Dial and Silver Door Ring
- · Touch Control Display
- Large 2.2 cu.ft. Capacity, Wash Up to 17.6 lbs Or 18 Bath Towels
- Clear Glass Window With Bosch Magneto
- Matching Dryer WTG86401UC
- Quality: AquaShield® Hose Leak Protection System

- Silence Level: Washing/ Spinning 52/72 dBA
- 15 Individually-Tailored Washing Programs: Cotton Normal, Cotton Light Soil, Permanent Press, Permanent Press Heavy Soil, Permanent Press Light Soil, Sanitize, Jeans, Quick Wash 30 Mins., Delicates, Hand Wash/Wool, Towels, Bulky/Large Items, Drum Clean, Drain, Rinse/Spin
- 6 Options: SpeedPerfect™, Temperature, Finish In, Extra Rinse, Prewash, Spin Speed, Start/Pause
- Plugs Into Dryers WTG865H2UC, WTG865H3UC, WTG86402UC, WTG86401UC Or WTG86400UC



WAT28401UC



WAT28401UC

24" White Cabinet With Silver/White Dial and Silver Door Ring

1,249 1,399



300 Series

24" Compact Washer

- · Design: White Cabinet With White Dial and White Door Ring
- · Touch Control Display
- · Large 2.2 cu.ft. Capacity, Wash Up to 15.4 lbs Or 16 **Bath Towels**
- · Clear Glass Window
- · Matching Dryer WTG86400UC

- · Silence Level: Washing/ Spinning 54/73 dBA
- 15 Individually-Tailored Washing Programs: Cotton Normal, Cotton Light Soil, Permanent Press, Permanent Press Heavy Soil, Permanent Press Light Soil, Jeans, Quick Wash 30 Mins., Heavy Duty, Delicates, Hand Wash/ Wool, Allergen, Towels, Drum Clean, Drain, Rinse/ Spin
- 6 Options: SpeedPerfect[™] Temperature, Finish In, Extra Rinse, Prewash, Spin Speed, Start/Pause
- Plugs Into Dryers WTG865H2UC, WTG865H3UC, WTG86402UC, WTG86401UC Or WTG86400UC



WAT28400UC



WAT28400UC

24" White Cabinet With White Dial

and White Door Ring

1,099 1,249



Number Description MAP **MSRP**

All Bosch Dryers Include the Following Features:

- Large 4.0 cu.ft. Capacity
- · Anti-Vibration Circular Side Walls
- · Sensitive Drying System
- Start/Pause
- · Child Lock

- · Extra-Fine Lint Filter
- ActiveDry® System

Installation:

- · Stackable, Side-by-Side, Under Counter Or Pedestal Option
- · No Ducting Required
- · Drain Pump and Hose Included
- Power Cord Included (4-Prong)

800 Series

24" Compact Condensation Dryer

- Home Connect[™] Features
- App Allows You to Operate Dryer from Anywhere in the Home
- · Easy Start Option for Your Drv Cvcle
- Energy Management Information
- ENERGY STAR® Certified

Design:

- · White Cabinet With Chrome Illuminated Selection Dial and Chrome Door Ring
- Premium Large Touch Control Display

NEW WTG865H3UC

Reversible Door (No Additional Parts Required)

- · Stainless Steel Structured Drum
- Dry Up to 17.6 lbs Or 18 **Bath Towels**
- Interior LED Drum Light
- · Clear Glass Window With Bosch Magneto
- Matching Washer WAW285H2UC

Quality:

• Energy Consumption 311 kWh/year

Silence Level:

63 dBA

14 Individually-Tailored Drying Programs:

• SuperQuick 15, Permanent Press, Jeans, Delicates,

Cotton, Towels, Time Dry, Quick 40, Anti Shrink, Sanitize, Quick Dry Auto, Hand Wash/Wool, Bulky Large Items, Air Fluff;

9 Options:

- · Low Heat, Time Dry, Remote Start, Start/Pause, Finish in, Level Adjust, Dryness Level, End Signal, Wrinkle Block
- Washers WAW285H2UC. WAT28402UC, WAT28401UC. WAT28400UC Can Be Plugged Into Dryer



WTG865H3UC





24" Ventless Condensation Drying System 1,549 1,749 Chrome Illuminated Selection Dial and Chrome Door Ring

500 Series

24" Compact Condensation Dryer

ENERGY STAR® Certified

Design:

- · White Cabinet With Silver/White Dial and Silver Door Ring
- Touch Control Display
- · Reversible Door (No Additional Parts Required)
- · Stainless Steel Structured Drum
- Dry Up to 17.6 lbs Or 18 Bath Towels
- · Clear Glass Window With

WTG86401UC

Bosch Magneto

· Matching Washer WAT28401UC

Quality:

 Energy Consumption 311 kWh/year

Silence Level:

• 65 dBA

15 Individually-Tailored Drying Programs:

· Cotton Extra Dry, Cotton Dry (Regular), Permanent Press Extra Dry, Permanent Press Dry, Permanent

Press Damp, Jeans, Quick Dry Auto, Air Fluff/No Heat, Time Dry Variable, Quick 40, Delicates, Sanitize, Hand Wash/Wool, Towels, Bulky/Large Items

6 Options:

- · Dry Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Signal
- Washers WAW285H2UC. WAT28402UC, WAT28401UC, WAT28400UC Can Be Plugged Into Dryer



WTG86401UC



24" Ventless Condensation Drying System With Silver/White Dial and Silver Door Ring 1,249 1,399



Model Number Description MAP MSRP

300 Series

24" Compact Condensation Dryer

Design:

- White Cabinet
 With White Dial and White
 Door Ring Touch Control
 Display
- · Galvalume Drum
- Dry Up to 15.4 lbs Or 16 Bath Towels
- · Clear Glass Window
- Matching Washer WAT28400UC

Quality:

 Energy Consumption 320 kWh/year

Silence Level:

• 67 dBA

15 Individually-Tailored Drying Programs:

 Cotton Extra Dry, Cotton Dry (Regular), Permanent Press Extra Dry, Permanent Press Dry, Permanent Press Damp, Jeans, Quick Dry Auto, Air Fluff/No Heat, Time Dry Variable, Quick 40, Delicates, Heavy Duty, Sanitize, Hand Wash/Wool, Towels

6 Options:

- Dry Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Signal
- Washers WAW285H2UC, WAT28402UC, WAT28401UC, WAT28400UC Can Be Plugged Into Dryer



WTG86400UC

WTG86400UC

24" Ventless Condensation Drying System White With White Dial and White Door Ring

1,099 1,249



Model Number Description MAP MSRP

Accessorie	Accessories for Laundry			∕as	her	S	Dryers					
				WAW285H2UC	WAT28402UC	WAT28401UC	WAT28401UC	WTG865H2UC	WTG865H3UC	WTG86402UC	WTG86401UC	WTG86400UC
	WMZ20600	Drying Rack for Wool Items, Shoes, Etc. 79 8 for Bosch 24" Dryers	9					•	•	•	•	•
	WMZ20490	Pedestal With Drawer for 24" Washer See note below	,	•	•	•	•					
	WMZ20500	Pedestal With Drawer for 24" Dryer See note below	,					•	•	•	•	•
to an and the second	WTZ11400UC	Stacking Kit With Pull Out Tray 149 16	9	•	•	•	•	•	•	•	•	•
	WTZ20410UC	Stacking Kit Without Pull Out Tray 49 5	9	•	•	•	•	•	•	•	•	•



NOTE: Model no longer available.

Number Description MAP MSRP

Built-in Coffee Machine

24" Built-in Coffee Machine

- Home Connect[™] App Allows You to Prepare Coffee from Anywhere in the Home
- Within Minutes Prepare Espressos, Cappuccinos, Lattes, Macchiato and More
- MyFavorites Stores Up to 8 of Your Favorite Coffee Preferences
- Large TFT Color Touch Screen Interface
- Automatic System for Cleaning, Milk Steam Rinsing and Descaling

- AromaPro Provides
 Constant Pressure for an Enhanced Coffee
 Experience
- Grinding Settings for Dark Or Light Coffee
- CoffeeSensor Measures the Ground Coffee After Each Grinding Cycle
- OneTouch DoubleCup Dispenses Two Beverages At the Same Time
- Integrated Built-in Sensors Will Alert You When Coffee, Water Level Is Low

- AromaDouble Shot Prepares Extra-Strong Coffee With Less Bitterness
- Individual Cup Volume Allows You to Adjust Your Coffee Cup Size
- 1 lb. Bean Container
- 10-Cup Water Reservoir
- Stainless Steel 17 oz. Milk Container
- · Built-In Drip Tray
- · Soft-Closing Door
- 120 V



BCM8450UC



BCM8450UC

Bosch Built-In Coffee Machine

3,299 3,649

Accessories for Coffee Machine		BCM8450UC
HEZCMT3050 30" SS Trim Kit	399 439	•

For coffee accessories, please see the Cleaners & Accessories Price List in the Sales SharePoint.

All Bosch Slide-In Ranges Include the Following Features:

- The Bosch Slide-in Range Fits in Any Freestanding Range Cutout
- 400 W Warming Drawer
- Touch Control for Easier Operation of the Oven
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- Extra Large Door Window
- Star-K Certified 100°-450°F
- · Rear Vent Trim Included

800 Series

30" Induction Slide-in Range

- 17 Heat Levels
- A 11" Heating Element Offers 3,700 W of Power
- Easier to Clean and More Efficient
- SpeedBoost®
- Each Element Has an Independent CountDown Timer

LR: 9" @

2,200 W/3,700 W (SpeedBoost®)

1,400 W/2,200 W (SpeedBoost®)

ChildLock

	0 (0 1	
•	SafeStart	
	Jaicotait	

- 11 Specialized Cooking Modes
- 2,000 W Convection Ring Element
- Genuine European Convection
- · Temperature Probe

RR: 11" @

2,600 W/3,700 W (SpeedBoost®) RF: 6" @

1,400 W/2,200 W (SpeedBoost®)

Fast Preheat™

- · One Oven Light
- Large Oven Capacity At 4.6 cu.ft
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- Electrical Supply: 40 A



HII8056U



HII8056U Stainless Steel

HII8046U Black Stainless Steel 3,499 3,849

HII8046U

30" Dual Fuel Slide-in Range

- Powerful 18,000 BTU Center Burner
- Heavy-Duty Metal Knobs
- Low-Profile Continuous Grate Design
- Stainless Steel Maintop
- 11 Specialized Cooking Modes
- 2,000 W Convection Ring Element

- Genuine European Convection
- Temperature Probe
- Fast Preheat™
- 5 Burners Add Flexibility to Your Cooking
- · Two Oven Lights
- Kitchen Timer

- Large Oven Capacity At 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- · LP Conversion Kit Included
- Electrical Supply: 30 A



HDI8056U

LR: 5,000 BTU (NG)	C: 18.000 BTU (NG)	RR: 5,000 BTU (NG)
LF: 10,000 BTU (NG)	C: 10,000 BTO (NG)	RF: 15,000 BTU (NG)

HDI8056U Stainless Steel

2,699 2,999

3,399 3,749

800 Series

30" Gas Slide-in Range

- Powerful 18,000 BTU Center Burner
- · Heavy-Duty Metal Knobs
- · Low-Profile Continuous Grate Design
- Stainless Steel Maintop

LR: 5,000 BTU (NG) LF: 10,000 BTU (NG)

- 9 Specialized Cooking Modes
- · Standard Convection
- 5 Burners Add Flexibility to Your Cooking
- · Kitchen Timer

C: 18,000 BTU (NG)

· Large Oven Capacity At 4.8 cu.ft.

- 18,000 BTU Bake Burner
- 12,500 BTU Broil Burner
- LP Conversion Kit Included

2,299 2,549

2,399 2,649

• Electrical Supply: 15 A

RR: 5,000 BTU (NG)

RF: 15,000 BTU (NG)



HGI8056UC



HGI8046UC

HGI8056UC Stainless Steel

HGI8046UC Black Stainless Steel

30" Electric Slide-in Range

- · 2,000 W Convection Ring Element
- Genuine European Convection

HEI8046U

· Heavy-Duty Metal Knobs

LR: 6" @ 1,200 W	
LF: 9"/6" @ 3,000 W/1,400 W	

- 11 Specialized Cooking Modes
- Fast Preheat™
- · Kitchen Timer
- · Large Oven Capacity At 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- · Powerful 2.400 W 4-Pass Bake Element
- Electrical Supply: 40 A



HEI8056U

RR: 6" @ C: 6" @ 1,200 W 100 W Warming Element RF: 9.5" @ 3,200 W

Stainless Steel **HEI8056U** 2,199 2,449

Black Stainless Steel 2,299 2,549



HEI8046U

All Bosch Benchmark Slide-In Ranges Include the Following Features:

- The Bosch Slide-in Range Fits in Any Freestanding Range Cutout
- · QuietClose® Door
- A Full-Extension Telescopic Rack
- 400 W Warming Drawer
- Touch Control for Easier Operation of the Oven
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- Temperature Probe

- Two Oven Lights
- · Kitchen Timer
- · Extra Large Door Window
- Star-K Certified 100°-450° F
- · Rear Vent Trim Included

Benchmark Series

30" Induction Slide-in Range

- FlexInduction® Cooktop Can Combine Two Cooking Zones Into One Continuous Surface
- PowerMove™
- 17 Heat Levels
- A 11" Heating Element Offers 3,700 W of Power
- · Faster Than Gas Or Electric
- Easier to Clean and More Efficient
- · SpeedBoost®

- PotSense
- Each Element Has an Independent CountDown Timer
- PreciseSelect®
- ChildLock
- · SafeStart
- 2,000 W Convection Ring Element
- Genuine European Convection

- Fast Preheat™
- Star-K Certified 100°-450°
 F
- Large Oven Capacity At 4.6 cu.ft
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- Electrical Supply: 40 A



HIIP056U

LR : 8" × 9" @	RR: 11" @
2,200 W/3,600 W (SpeedBoost®)	2,600 W/3,700 W (SpeedBoost®)
LF: 8" × 9" @	RF: 6" @
2,200 W/3,600 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)

Full Zone: 16" x 9" @ 3,300 W/3,600 W (SpeedBoost®)

HIIP056U

30" Induction Slide-in Range

3,799 4,199

30" Dual Fuel Slide-in Range

- Powerful 20K BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer
- Heavy-Duty Metal Knobs
- Low-Profile Continuous Grate Design
- · Stainless Steel Maintop
- 11 Specialized Cooking

LR: 5,000 BTU (NG)	
LF: 10,000 BTU (NG)	

Modes

- 2,000 W Convection Ring Element
- Genuine European Convection
- Fast Preheat™
- 5 Burners Add Flexibility to Your Cooking
- Large Oven Capacity At 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- · LP Conversion Kit Included
- Electrical Supply: 30 A



HDIP056U

C: 20,000 BTU (NG) Dual-Stacked

RF: 15,000 BTU (NG)

RR: 5,000 BTU (NG)

HDIP056U

30" Dual-Fuel Slide-in Range

2,999 3,299

Description MAP **MSRP**

Benchmark Series

30" Gas Slide-in Range

- · Powerful 20K BTU Center **Dual-Stacked Burner** Designed for Faster Boiling and Low Simmer
- · Heavy-Duty Metal Knobs
- · Low-Profile Continuous Grate Design

LR: 5,000 BTU (NG) LF: 10,000 BTU (NG)

- Stainless Steel Maintop
- 9 Specialized Cooking Modes
- · Standard Convection
- 5 Burners Add Flexibility to Your Cooking

· Large Oven Capacity At 4.8 cu.ft.

- 18,000 BTU Bake Burner
- 12,500 BTU Broil Burner
- · LP Conversion Kit Included
- Electrical Supply: 15 A



HGIP056UC

C: 20,000 BTU (NG)	
Dual-Stacked	

RR: 5,000 BTU (NG) RF: 15,000 BTU (NG)

DD. 6" @

HGIP056UC

30" Gas Slide-in Range

2,899 3,199

30" Electric Slide-in Range

- Cook With 6", 9" Or 12" Elements
- · Heavy-Duty Metal Knobs
- 11 Specialized Cooking Modes
- · 2,000 W Convection Ring

LR: 6" @ 1,200 W LF: 6"/9"/12" @ 1,050 W/1,950 W/3,000 W

Element

- · Genuine European Convection
- Fast Preheat™
- · Large Oven Capacity At 4.6 cu.ft.

•	Recessed 8-Pass 3,800	W
	Broil Element	

- Powerful 2,400 W 4-Pass Bake Element
- Electrical Supply: 40 A



HEIP056U

C: 6" @	1,200 W
100 W Warming Element	RF: 9.5" @ 3,200 W

HEIP056U

30" Electric Slide-in Range

2,799 3,099

Model Number Description MAP MSRP

Accessorie	es for Ranges				Induction	Electric	Gas	Dual Fuel
6		Pan With Aluminum Core Optimized for Corior Heat Distribution	ooking With A	AutoChef®	•		•	•
	HEZ390230	10" Pan for 8" and 9" Elements	119	139				Ш
	HEZ390220	9" Pan for 7" Element	99	109	•	•	•	•
	HEZ390210	8" Pan for 6" Element	89	99	•	•	•	•
		ction Grill Non-Stick Cast Aluminum with a g Meats, Seafood and Vegetables	Thick Ferron	nagnetic Base •	•			
	NEW HEZ9GR37UC 17" x 9" Grill Pan 249 279					Ш		
	HEZ298102	Wok Ring—Attaches to Grates	69	79			•	
	HEZGR301	Griddle for on Top of Gas Grates	139	159			•	
	HEZTR301	Gliding Telescopic Rack	279	309	•	•	•	
	HEZBS301	4" Low Back Accessory for Electric and Induction Slide-in Ranges	249	279	•	•		
	HGZBS301	4" Low Back Accessory for Gas Slide-in Ranges	219	249			•	
	HDZBS301	4" Low Back Accessory for Dual-Fuel Slide-in Ranges	249	279				•
	HGZIT301	Island Trim Accessory For Use in Gas Range Island Applications	219	249			•	
	HDZIT301	Island Trim Accessory For Use in Dual-Fuel Range Island Applica	249 itions	279				•

All Bosch Over-the-Range Microwaves Include the Following Features:

- Design-Matched for Use in Combination With Bosch Range Or Cooktop
- Exclusive Stainless Steel Handle
- · Easy to Read White LCD Display
- · Easy to Use Touch Control
- Side-Hinged Door Allows Full Access to Microwave Cavity
- Installation for Recirculation Or Outside Venting
- · Reheat Setting
- Potato Program
- · Automatic Defrost
- · Popcorn Program
- Timer With Cook Time and Automatic Shut Off Function

- · Convenient Kitchen Timer
- Easily Adds 30 Seconds to Cooking Time
- · 10 Microwave Power Levels
- Plugs Into Standard 110 V, 3-Prong Outlet

800 Series

30" Over-the-Range Convection Microwave

- Easy-Clean Stainless Steel Vent Cover
- 1.8 cu.ft. Large Oven Capacity
- Large 14 ³/₁₆" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent With Up to 385 CFM Power
- Two LED Lights for Bright Cooktop Illumination
- · Convection Cooking
- Full Stainless Steel Cavity

799

749

899

849



HMV8044U



HMV8053U

HMV8044U Black Stainless Steel

HMV8053U Stainless Steel

1100030

500 Series

30" Over-the-Range Microwave

- Easy-Clean Stainless Steel Vent Cover
- 2.1 cu.ft. Large Oven Capacity
- Large 14 ³/₁₆" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent With Up to 385 CFM Power
- Two LED Lights for Bright Cooktop Illumination
- Double Microwave Distribution System



HMV5053U

HMV5053U Stainless Steel 549 649

300 Series

30" Over-the-Range Microwave

- Stainless Steel Colored Vent Grid
- 1.6 cu.ft. Large Oven Capacity
- Large 13 ½" Glass Turntable
- Three-Speed Vent With Up to 300 CFM Power
- Two Surface Lights for Bright Cooktop Illumination



HMV3053U

HMV3053U Stainless Steel 449 499

Number Description MAP **MSRP**

800 Series

27" and 30" Speed Ovens

- · Cooks Faster Than a Traditional Oven and Can Also Be Used As a Microwave
- LCD Display and LED Light
- 1.6 cu.ft. Overall Capacity
- · Nine SpeedChef® Cooking Cycles
- · Convection Broil and Convection Bake Modes
- · Seven Auto Sensor Microwave Cycles

- 1,000 W Microwave
- 1,750 W Broil Element
- 600 W Bake Element
- 1,700 W Convection Element
- Electrical Connection -120 V NEMA 5-20 3-Prong Plug for HMC80152UC and HMC87152UC: 240 V Direct Wire for HMC80252UC and HMC80242UC
- Electric Load 20 A
- · Kitchen Timer and Panel Lock Setting
- · Stainless Steel Cooking Interior
- Cut-Resistant Metal Turntable and Separate Ceramic Cooking Tray
- · Multi-Use Oven Rack
- Wall Or Under Counter Approved Installation



HMC80152UC



HMC80242UC

HMC80252UC	30" 240 V Speed Oven, Stainless Steel	1,949 2,149

1,999 2,199 **HMC80242UC** 30" 240 V Speed Oven, Black Stainless Steel

HMC80152UC 30" 120 V Speed Oven, Stainless Steel 1,749 1,949

27" 120 V Speed Oven, Stainless Steel 1,749 1,949 **HMC87152UC**

24" and 30" Drawer Microwave Oven

- · Touch Control With White Display
- 1.2 cu.ft. Overall Capacity
- · Microwave Power: 950 W
- 10 Power Levels
- · Sensor Cooking
- · Door Opens and Closes Through Touch Control
- · Can Be Installed Flush

1,499 1,649



HMD8053UC



HMD8451UC

30" Drawer Microwave, Stainless Steel **HMD8053UC** 1,599 1,799

24" Drawer Microwave, Stainless Steel **HMD8451UC**

500 Series

24" Speed Oven

- · Cooks Faster Than a Traditional Oven and Can Also Be Used As a Microwave
- · LCD Display and LED Light
- 1.6 cu.ft. Overall Capacity
- · Nine SpeedChef® Cooking Cycles
- · Convection Broil and Convection Bake Modes
- · Seven Auto Sensor Microwave Cycles

- 1,000 W Microwave
- 1,750 W Broil Element
- 600 W Bake Element
- 1,700 W Convection Element
- Electrical Connection 120 V NEMA 5-20 3-Prong
- Electric Load 20 A
- · Kitchen Timer and Panel Lock Setting

- · Stainless Steel Cooking Interior
- Cut-Resistant Metal Turntable and Separate Ceramic Cooking Tray
- · Multi-Use Oven Rack
- · Wall Or Under Counter Approved Installation (Not Under a Cooktop)



HMC54151UC

HMC54151UC

24" 120 V Speed Oven, Stainless Steel

1,699 1,899

27" and 30" Built-in Microwave Touch Control With Drop Down Door

- LCD Display and LED Light
- 1.6 cu.ft. Overall Capacity
- 14 %" Glass Turntable
- Microwave Power: 950 W
- 10 Power Levels
- Sensor Cooking
- · Sensor Reheat
- · No Trim Kit Required
- · Plugs Into a Standard 120 V, 3-Prong Outlet



HMB50152UC

30" Microwave, Stainless Steel **HMB50152UC**

HMB50162UC 30" Microwave, Black

1,249 1,399 1,249 1,399

27" Microwave, Stainless Steel **HMB57152UC** 1,249 1,399

Number Description MAP **MSRP**

Benchmark Series

30" Over-the-Range Convection Microwave

- · Design Matched for Use in Combination With Bosch Range Or Cooktop
- · Exclusive Stainless Steel Handle
- Easy-Clean Stainless Steel Vent Cover
- · Easy to Read White LCD Display
- · 1.8 cu.ft. Large Oven Capacity
- Large 14³/₁₆" Glass Turntable
- · Easy to Use Touch Control
- Side-Hinged Door Allows

Full Access to Microwave Cavity

- Installation for Recirculation Or Outside Venting
- · Reheat Setting
- · Potato Program
- · Automatic Defrost
- · Popcorn Program
- Timer With Cook Time and Automatic Shut Off **Function**
- · Convenient Kitchen Timer
- · Easily Adds 30 Seconds to

Cooking Time

- 10 Microwave Power Levels
- · 8 Sensor Programs
- · Four-Speed Vent With Up to 385 CFM Power
- Two 30 W LED Lights for **Bright Cooktop Illumination**
- · Convection Cooking
- · Full Stainless Steel Cavity
- · Heavy-Duty Mesh Ventilation Filter
- Triple Distribution System
- Plugs Into Standard 110 V, 3-Prong Outlet



HMVP053U

HMVP053U

Stainless Steel

799

899

All Bosch 800 Series 27" and 30" Built-In Ovens Include the Following Features:

- QuietClose® Door
- A Full-Extension Telescopic Rack
- Designed to Be Installed Flush With Your Cabinetry
- Compatible With Most Existing Cut-Outs
- 15 Oven Modes
- Custom Cooking Modes: Pizza, Pie, Warm and Proof

- · Genuine European Convection
- Temperature Conversion for Convection Cooking
- Touch Control With SteelTouch™
 Buttons Makes Operating the Oven
 Easier
- Temperature Probe Takes Guesswork Out of Cooking
- Fast Preheat™ Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles

- Two Oven Lights
- Timer With Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Large Capacity At 4.6 cu.ft. (3.9 cu.ft. for 27")
- Recessed 8-Pass Broil Element for Increased Capacity and Safety

800 Series

27" Single Wall Oven

HBN8451UC 27" Stainless Steel

2,499 2,749

2,649 2,949

2,649 2,949

2,849 3,149



HBN8451UC

30" Single Wall Ovens

 Home Connect[™] Features. Remotely Monitor and Control the Wall Oven With Wi-Fi Connectivity

HBL8453UC 30", Single Wall Oven, Stainless Steel

HBL8463UC 30", Single Wall Oven, Black

HBL8443UC 30", Single Wall Oven, Black Stainless Steel



HBL8453UC





HBL8463UC





HBL8443UC



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description MAP MSRP

800 Series

27" and 30" Double Wall Oven

- 15 Upper Oven Modes
- 6 Lower Oven Modes
- Genuine European Convection in Upper Oven
- Thermal Cooking With Bake, Broil, Roast and Warm in Lower Oven







HBL8651UC

HBL8661UC

HBL8642UC

HBL8651UC	30" Stainless Steel	3,599	3,999
HBL8661UC	30" Black	3,499	3,849
HBL8642UC	30" Black Stainless Steel	3,799	4,199

HBN8651UC 27" Stainless Steel 3,599 3,999

30" Speed Combination Oven

 Home Connect[™] Features. Remotely Monitor and Control the Lower Wall Oven With Wi-Fi Connectivity

HBL8743UC

- Combination Oven
 Featuring a Speed Oven
 and Wall Oven With
 Touch Control
- Speed Oven Cooks Faster Than a Traditional Oven
- Speed Oven: For Additional Details Please Review SKU HMC80252UC (See Page 6-7)
- 15 Lower Oven Modes







HBL8743UC



HBL8753UC 30", Combo, Stainless Steel,

30", Combo, Black Stainless Steel,

4,599 5,099

4,999 5,499

Number Description MAP MSRP

800 Series

30" Microwave Combination Oven

 Home Connect[™] Features. Remotely Monitor and Control the Lower Wall Oven With Wi-Fi Connectivity

HBL87M53UC

• Combination Oven Featuring a Microwave and Wall Oven With **Touch Control**

30", Stainless Steel

- 1.6 cu.ft. Capacity Microwave With Drop Down Door and LCD Display
- 15 Lower Oven Modes

3,999 4,399







All Bosch 500 Series 27" and 30" Built-In Ovens Include the Following Features:

- Heavy-Duty Metal Knobs for a Premium Look and Feel
- Compatible With Most Existing Cut-Outs
- Designed to Be Installed Flush With Your Cabinetry
- 2, 3, and 4-Hour Self-Clean Cycles
- · One Oven Light
- Kitchen Timer
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Large Capacity At 4.6 cu.ft. (3.9 cu. ft. for 27")
- Recessed 8-Pass Broil Element for Increased Capacity and Safety

500 Series

27" and 30" Single Wall Oven, European Convection

• Genuine European Convection

HBN5451UC

- 14 Oven Modes
- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- Temperature Conversion for Convection Cooking

2,199 2,449

2,199 2,449



HBL5451UC

HBL5451UC 30" Stainless Steel

27" Stainless Steel

30" Single Wall Ovens, Thermal Cooking

- Thermal Cooking With Bake, Broil, Roast, and Warm
- 6 Oven Modes

HBL5351UC 30" Stainless Steel 1,899 2,099



HBL5351UC

27" and 30" Double Wall Oven, European Convection (Upper Cavity)

- Genuine European Convection in Upper Oven
- 14 Upper Oven Modes
- Custom Cooking Modes Upper Oven: Pizza, Pie, Warm and Proof
- Thermal Cooking With Bake, Broil, Roast and Warm in Lower Oven
- Temperature Conversion for Convection Cooking in Upper Oven



HBL5651UC

- <u>HBL5651UC</u> 30" Stainless Steel 3,199 3,549
- HBN5651UC 27" Stainless Steel 3,199 3,549

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description MAP MSRP

500 Series

30" Double Wall Oven, Thermal Cooking

 Thermal Cooking With Bake, Broil, Roast and Warm in Both Cavities

HBL5551UC 30" Stainless Steel

2,899 3,199



HBL5651UC

30" Microwave Combination Oven

- Combination Oven
 Featuring a Microwave and
 Wall Oven With Stainless
 Steel Knobs
- 1.6 cu.ft. Capacity Microwave With Drop Down Door and LCD Display
- Genuine European Convection in Lower Oven



HBL57M52UC

HBL57M52UC 30" Stainless Steel

3,499 3,849

All Bosch 500 Series 24" Built-In Ovens Include the Following Features:

- Oven Is Perfect for Kitchens With a Smaller Footprint
- Designed to Be Installed Flush With Your Cabinetry
- Genuine European Convection Ensures Even Cooking and Baking Results on Multiple Racks
- Halogen Light to Better Monitor Cooking Progress
- · Kitchen Timer

500 Series

24" Single Wall Oven, European Convection

- Home Connect[™] Features. Remotely Monitor and Control the Wall Oven With Wi-Fi Connectivity
- 24" Touch Control Bosch Wall Oven With Full Color TFT Display
- 12 Oven Modes

- Designed With Black Glass Door and a Unique Ring Control
- Custom Cooking Modes: Convection Multi-Rack, Bake, Pizza, Roast, Proof, Convection Broil, Broil, Slow Cooking, Defrost, Plate Warming, Warming
- · Sabbath Mode
- EcoClean® Coating Uses Heat to Burn Off Most Grease
- · Three Standard Racks
- Capacity At 2.5 cu.ft.



HBE5452UC



HBE5452UC 24" Stainless Steel 2,099 2,349

24" Single Wall Oven, European Convection

- Telescopic Extension Rail
- Knob Control
- 9 Oven Modes
- Custom Cooking Modes: Pie, Frozen Foods, Defrost, Warm, and Broil Plus
- The DualClean® System
 Uses the Cavity Coating
 and Heat to Burn Off Most
 Grease
- Timer With Cook Time and Delay Start Function
- · Capacity At 2.8 cu.ft.
- · 8-Pass Broil Element



HBE5451UC

HBE5451UC 24" Stainless Steel

Discontinues February 2020

HBE5453UC 24" Stainless Steel

Replaces HBE5451UC

1,899 2,099

1,899 2,099



HBE5453UC

500 Series

27" and 30" Warming Drawers

- Keeps Meals Hot and Is Designed to Match the Perfectly Flush Fit of a Bosch Wall, Speed Or Steam Oven
- 3 Settings to Keep Meals Hot and Ready to Serve
- Installs Vertically Under Bosch Speed, Steam Or Wall Oven
- Matches Bosch Built-in Products
- Install Either Flush Or Proud
- 450 W Heating Element Concealed Below Drawer
- Special Dough Proofing Mode
- Sturdy Ball Bearing Telescopic Rails for Smooth Opening

- Star-K Certified
- 1 Hour Automatic Shut Off Function With Adjustable Timer
- 2.2 cu.ft. Large Cavity (1.9 cu.ft. for 27")
- Lower Side Walls Allow Easy Loading and Unloading of Drawer



HWD5051UC

HWD5051UC 30" Stainless Steel

HWD5751UC 27" Stainless Steel

1,149 1,299

1,199 1,349

30" Storage Drawer

- Designed to Match the Perfectly Flush Fit of a Bosch Wall, Speed Or Steam Oven
- Fits 30" Racks, the Temperature Probe and Other Cooking Relevant Utensils
- A Silicone Mat Protects the Bottom of Drawer
- 2.4 cu.ft. Large Cavity



HSD5051UC

HSD5051UC

30" Stainless Steel

649 749

All Bosch Benchmark Series Built-In Ovens Include the Following Features:

- QuietClose® Door Dampened Hinges Softly and Quietly Guide the QuietClose® Door Shut
- The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity
- Designed to Be Installed Flush With Your Cabinetry
- Compatible With Most Existing Cut-Outs
- 14 Specialized Cooking Modes Gourmet Cooking Made Easy

- Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof
- · Genuine European Convection
- Temperature Conversion for Convection Cooking
- Fast Preheat™ Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- EcoChef Mode Remaining Heat in Cavity Finishes Cooking Process
- AutoProbe Takes the Guesswork Out of Cooking

- Two Halogen Lights Provide Superior Cavity Illumination
- Timer With Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Two Separate Time Intervals Can Be Programmed
- · Large Capacity At 4.6 cu.ft.
- Recessed 8-Pass Broil Element for Increased Capacity and Safety

Benchmark Series

30" Single Wall Oven SideOpening Door

SideOpening Door Offers
 Better Ergonomic Access to
 the Oven Cavity

HBLP451RUC 30" Stainless Steel, Right SideOpening Door 3,199 3,549

HBLP451LUC 30" Stainless Steel, Left SideOpening Door 3,199 3,549

<u>HBLP451UC</u> 30" Stainless Steel 2,899 3,199



HBLP451RUC



HBLP451LUC



HBLP451UC

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description MAP MSRP

Benchmark Series

30" Double Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- AutoProbe in the Upper Oven Takes the Guesswork Out of Cooking







HBLP651LUC



HBLP651UC

HBLP651RUC	30" Stainless Steel, Right SideOpening Door	4,899 5,399
------------	---	-------------

HBLP651LUC 30" Stainless Steel, Left SideOpening Door 4,899 5,399

HBLP651UC 30" Stainless Steel 4,299 4,749

Benchmark Series

30" Steam Convection Oven

- The Only Steam Convection Oven in Its Class That Installs Flush, for a European Kitchen Design
- Steam Convection Cooking Cooks Crispy Outside, Tender Inside
- Steam Cooking Maintains Your Vegetables' Nutrients, Flavors and Color
- Designed to Fit Perfectly Above a Warming Drawer Or Storage Drawer

- The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use
- Installs Horizontally for Perfect Alignment With Speed Or Steam Oven
- One Halogen Light
- Genuine European Convection
- Features Vegetable and Chicken Programs: Oven Automatically Sets Temperature and Humidity
- · Perfect Reheating

- Timer With Cook Time and Delay Start Function
- 1 Rack, 2 Perforated and 2 Non-Perforated Pans Are Included
- Non-Plumbed for Easy Installation
- Steam Assist Clean
- 1.4 qt. Water Tank Can Be Used for an Entire Cooking Cycle
- Child Lock
- · Large Capacity At 1.4 cu.ft.



HSLP451UC

HSLP451UC 30" Stainless Steel

3,399 3,749

Number Description MAP MSRP

Benchmark Series

30" Steam Convection Combination Oven

 Combination Oven Featuring a Steam Convection Oven

HSLP751UC

HBLP752UC

- Steam Oven Cooks Meats, Vegetables, Rice, Fish to Perfection
- Steam Convection Oven: For Additional Details Please Review SKU HSLP451UC (page 7B-2)

6,199 6,849



HSLP751UC

30" Speed Combination Oven With TFT Display

30" Stainless Steel

30" Stainless Steel

- Combination Oven Featuring a Speed Oven
- Speed Oven Cooks Faster Than a Traditional Oven
- Speed Oven: For Additional Details Please Review SKU HMCP0252UC (page 7B-3)

4,899 5,399



HBLP752UC

Benchmark Series

30" Speed Oven Touch Control With TFT Display

- · 1.6 cu.ft. Overall Capacity
- Nine SpeedChef® Cooking Cycles
- Convection Broil and Convection Bake Modes
- Seven Auto Sensor Microwave Cycles
- 1,000 W Microwave
- 600 W Bake Element
- 1,750 W Broil Element

- 1,700 W Convection Element
- Electrical Connection: 240 V Direct Wire
- Electric Load 16 A •
 Kitchen Timer and Panel Lock Setting
- Stainless Steel Cooking Interior
- Cut-Resistant Metal Turntable and Separate Ceramic Cooking Tray

- · Multi-Use Oven Rack
- Wall Or Undercounter Approved Installation
- Installs in Horizontal Configuration Paired With 30"
 Bosch Single Wall Ovens/
 Steam Oven and Warming/
 Storage Drawers



HMCP0252UC

HMCP0252UC 30" Stainless Steel

2,099 2,349

Accessorie	es for Ovens	30" Wall Ovens
	Ball Bearing Telescopic Rack Ball Bearing Full Extension Telescopic Racks • Adjustable to All Rack Support Levels • Convenient Handling • Easy to Operate • Available As Separate Accessory for Even More Convenience	•
	HEZTR301 30" Telescopic Rack 279 309	

Accessorie	es for Steam C	onvection Oven			HSLP451UC	HSLP751UC
	HEZ36D453	Cooking Pan—Full Size, 1⅓" Deep	119	139	•	•
	HEZ36D452	Baking Tray—Full Size, 1%" Deep	59	69	•	•
	HEZ36D153G	Perforated Cooking Pan—Half Size, 1%" Deep	59	69	•	•
	HEZ36D153	Cooking Pan—Half Size, 1%" Deep	59	69	•	•

All Bosch Induction Cooktops Include the Following Features:

· Faster Than Gas Or Electric

PotSense

ChildLock

· Easier to Clean and More Efficient

· Each Element Has an Independent

· See All Pan Accessories on

· SpeedBoost®

CountDown Timer

Page 8B-4

800 Series

36" Induction Cooktop

 Home Connect[™] (Wi-Fi Enabled)

· AutoChef®

• Dual 12" Heating Element With Powerful 5,400 W

Hood Control

· 40 A Breaker

• PreciseSelect®



LR: 7" @ 1,800 W/3,100 W (SpeedBoost®) 1,800 W/3,100 W (SpeedBoost®)

C: 12"/9" @ 3,700 W/5,400 W (SpeedBoost®) 2,200 W/3,300 W (SpeedBoost®)

1,400 W/2,200 W (SpeedBoost®) RF: 9" @ 2,200 W/3,700 W (SpeedBoost®)

RR: 6" @



36" Induction Cooktop, Black With NIT8669SUC

Stainless Steel Frame

NIT8669UC 36" Induction Cooktop, Black, Frameless 2,449 2,699

2,449 2,699



NIT8669UC



30" Induction Cooktop

 Home Connect[™] (Wi-Fi Enabled)

AutoChef®

- An 11" Heating Element Offers 3,700 W of Power
- PreciseSelect®
- · Hood Control
- · 30 A Breaker
- SafeStart



NIT8069SUC

LR: 9" @ RR: 11" @ 2,200 W/3,700 W (SpeedBoost®) 2,600 W/3,700 W (SpeedBoost®) LF: 6" @ LF: 6" @ 1,400 W/2,200 W (SpeedBoost®) 1,400 W/2,200 W (SpeedBoost®)

NIT8069SUC

30" Induction Cooktop, Black With

Stainless Steel Frame

NIT8069UC

30" Induction Cooktop, Black, Frameless

2,049 2,299

2,049 2,299



NIT8069UC



500 Series

36" Induction Cooktop

• Dual 12" Heating Element Offers 3,700 W of Power • 40 A Breaker

LR: 7" @	C: 12"/9" @	RR: 6" @	
1,800 W/3,100 W (SpeedBoost®)	3,700 W/5,400 W (SpeedBoost®)/	1,400 W/2,200 W (SpeedBoost®)	
LF: 7" @ 1,800 W/3,100 W (SpeedBoost®)	2,200 W/3,300 W (SpeedBoost®)	RF: 9" @ 2,200 W/3,700 W (SpeedBoost®)	



NIT5668UC

NIT5668UC

36" Induction Cooktop, Black, Frameless

1,949 2,149

30" Induction Cooktop

• An 11" Heating Element Offers 3,700 W of Power • 30 A Breaker

LR: 9" @	RR: 11" @
2,200 W/3,700 W (SpeedBoost®)	2,600 W/3,700 W (SpeedBoost®)
LF: 6" @	RF: 6" @
1,400 W/2,200 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)



NIT5068UC

NIT5068UC

30" Induction Cooktop, Black, Frameless

1,649 1,849

24" Induction Cooktop

 An 11" Heating Element Offers 3,700 W of Power • 30 A Breaker





NIT5469UC

NIT5469UC

24" Induction Cooktop, Black, Frameless

1,499 1,649

800 Series

36" Cooktop With Or Without Stainless Steel Frame

•	PreciseSelect®

· Front and Back Stainless Steel Frame

LR: 7" @

1,800 W (400 W Bridge)

LF: 7" @ 1.800 W

• Bridge Element

· 2 Dual Elements

· SpeedBoost®

· Clean Lock

· 2-Level Heat Indicator

ChildLock

· Built-In Timers for Each

C: 9"/6" @

3,600 W/1,400 W (SpeedBoost®)

Element: Doubles As General-Purpose Kitchen

Timer

Power/Amps: 240, 60 Hz/

50 A

RR: 6" @

1,200 W RF: 8"/5" @

1,900 W/800 W





NET8668UC

.,===	ı
NET8668SUC	36" Electric Cooktop, Black With

Stainless Steel Frame

NET8668UC 36" Electric Cooktop, Black, Frameless

1,249 1,399

30" Cooktop With Or Without Stainless Steel Frame

PreciseSelect®

• Front and Back Stainless Steel Frame

• Bridge Element

• Dual Element

- · SpeedBoost®
- Clean Lock
- · 2-Level Heat Indicator
- ChildLock
- · Built-In Timers for Each

Element: Doubles As General-Purpose Kitchen Timer

Power/Amps: 240, 60 Hz/

40 A



NET8068SUC



NET8068UC

LR: 7" @ 1,800 W (400 W Bridge)	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	
LF: 7" @ 1,800 W		RF: 6" @ 1,200 W

NET8068SUC

30" Electric Cooktop, Black With

Stainless Steel Frame

NET8068UC 30" Electric Cooktop, Black, Frameless 1,149 1,299

1,149 1,299

1,249 1,399

500 Series

36" Knob Control, Frameless Design

- 2 Dual Elements Offer the Capability to Use Multiple Pan Sizes
- Infinite Temperature Controls for Precision Cooking
- Heat Indicator

• 9" Heating Element With Powerful 2,500 W

Power/Amps: 240 V, 60 Hz/



NEM	56	66	U
NEM	56	66	U

LR: 7" @	C: 7" @	RR: 6" @
1,800 W	1,800 W	1,200 W
LF: 7"/5" @ 1,700 W/700 W		RF: 9"/6" @ 2,500 W/1,100 W

NEM5666UC

36" Electric Cooktop

1,049 1,199

30" Knob Control, Frameless Design

- Dual Element Offer the Capability to Use Multiple Pan Sizes
- Infinite Temperature Controls for Precision Cooking
- Heat Indicator
- LR: 7" @ RR: 6" @ 1,800 W 1,200 W

 LF: 7"/5" @ RF: 9" @ 2,500 W
- 9" Heating Element With Powerful 2,500 W
- Power/Amps: 240 V, 60 Hz/ 30 A



NEM5066UC

NEM5066UC

30" Electric Cooktop

999 1,099

24" Knob Control, Frameless Design

- 4 Elements
- Knob Controls for Precision Cooking
- Heat Indicator for Each Element
- 8" Heating Element With Powerful 2,200 W

LR: 8" @	RR: 6" @
2,200 W	1,200 W
LF: 6" @	RF: 7" @
1,850 W	1,800 W

 Power/Amps: 240 V, 60 Hz/ 30 A



NEM5466UC

NEM5466UC 24" Electric Cooktop

849 949

All Bosch Gas Cooktops Include the Following Features:

- Front Controls for Easy Operation
- · Continuous Cast Iron Grates
- LP Kit Included

800 Series

36" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- · Dual Flame Power Burner
- 17K BTU Max

- OptiSim® Burner
- Low Profile Stainless Steel Cooking Surface
- Stainless Steel Appearance Knobs
- · Dishwasher Safe Grates
- Electronic Ignition
- · Flame Failure Safety Device



NGM8657UC

(Flame Select

LR: 6,000 BTU	C: 17.000 BTU	RR: 9,000 BTU
LF: 3,400 BTU	C: 17,000 B10	RF: 6,000 BTU

NGM8657UC

36" Gas Cooktop, 5 Burners, Stainless Steel

1,499 1,649

36" Gas Cooktop

- 5 Burners
- 19K BTU Max
- · OptiSim® Burner

LR: 9,300 BTU LF: 9,300 BTU

- · Recessed Burner Areas
- Black Stainless Metal Knobs (NGM8646UC)
 - C: 19,000 BTU
- Automatic Re-Ignition
 - · Red LED Lights Indicate Burners Are On

RR: 5,500 BTU

RF: 9,300 BTU



NGM8646UC



NGM8656UC

NGM8646UC	36" Gas Cooktop, 5 Burners,	
	Black With Black Stainless Knobs	

1,299 1,449

LR: 10,000 BTU RR: 5,500 BTU C: 19,000 BTU LF: 12,000 BTU RF: 12,000 BTU

NGM8656UC

36" Gas Cooktop, 5 Burners, Stainless Steel

1,249 1,399

30" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- Dual Flame Power Burner
- 17K BTU Max

LR: 6,000 BTU	
LF: 3,400 BTU	

- · OptiSim® Burner
- · Low Profile Stainless Steel Cooking Surface
- · Stainless Steel Appearance Knobs
- · Dishwasher Safe Grates
- Electronic Ignition
- · Flame Failure Safety Device



NGM8057UC

(Flame Select

LR: 6,000 BTU	C: 17,000 BTU	RR: 9,000 BTU
LF: 3,400 BTU		RF: 6,000 BTU

NGM8057UC

30" Gas Cooktop, 5 Burners, Stainless Steel

1,399 1,549

800 Series

30" Gas Cooktop

- 19K BTU Max
- OptiSim® Burner
- Recessed Burner Areas

•	Black Stainless Metal Knobs
	(NGM8046UC)

• Automatic Re-Ignition

 Red LED Light Indicates Burners Are On



NGM8046UC



NGM8056UC

LR: 5,500 BTU	C: 19,000 BTU	RR: 9,300 BTU
LF: 9,300 BTU	C: 19,000 B10	RF: 5,500 BTU

NGM8046UC

30" Gas Cooktop, 5 Burners, Black With Black Stainless Knobs

, 5 Burners, Black 1,199 1,349

LR: 5,500 BTU

C: 19,000 BTU

RR: 10,000 BTU

RF: 5,500 BTU

NGM8056UC

30" Gas Cooktop, 5 Burners, Stainless Steel

1,149 1,299

500 Series

36" Gas Cooktop

- 5 Burners
- 16K BTU Max

1
LR: 10,000 BTU
LF: 10,000 BTU

LR: 10,000 BTU

LF: 10,000 BTU

· OptiSim® Burner

C: 16,000 BTU

- · Recessed Burner Areas
- Metal Knobs
- · Automatic Re-Ignition

RR: 5,500 BTU

RF: 10,000 BTU



NGM5656UC

NGM5656UC

36" Gas Cooktop, 5 Burners, Stainless Steel

999 1,099

30" Gas Cooktop

•	4 Burners
•	16K BTU Max

• OptiSim® Burner

RR: 5,500 BTU

RF: 16,000 BTU

- Recessed Burner Areas
- Metal Knobs
- Automatic Re-Ignition



NGM5056UC

NGM5056UC

30" Gas Cooktop, 4 Burners, Stainless Steel

849

949

24" Gas Cooktop

•	4 Burners	S
•	16K BTU	Ma

· Recessed Burner Areas

• Metal Knobs

LR: 9,300 BTU	RR: 11,500 BTU
LF: 5,000 BTU	RF: 5,000 BTU

· Automatic Re-Ignition



NGM5456UC

NGM5456UC

24" Gas Cooktop, 4 Burners, Stainless Steel

849

949

All Bosch Benchmark Series Induction Cooktops Include the Following Features:

 FlexInduction® Can Combine Two Cooking Zones Into One Continuous Surface

· Faster Than Gas and Electric

· Easier to Clean and More Efficient

SpeedBoost®

PotSense

· Each Element Has an Independent CountDown Timer

· PreciseSelect®

PowerMove™

ChildLock

· See All Pan Accessories on Page 7B-5.

800 Series

36" Induction Cooktop

 Home Connect[™] (Wi-Fi Enabled)

• Dual 12" Heating Element With Powerful 3,700 W

· AutoChef®

Hood Control

· 50 A Breaker



Full Zone: 14" x 8" @ 3,300 W / 3,600 W (SpeedBoost®)

Upper: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®) Lower: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)

C: 12"/9" @ 3,400 W/3,700 W (SpeedBoost®) 2,200 W/3,300 W (SpeedBoost®)

Upper: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®) Lower: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)

Full Zone: 14"x8" @3,300 W / 3,600 W (SpeedBoost®)



NITP669SUC



NITP669SUC

36" Induction Cooktop, Black With Stainless Steel Frame

NITP669UC 36" Induction Cooktop, Black, Frameless 2,999 3,299 2,999 3,299



NITP669UC



30" Induction Cooktop

 Home Connect[™] (Wi-Fi Enabled)

• A 11" Heating Element Offers 3,700 W of Power AutoChef®

Hood Control

· 30 A Breaker



Full Zone: 16"x9" @ 3,300 W / 3,600 W (SpeedBoost®)

Upper: 8"x9" @ Upper: 11" @ 2,200 W/3,600 W 2,600 W/3,700 W (SpeedBoost®) (SpeedBoost®) Lower: 8"x9" @ Lower: 6" @ 2,200 W/3,600 W 1,400 W/2,200 W (SpeedBoost®) (SpeedBoost®)



NITP069SUC

NITP069SUC

NITP069UC

30" Induction Cooktop, Black With Stainless Steel Frame

2,499 2,749



30" Induction Cooktop, Black, Frameless

2,499 2,749

NITP069UC



All Bosch Benchmark Series Electric Cooktops Include the Following Features:

AutoChef®

· PreciseSelect®

 Front and Back Stainless Steel Frame

· Keep Warm Mode

- · CountDown Timer
- CountUp Timer
- Clean Lock
- · 2-Level Heat Indicator
- ChildLock
- See All Pan Accessories on Page 8B-4
- Power/Amps: 240, 60 Hz/40 A

Benchmark Series

36" Triple Ring AutoChef® Cooktop

- 3-Zone 11" Heating Element With Powerful 3,080 W Element With AutoChef®
- PowerStart®
- Bridge Element





NETP668SUC

NETP668SUC

36" Electric Cooktop, Black With Stainless Steel Frame

1,399 1,549

30" Five Element Cooktop With AutoChef®

- 2-Zone 9" Heating Element With Powerful 3,600 W Element
- Dual Element Left Front With AutoChef®
- · SpeedBoost®





NETP068SUC

NETP068SUC

30" Electric Cooktop, Black With Stainless Steel Frame

1,299 1,449

All Bosch Benchmark Series Gas Cooktops Include the Following Features:

• 5 Burners

- Up-Front Centralized Controls
- LP Kit Included

• OptiSim® Burner

· Continuous Cast Iron Grates

Benchmark Series

36" Gas Cooktop

- FlameSelect®
 (9 Power Levels)
- Dual Flame Power Burner
- 14.3K BTU Max
- Smooth Glass Cooking Surface
- Stainless Steel Appearance Knobs
- · Dishwasher Safe Grates
- Electronic Ignition
- Flame Failure Safety Device
- Install Flush Or Surface Mounted



NGMP677UC

(7) FlameSelect

LR: 6,000 BTU	
LF: 3,400 BTU	

RR: 10,300 BTU

RF: 6,000 BTU

NGMP677UC

36" Gas Cooktop, 5 Burners, Gray Tempered Glass

1,849 2,049

36" Gas Cooktop

- · Stainless Steel
- · Dual-Stack Center Burner
- 20K BTU Max
- Recessed Burner Areas
- · Metal Knobs
- Automatic Re-Ignition
- Red LED Lights Indicate Burners Are On
- See All Pan Accessories on Page 8B-4.



NGMP656UC

LR: 10,000 BTU	C: 20,000 BTU -	RR: 5,500 BTU
LF: 12,000 BTU		RF: 12,000 BTU

NGMP656UC

36" Gas Cooktop, 5 Burners, Stainless Steel

1,599 1,799

1,699 1,899

30" Gas Cooktop

- FlameSelect®
 (9 Power Levels)
- Dual Flame Power Burner
- 14.3K BTU Max

NGMP077UC

- Smooth Glass Cooking Surface
- Stainless Steel Appearance Knobs
- · Dishwasher Safe Grates
- Electronic Ignition
- · Flame Failure Safety Device
- Install Flush Or Surface Mounted



NGMP077UC

(Flame Select

LR: 6,000 BTU	C: 14,300 BTU	RR: 10,300 BTU
LF: 3,400 BTU	C: 14,300 B10	RF: 6,000 BTU

30" Gas Cooktop, 5 Burners,

Gray Tempered Glass

Benchmark Series

30" Gas Cooktop

- · Stainless Steel
- Dual-Stack Center Burner
- 20K BTU Max
- · Recessed Burner Areas
- Metal Knobs
- · Automatic Re-Ignition
- Red LED Lights Indicate Burners Are On
- See All Pan Accessories on Page 8B-4.



NGMP056UC

LR: 5,500 BTU	
LF: 10,000 BTU	

RR: 10,000 BTU

RF: 5,500 BTU

NGMP056UC 30" Gas Cooktop, 5 Burners, Stainless Steel

Gas Cooktop, 5 Burners, 1,449 1,599

Accessorie	es for Cooktops	S			Induction	Electric	Gas
9		Pan With Aluminum Core Optimized for Crior Heat Distribution	ooking With A	AutoChef®	•	•	•
	HEZ390230	10" Pan for 8" and 9" Elements	119	139			
	HEZ390220	9" Pan for 7" Element	99	109	•	•	•
	HEZ390210	8" Pan for 6" Element	89	99	•	•	•
	on Induction Co				•	•	
	HEZ390512	Teppanyaki	369	409			
		ction Grill Non-Stick Cast Aluminum with a g Meats, Seafood and Vegetables	Thick Ferron	nagnetic Base •	•		
	NEW HEZ9GR37	UC 17" x 9" Grill Pan	249	279			
	HEZ298102	Wok Ring-Attaches to Grates	69	79			•1
	HEZ298107	Wok Ring for FlameSelect® Gas Cooktops	69	79			•2
	HEZGR301	Griddle for on Top of Gas Grates	139	159			.1
330	HEZ27751	Cooktop Control Knob Kit, Black Stainless Steel Bosch 500, 800 and Benchmark® Series, G	119 Gas Cooktops	139 5 Only			•

^{1 36&}quot; Cooktop Only

² For FlameSelect® Models Only

800 Series

30" and 36" Professional-Style Under-Cabinet Hood

• 11" Height

· Professional Styling

• 2-Speed Control

• 600 CFM

DPH30652UC

• 2 Incandescent Lights

· Deep Capture Area

· Dishwasher-Safe Aluminum Mesh Filters

· Adaptable for Recirculation Option (Add 4" to Height of Hood)

Horizontal Or Vertical Ducting



DPH30652UC

36" Stainless Steel, 600 CFM Blower **DPH36652UC**

30" Stainless Steel, 600 CFM Blower

1,049 1,199

999 1,099

500 Series

30" & 36" Under-Cabinet Hood

• 5" Height

Slim-Line Styling

4-Speed Control

• 400 CFM

• 2 Halogen Lights (Not

Included)

· Dishwasher-Safe Aluminum Mesh Filters

• Ducted Or Convertible to Non-Ducted Operation

• 7" Round and 31/4" x 10" **Duct Transitions Included**

579

649

· Horizontal of Vertical Ducting



DUH30252UC

DUH36252UC 36" Stainless Steel, 400 CFM Blower

DUH30252UC 30" Stainless Steel, 400 CFM Blower 519 599

300 Series

30" & 36" Under-Cabinet Hood

• 5" Height

Slim-Line Styling

• 3-Speed Control

• 280 CFM

· 2 Incandescent Lights

· Dishwasher-Safe Aluminum Mesh Filters

· Ducted Or Convertible to Non-Ducted Operation

• 7" Round and 31/4" x 10"

Duct Transitions Included

· Horizontal Or Vertical Ducting



DUH30152UC

DUH36152UC 36" Stainless Steel, 280 CFM Blower 479 529

DUH30152UC 30" Stainless Steel, 280 CFM Blower 419 469

Accessories for Under-Cabinet Hoods						DI	РН
				36"	30"	36"	30"
DHZ3602U	Recirculation Kit/Charcoal Filter Kit,	119	139	•			
DHZ3002U	Recirculation Kit/Charcoal Filter Kit,	119	139		•		
DRZ3652U	4" High, External Recirculation Kit, (Includes Charcoal Filters)	319	359			•	
DRZ3052U	4" High, External Recirculation Kit, (Includes Charcoal Filters)	319	359				•
DHZ3052U	Replacement Charcoal Filters, 30" and 36" DPH Series	119	139			•	•

Description MAP **MSRP**

800 Series

Slim Profile Box Canopy Island Hood

- 600 CFM
- Four-Speed Electronic Control With White and Red LCD Display
- Kitchen Timer
- · Clean Filter Reminder
- · Auto On/Heat Sensor
- Four 20 W Halogen Lights
- Three Anodized Aluminum Mesh Filters With Stainless Steel Bosch Design Covers and Metal Latch
- Vertical Ducting With 8" Round Duct
- · Backdraft Damper and Transition Included
- · Recirculation Kit Available As an Accessory
- Extension Kit for Ceilings 9' to 11' 6" Available As an Accessory



HIB82651UC

HIB82651UC

42" Island Hood, 600 CFM

2,099 2,349

Accessorie	s for Island Hoods	•			HIB
					42"
	Island Hood Extensi	on Kit			
	• Fits Ceilings From to 11' 6" in Height				•
	HCIEXT5UC Isla	and Hood Extension Kit	539	599	
M	HIREC5UC Isla	and Hood Recirculation Kit	109	119	•
		x/Pyramid/Glass Canopy imney Hood Recirculation Kit	119	139	•

All Bosch Chimney Wall Hoods Include the Following Features:

- · Kitchen Timer
- · Clean Filter Reminder
- · Auto On/Heat Sensor
- · Anodized Aluminum Mesh Filters
- Vertical Ducting With 8" Round
- Backdraft Damper and Transition Included
- Recirculation Kit Available As an Accessory
- Extension Kit for Ceilings 9'-11' 6" Available As an Accessory

Benchmark Series

Glass Canopy Chimney Hood

- 600 CFM
- Four Speed Electronic Control With White and Red LCD Display
- · Clean Filter Reminder
- Two 40 W Halogen Lights
- Anodized Aluminum Mesh Filter With Stainless Steel Bosch Design Cover and Metal Latch



<u>HCG56651UC</u> 36" Glass Canopy Chimney Hood, 600 CFM 1,799 1,999

HCG56651UC

HCP80641UC

800 Series

Pyramid Canopy Chimney Hood

- Black Stainless Steel Guards Against Surface Scratches And Fingerprints
- Speed Electronic Control With White and Red LCD Display
- 600 CFM Two 40 W Halogen Lights

HCP86641UC 36" Pyramid Chimney, 600 CFM, Black Stainless 1,349 1,499

HCP80641UC 30" Pyramid Chimney, 600 CFM, Black Stainless 1,199 1,349



500 Series

Box Canopy Chimney Hood

• 600 CFM

 Four Speed Electronic Control With White and Red LCD Display • Two 40 W Halogen Lights

<u>HCB56651UC</u> 36" Box Canopy Chimney Hood, 600 CFM 1,499 1,649

HCB50651UC 30" Box Canopy Chimney Hood, 600 CFM 1,399 1,549



HCB50651UC

Pyramid Canopy Chimney Hood

 Home Connect[™] (Wi-Fi Enabled)

600 CFM

- Four Speed Electronic Control With White and Red LCD Display
- Two Bright LED Lights

Cooktop Hood Control

HCP56652UC 36" Pyramid Canopy Chimney Hood, 600 CFM, 1,499 1,649

<u>HCP50652UC</u> 30" Pyramid Canopy Chimney Hood, 600 CFM 1,399 1,549



HCP50652UC



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

MAP MSRP

300 Series

ENERGY STAR® Certified Pyramid Canopy Chimney Hood

• 300 CFM

• Three-Speed Electronic Control With White and • Two Bright LED Lights

Red LCD Display

36" Pyramid Canopy Chimney Hood, 300 CFM HCP36E52UC 1,149 1,299

30" Pyramid Canopy Chimney Hood, 300 CFM HCP30E52UC 1,049 1,199

949 1,049

HCP34E52UC 24" Pyramid Canopy Chimney Hood, 300 CFM HCP34E52UC

Accessories for Chimney Wall Hoods

HCG/Glass Canopy HCP/Pyramid

HCB/Box

Chimney Wall Hood Extension Kit.

• Fits Ceilings From 9' to 11' • Stainless Steel Flue 6" in Height

Extensions and Inner

Structure Parts Included

HCBEXT5UC	Box Canopy Chimney Hood Extension Kit, Stainless Steel	319	359	•		
HCGEXT5UC	Glass Canopy Chimney Hood Extension Kit	319	359		•	
HCPEXT5UC	Pyramid Canopy Chimney Hood Extension Kit, Stainless Steel	319	359		•	
HCPEXT4UC	Pyramid Canopy Chimney Hood Extension Kit, Black Stainless Steel	539	599	•	•	•
HCIFILTUC	Box/Pyramid/Glass Canopy Chimney Hood Filter Kit	119	139	•	•	•
HCREC5UC	Box/Pyramid/Glass Canopy Chimney Hood Recirculation Kit	119	139	•	•	•

Number Description MAP MSRP

500 Series


Integrated Stainless Pull-Out Range Hood

- 400 CFM
- Electronic Control With White LCD Display
- · Kitchen Timer
- Clean Filter Reminder
- · Three Fan Speeds With

Intensive Speed

- Two Bright LED Lights
- Two Anodized Aluminum Mesh Filters
- Vertical Ducting With 6" Round Duct

 Backdraft Damper and Transition Included



 110 V UL Rated With 120 V 3-Prong Plug

769

849



HUI54452UC

HUI54452UC

24" Pull-Out Hood, 400 CFM

Integrated Stainless Pull-Out Range Hood

- 300 CFM (30" Width) 500 CFM - (36" Width)
- Three Speed Slider Switch Control
- Two 20 W Halogen Lights
- Four Aluminum Mesh Filters
- Removable Stainless Steel Front Visor Panel That Can Be Replaced With a Custom Strip (Not Provided)
- 6" Round Duct
- Vertical and Horizontal Discharge
- 120 V Junction Box Direct Wire
- CFM Reducer Kit Available As Accessory
- Non-Duct Recirculation
 Kit Available As Accessory
 (Vent Grate Cover Included With Hood)



HUI56551UC

HUI56551UC	36" Pull-Out Hood, 500 CFM, Stainless Steel	849	949
HUI50351UC	30" Pull-Out Hood, 300 CFM, Stainless Steel	799	899

Accessorie	es for Pull-Out	Hoods				HUI54451UC	HUI50351UC	HUI56551UC
	Recirculation/C	harcoal Kit for HUI54451UC - 24" Pull	-Out Hood					
	HVREC5UC	Pull-Out Hood Recirculation/ Charcoal Filter Accessory Kit	109	119		•		
		it/Charcoal Filter Accessory Kit For H s With High Quality Heavy Duty Charcoa ons					•	•
	HUIF06UC	Non-Duct Recirculation Accessory K Charcoal Filter Accessory Kit	it/ 109	119				
	CFM Reducer Accessory Kit For HUI56551UC Model • Reduces CFM to Under 300 • Converts a 6" Round Duct to a 5" Round Duct • Check Your Local Code and Regulations for Make-Up Air Requirements							•
	HUIRED56UC	CFM Reducer Accessory Kit, Reduces CFM to Under 300 CFM	59	69				

500 Series

Custom Insert Range Hood

- · Complete Integration Into Kitchen Design
- Provides Custom Hood Solutions Between 29"-30"
- · Blower Included
- · Vertical Ducting
- Easy to Use Controls
- · Halogen Lighting
- Easy to Remove Dishwasher-Safe Filters
- 4 Speeds



DHL755BUC

DHL755BUC 29" Custom Insert Hood, 400 CFM 749 849

300 Series

Custom Insert Range Hood

- 400 CFM
- Slide Control
- Two 20 W Halogen Lights
- Two Anodized Aluminum Mesh Filters
- Vertical Ducting With 6" Round Duct
- 110 V UL Rated With 120 V 3-Prong Plug



HUI31451UC

HUI31451UC 21" Custom Insert Hood, 400 CFM 699 799 This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description MAP **MSRP**

800 Series

Downdraft Ventilation

- Design Matched For Use In Combination With Bosch Cooktops
- 12" Telescopic Chimney
- · Preserves Clean Sight Lines When Not In Use
- · Stainless Steel
- Six Possible Discharge Connections To Fit Your Kitchen Design Allowing Flexibility To Exhaust At Sides, Front, Rear Or Downward (Additional Accessories May Be Required Depending On Installation, See Manual)
- Sleek Front Panel Conceals Mesh Filters, Giving A Timeless Aesthetic And Acts As A Splatter Guard While Cooking
- · Dishwasher-Safe Aluminum Mesh Filters
- · 3-Speed Control

Required To Complete The Installation: Blower Options, Sold Separately

• 600 CFM Remote (DHG6023RUC), Inline (DHG6015NUC) Or Flexible Blower (DHG602DUC) Options Available

May Be Required To Complete The Installation Depending On Exhaust Direction & Blower Chosen:

- · Downdraft Transitions (HDDSTRAN6, HDDSTRAN8, HDDFTRAN6, HDDFTRAN8, HDD2RECTD, HDDSTRAN2 see page
- · Recirculation Possible, Accessory Sold Separately (HDDREC5UC see page 9-9)
- · Gas Cooktop Seal Kit Sold Separately (Required For Installation With Gas Cooktops see page 9-9).



HDD86051UC

NEW HDD86051UC

HDD80051UC

36" Downdraft, Optional Blower

30" Downdraft, Optional Blower

1,549 1,749

1,499 1,649

NOTE: Transition required and sold separately for all remote and inline blower installations.

Accessorie	es for Downdra	ft–Blowers			HDD86051UC	HDD80051UC
00	DHG602DUC	600 CFM Flexible Blower For HDD86051UC and HDD80051UC Bosch Downdrafts Only 8" Round Exhaust	629	699	•	•
	DHG6015NUC	600 CFM Inline Blower (Transition Required: See Page 9-8) 6" Round Exhaust	589	649	•	•
	DHG6023RUC	600 CFM Remote Blower (Transition Required: DHZDHR6—See Below) 6" Round Exhaust	629	699	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

MAP MSRP

Accessories for Downdraft-Transitions

	HDD86051UC De	itions May Be Required To Complete the Installation epending On the Discharge Connection Chosen in German Ser Selected (See Installation Manual) • For Use Wit	Combir	nation With the	HDD86051UC	HDD80051UC
0	HDDSTRAN6	6" Side/Rear Transition Rectangular 1%" X 19" Transition to 6" Round For Side and Rear Exhaust Applications	139	159	•	•
6	HDDSTRAN8	8" Side/Rear Transition Rectangular 1%" X 19" Transition to 8" Round For Side and Rear Exhaust Applications	139	159	•	•
0	HDDFTRAN6	6" Round Front Plate Front Rough-In Plate for Front Exhaust Applicat	79 tions	89	•	•
0	HDDFTRAN8	8" Round Front Plate for Downdraft Front Rough-In Plate for Front Exhaust Applicati	79 ions	89	•	•
	HDD2RECTD	2' Rectangular Duct Rectangular Duct That Is 2' Long × 1%" Deep × 19" Wide Ability to Use As an Extension to Exhaust Through A Cabinet Or Wall. To Modify Length, Duct May Be Cut. HDDSTRAN6 Or HDDSTRAN8 May Be Used to Cor HDD2RECTD To Round Ductwork HDDSTRAN2 Required to Attach Duct to Downdra		99 sing	•	•
	HDDSTRAN2	Transition for Rectangular Duct Required to Attach HDD2RECTD 2' Rectangular Duct to Downdraft Housing	69	79	•	•

Accessories for Downdraft		

HDD86051UC HDD80051UC

Downdraft Recirculation Kit

- Enables Non-Ducted Downdraft Installation By Allowing Filtered Air To Re-Enter The Kitchen After Passing Through A Charcoal Filter
- Includes Recirculation Module, Charcoal Filter And Metal Grill Vent Plate
- Recirculation Module Works In Wall Or Island Applications
- Mounts To Cabinet Base, Recesses Into Toe Kick/ Socket Area
- Fits In Toe-Kick/Socket Heights Of 4" Or Taller
- Module And Grill Vent Plate Can Be Placed So Air Does Not Hit Feet
- Downdraft And Internal Blower Sold Separately
- To Be Used Only With Bosch Downdrafts And Blowers
- May Bypass The Need To Supply Make Up Air, Subject To Local Code

08	HDDREC5UC	Recirculation Kit for Downdraft Replace Filters Every 3-6 Months, Depending On Usage, With HDDFILTUC	479	529	•	•
A STATE OF THE STA	HDDFILTUC	Charcoal Filter Replacement For Recirculation Kit For Downdraft	89	99	•	•

Gas Cooktop Seal Kit

- For Use With 36" HDD86051UC And 30" HDD80051UC Downdrafts
- Required For Installation With Gas Cooktops
- Includes Trim Bracket, Seal, And 2 Metal Grills

HDD6RSP 36" Gas Cooktop Seal Kit for Downdraft	89	99	•	•
HDDORSP 30" Gas Cooktop Seal Kit for Downdraft	89	99	•	•
N⊒W HDDTRIM30S Trim accessory for 30" downdraft	49	59		•
N⊒W HDDTRIM36S Trim accessory for 36" downdraft	49	59	•	

В	HBL5551UC	7-5	HDZIT301	5B-3
	HBL5651UC	7-4	HEATKITB80	1B-4
B09IB81NSP1-5	HBL8443UC	7-1	HEI8046U	5-2
B09IB91NSP1-5	HBL8453UC	7-1	HEI8056U	5-2
B10CB80NVB1-4	HBL8463UC	7-1	HEIP056U	5B-2
B10CB80NVS1-4	HBL8642UC	7-2	HEZ9GR37UC	5B-3, 8B-4
B10CB80NVW1-4	HBL8651UC	7-2	HEZ36D153	7B-4
B11CB50SSS1-5	HBL8661UC	7-2	HEZ36D153G	7B-4
B11CB81SSS1-4	HBL8743UC		HEZ36D452	
B18IF900SP1B-3	HBL8753UC		HEZ36D453	
B20CS30SNS1-3	HBLP451LUC		HEZ27751	
B21CT80SNS1-2	HBLP451RUC		HEZ298102	
B26FT50SNS 1-3	HBLP451UC		HEZ298107	
B30BB930SS1B-1	HBLP651LUC		HEZ390210	
B30IB900SP1B-1	HBLP651RUC		HEZ390220	
B30IR900SP1B-3	HBLP651UC		HEZ390230	
B36BT930NS1B-2	HBLP752UC		HEZ390512	
B36CL80ENS1-1	HBN5451UC		HEZBS301	
B36CL80SNS1-1	HBN5651UC		HEZCMT3050	
B36CT80SNB1-2	HBN8451UC		HEZGR301	
B36CT80SNS1-2	HBN8651UC		HEZTR301	,
B36CT81SNS1-2	HCB50651UC		HGI8046UC	
B36HNDL8001B-4	HCB506510C		HGI8046UC	
B36IT900NP1B-2				
BCM8450UC4-1	HCBEXT5UC		HGIP056UC	
BFL18IF8001B-4	HCG56651UC		HGZBS301	
BFL30IR8001B-4	HCGEXT5UC		HGZIT301	
BOHANDL501B-4	HCIEXT5UC		HIB82651UC	
BORPLFTR101B-4	HCIFILTUC		HII8046U	
DUNFLF IN 10 15-4	HCP30E52UC		HII8056U	
D	HCP34E52UC		HIIP056U	
_	HCP36E52UC		HIREC5UC	
DHG602DUC9-7	HCP50652UC		HMB50152UC	
DHG6015NUC9-7	HCP56652UC		HMB50162UC	
DHG6023RUC9-7	HCP80641UC		HMB57152UC	
DHL755BUC 9-6	HCP86641UC		HMC54151UC	
DHZ3002UC9-1	HCPEXT4UC		HMC80152UC	
DHZ3052UC9-1	HCPEXT5UC		HMC80242UC	6-2
DHZ3602UC9-1	HCREC5UC		HMC80252UC	
DPH30652UC9-1	HDD0RSP		HMC87152UC	
DPH36652UC9-1	HDD2RECTD		HMCP0252UC	
DRZ3052UC9-1	HDD6RSP		HMD8053UC	6-2
DRZ3652UC9-1	HDD80051UC		HMD8451UC	
DUH30152UC 9-1	HDD86051UC	9-7	HMV3053U	6-1
DUH30252UC9-1	HDDFILTUC	9-9	HMV5053U	6-1
DUH36152UC 9-1	HDDFTRAN6	9-8	HMV8044U	6-1
DUH36252UC 9-1	HDDFTRAN8	9-8	HMV8053U	6-1
	HDDREC5UC	9-9	HMVP053U	6B-1
Н	HDDSTRAN2	9-8	HSD5051UC	7-7
UDEE 454110 7.0	HDDSTRAN6	9-8	HSLP451UC	7B-2
HBE5451UC	HDDSTRAN8	9-8	HSLP751UC	
HBE5452UC7-6	HDDTRIM30S	9-9	HUI31451UC	
HBE5453UC7-6	HDDTRIM36S	9-9	HUI50351UC	
HBL57M52UC7-5	HDI8056U	5-1	HUI54452UC	9-5
HBL87M53UC7-3	HDIP056U	5B-1	HUI56551UC	9-5
HBL5351UC7-4	HDZBS301		HUIF06UC	
HBL5451UC7-4				

HUIRED56UC	9-5	SHE88PZ65N	2B-1	SMZ5003	2B-4
HVREC5UC	9-5	SHE89PW75N	2B-1	SMZ5400	2B-4
HWD5051UC	7-7	SHEM3AY52N	2-6	SMZCD200UC	2B-3
HWD5751UC	7-7	SHEM3AY55N	2-6	SMZEP001UC	2B-3
		SHEM3AY56N	2-6	SMZPC002UC	2B-3
N		SHEM63W52N	2-4	SMZPCJB1UC	2B-3
NEM5066UC	0.1	SHEM63W55N	2-4	SMZPCSH2UC	2B-3
NEM5466UC		SHEM63W56N	2-4	SMZSH002UC	2B-3
NEM5666UC		SHEM78Z52N	2-2	SPE53U52UC	2-7
NET8068SUC		SHEM78Z55N	2-2	SPE53U55UC	2-7
NET8068UC		SHEM78Z56N	2-2	SPE53U56UC	2-7
NET8668SUC		SHEM78ZH5N	2-2	SPE68U55UC	2-7
NET8668UC		SHP87PZ55N	2B-2	SPV68U53UC	2-7
NETP068SUC		SHP88PZ55N	2B-2	SPX68U55UC	
		SHPM65Z52N			
NETP668SUC		SHPM65Z55N		W	
NGM5056UC		SHPM65Z56N		WAT28400UC	0.0
NGM5456UC		SHPM78Z52N			
NGM5656UC		SHPM78Z54N		WAT28401UC	
NGM8046UC		SHPM78Z55N		WAW285H2UC	
NGM8056UC		SHPM78Z56N		WMZ20490	
NGM8057UC		SHPM88Z75N		WMZ20500	
NGM8646UC		SHSM63W52N		WMZ20600	
NGM8656UC		SHSM63W55N		WTG865H3UC	
NGM8657UC		SHSM63W56N		WTG86400UC	
NGMP056UC		SHV88PZ53N		WTG86401UC	
NGMP077UC		SHV88PZ63N		WTZ11400UC	
NGMP656UC		SHV89PW73N		WTZ20410UC	3-5
NGMP677UC		SHVM63W53N			
NIT5068UC		SHVM78Z53N			
NIT5469UC		SHVM88Z73N			
NIT5668UC		SHX3AR72UC			
NIT8069SUC		SHX3AR75UC			
NIT8069UC		SHX3AR76UC			
NIT8669SUC		SHX87PZ55N			
NIT8669UC					
NITP069SUC	8B-1	SHX88PZ55N			
NITP069UC		SHX88PZ65N SHX89PW75N			
NITP669SUC					
NITP669UC	8B-1	SHXM4AY52N			
		SHXM4AY54N			
S		SHXM4AY55N			
SGE53X52UC	2-7	SHXM4AY56N			
SGE53X55UC		SHXM63W55N			
SGE53X56UC		SHXM63WS5N			
SGE68X55UC		SHXM65Z55N			
SGV68U53UC		SHXM78Z52N			
SGX68U55UC		SHXM78Z54N			
SGZ1010UC		SHXM78Z55N			
SGZ10100C		SHXM78Z56N			
		SHXM88Z75N			
SGZ9091UC		SMZ1007UC			
SGZPC001UC		SMZ4000UC			
SHE3AR72UC		SMZ4026			
SHE3AR75UC		SMZ5000			
SHE3AR76UC	2-5	SMZ5002UC	2B-4		

Bosch Home Appliances

North America Corporate Office 1.800.944.2904

www.bosch-home.com/us

