Mainline & Benchmark Consumer Price List



Q1 2022 - Effective February 1, 2022 through March 31, 2022



Mainline & Benchmark Consumer Price List



Q1 2022 - Effective February 1, 2022 through March 31, 2022

Refrigeration	1-1	Ovens	8-1
French Door Refrigerator	1-1	Built-In Ovens	8-1
Bottom Freezer	1-4	Warming Drawers	8-10
		Accessories	8-11
Benchmark Refrigeration	2-1		
Built-In Bottom Freezer	2-1	Cooktops	9-1
Built-In French Door Bottom Freezer	2-2	Induction	9-1
Built-In Single Door	2-3	Electric	9-5
Accessories	2-4	Gas	9-8
		Accessories	9-15
Dishwashers	3-1		
Dishwashers	3-1	Rangetops	10-1
ADA-Height Dishwashers	3-6	Rangetops	10-1
Accessories	3-8		
		Ventilation	11-1
Laundry	4-1	Under-Cabinet Hoods/Accessories	11-1
Washers	4-1	Island Hoods/Accessories	11-2
Dryers	4-3	Chimney Wall Hoods	11-3
Accessories	4-5	Chimney Wall Hood Accessories	11-4
		Pull-Out Hood/Accessories	11-5
Coffee Machine	5-1	Downdraft/Accessories	11-6
Built-In	5-1		
		Index	12-1
Ranges	6-1	Index	12-1
Freestanding Ranges—Gas	6-1		
Freestanding Ranges—Dual-Fuel	6-2		
Slide-In Ranges—Gas	6-3		
Slide-in Ranges—Dual-Fuel	6-4		
Slide-In Ranges—Electric	6-5		
Slide-in Ranges—Induction	6-6		
Accessories	6-7		
Microwaves	7-1		
Over-the-Range Microwave Ovens	7-1		
Drawer Microwave Oven	7-2		
Speed Ovens	7-2		

Number Description MAP MSRP

All Bosch Freestanding French Door Refrigerators Include the Following Features:

• ENERGY STAR® Certified

Hidden Hinges

• Door Alarm

• SuperCool/SuperFreeze®

· LED Lighting

• Gallon Door Storage Bins

300 Series

36" Side-by-Side-Stainless Steel

- 20.2 cu.ft.
- Counter Depth

B20CS30SNS

- Fingerprint-Resistant Stainless Steel
- MultiAirFlow™ Circulation System
- Easy Access Glass Shelf
- Tempered Glass Shelves
- Transparent Storage
- SoftClose® Doors

Stainless Steel, Bar Handle

- MultiBox Storage Drawers
- Dispenser Control Lock
- Egg Tray



B20CS30SNS

2,399 2,649



500 Series

36" Freestanding Counter-Depth French Door Refrigerator, External Water and Ice- Stainless Steel

- Home Connect[™] Features
- 21.6 cu.ft.
- True Counter Depth
- 70" Height
- Easy to Clean Stainless Steel
- Built-In Look
- Stainless Steel Back Wall

- MultiAirFlow®
- Adjustable Tempered Glass Shelving
- Humidity Controlled Crisper Drawers
- Full-Width Chiller Drawer
- UltraClarityPro[™] Water Filter
- External Ice and Water Dispenser
- Freezer With Two-Tiered Shelving
- · SoftClose. Freezer Closing
- QuickPro Ice System™
- · Ice Maker
- · Freezer Ice Bin



B36CD50SNS

B36CD50SNB

B36CD50SNS Stainless Steel, Bar Handle
B36CD50SNB Black Stainless Steel, Bar Handle

3,199 3,549 3,449 3,799



800 Series

36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- Home Connect[™] Features
- 20.5 cu.ft.
- True Counter Depth
- 72" Height
- · Dual Compressor and Dual Evaporator
- · Easy-To-Clean Stainless Steel
- · Built-In Look

- · Stainless Steel Back Wall
- MultiAirFlow®
- Automatic VitaFreshPro™
- · Dual Temperature and **Humidity Controlled** Crisper Drawers
- Dual Activated Internal Water Dispenser
- FlexBar[™] with shelving accessories

· Full-Width Chiller Drawer

MAP

MSRP

- · Freezer With Three-Tiered Shelving
- · SoftClose® Drawer Closing
- · Ice Maker
- Adjustable Tempered Glass Shelving
- · Ice Scoop





B36CL80SNS

B36CL80ENS



B36CL80SNS Stainless Steel, Bar Handle 3,599 3,999 **B36CL80ENS** Stainless Steel, Recessed Handle 3,699 4,099

36" Freestanding Counter-Depth French Door Refrigerator Refreshment Center-Glass on Stainless Steel

- Home Connect[™] Features
- 20.5 cu.ft.
- · True Counter Depth
- 72" Height
- Dual Compressor and Dual Evaporator
- · Glass over Stainless Steel
- Built-In Look

B36CL81ENG

Stainless Steel Back Wall

- MultiAirFlow®
- · Beverage Drawer
- Temperature-controlled middle drawer
- Dual Activated Internal Water Dispenser
- FlexBar™ With Shelving Accessories
- · Full-Width Chiller Drawer

- · Freezer With Three-Tiered Shelving
- SoftClose® Drawer Closing
- · Ice Maker
- Adjustable Tempered Glass Shelving

4,799 5,299

· Ice Scoop



B36CL81ENG



Glass on Stainless Steel, integrated Handle

Model Number Description MAP MSRP

800 Series

36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- Home Connect[™] Features
- 20.8 cu.ft.
- True Counter Depth
- 72" Height
- Dual Compressor and Dual Evaporator
- Easy to Clean Stainless Steel
- Built-In Look
- · Stainless Steel Back Wall

- MultiAirFlow®
- Automatic VitaFreshPro™
- Dual Temperature and Humidity Controlled Crisper Drawers (individual)
- Dual Activated Internal Water Dispenser
- FlexBar™ with shelving accessories

- · Full-Width Chiller Drawer
- Freezer With Three-Tiered Shelving
- SoftClose® Freezer
- · Ice Maker
- Adjustable Tempered Glass Shelving
- Ice Scoop







B36CT80SNS	Stainless Steel, Bar Handle	3,399	3,749
<u> </u>	Stanitess Steet, Dai Handte	0,000	0,1 43

B36CT80SNB Black Stainless Steel, Bar Handle 3,649 4,049

Number Description MAP MSRP

All Bosch Counter-Depth Two Door Bottom Freezer Refrigerators Include the Following Features:

· Counter Depth

• MultiAirFlow™ System

CoolPaks

• Reversible Doors

- · Spill-Proof Glass Shelves
- Door Alarm

2,899 3,199

2,999 3,299

· Wine Rack

- · Removable Freezer Bins
- ENERGY STAR® Certified

500 Series

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator—Stainless Steel Door

• 11 cu.ft.

- SuperCool/SuperFreeze®
- 24"x79" European Style
- AirFresh Filter®
- Hidden Hinges
- Sidewall LED Lighting
- HydroFresh Humidity-Controlled Crisper
- Telescopic Drawers

B11CB50SSS Stainless Steel, Bar Handle

Note: For model with internal ice maker (B11CB81SSS), see page 1-5.



B11CB50SSS



800 Series

24" Built-In Two Door Bottom Freezer Refrigerator-Custom Panel

- Home Connect[™] Features
- 8.4 cu.ft.
- · OptiFlex® Hinge
- VitaFreshPro[™]—Stable Temperature And Humidity Controlled Drawer
- Installs True Flush
- Dual Evaporators
- Recessed LED Theater Lighting
- Garage Shelving
- Full Width Shelving
- Full Extension Drawers
- Electronic Controls
- SuperCool/SuperFreeze®
- Economy/Vacation Mode



B09IB91NSP





B09IB91NSP Custom Panel

Number Description MAP **MSRP**

800 Series

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator

- 10 cu.ft.
- 24"×73" European Style
- · Tempered Glass Refrigerator/Freezer Door
- · HydroFresh Humidity-Controlled Crisper
- · LED Bright Lighting
- · Ice Trays





B10CB81NVB

B10CB81NVW



Black Glass Door B10CB81NVB 2,999 3,299 B10CB81NVW White Glass Door 2,999 3,299

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator-**Stainless Steel Door**

- 11 cu.ft.
- 24"x79" European Style
- · Hidden Hinges
- SuperCool/SuperFreeze®
- AirFresh Filter®
- Sidewall LED Lighting
- · HydroFresh Humidity-Controlled Crisper
- Telescopic Drawers
- · Internal Ice Maker

B11CB81SSS Stainless Steel, With Internal Ice Maker 3,099 3,449

Note: For model without internal ice maker (B11CB50SSS), see page 1-4.



B11CB81SSS



All Bosch Benchmark Series Bottom Freezer and French Door Freezer Refrigerators Include the Following Features:

- Home Connect[™] Capability
- ENERGY STAR® Certified
- · Installs True Flush Or Framed
- Tall Door Built-In Refrigeration
- · Sidewall LED Theater Lighting
- TFT Controls
- · OptiFlex® Hinge

- MultiAirFlow™ cooling system
- Carbon Air Filter
- SuperCool/SuperFreeze™
- Full Width Shelving
- Full Extension Drawers
- Temperature Controlled Deli Drawer
- · Gallon Door Bins
- Internal Ice Maker
- Water Filter
- · Sabbath/Economy/Vacation Mode
- · Dual Compressor and Evaporator
- New Interior Design

Benchmark Series

30" Built-In Two Door Bottom Freezer Refrigerator-Custom Panel

• 16.0 cu.ft.

B30IB905SP Custom Panel 7,299 8,049



B30IB905SP





30" Built-In Two Door Bottom Freezer Refrigerator-Stainless Steel Panel

• 16.0 cu.ft.

Pre-Assembled Package Includes: Flat Stainless Panels • Bosch Handles

B30BB935SS Stainless Steel 8,299 9,149



B30BB935SS





Model Number

Description

MAP MSRP

Benchmark Series

36" Fully-Integrated French Door Bottom Freezer Refrigerator—Custom Panel

• 19.5 cu.ft.



B36IT905NP

B36BT935NS







B36IT905NP Custom Panel
B36BT935NS Stainless Steel

7,799 8,599

8,999 9,899

Number Description MAP **MSRP**

All Bosch Benchmark Series Single Door Freezers and Refrigerators Include the Following Features:

- Home Connect[™] Capability
- Installs True Flush or Framed
- MultiAirFlow™ cooling system

- ENERGY STAR® Certified • Tall Door Built-In Style
- All-LED sidewall and theater lighting TFT Controls
- · OptiFlex® Hinge

Benchmark Series

18" Built-In Single Door Freezer-Custom Panel

• 8.6 cu.ft.

- Water Filter
- Internal Ice Maker
- Single Compressor

B18IF905SP

18" Freezer, Custom Panel Single Door

5,499 6,049







30" Built-In Single Door Refrigerator-Custom Panel

• 17.2 cu.ft.

- Full Extension Drawers
- · Gallon Door Bins

- Full Width Shelving
- · Humidity control drawer
- · VitaFresh System

B30IR905SP

30" Refrigerator, Custom Panel Single Door

6,299 6,949



B30IR905SP





 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Accessorie	es for Refrigera	ation				Ма	inli	ne			Be	nch	nma	ırk	
					B20CS30SNS	B36CD50SN_	B36CT_SN_	B36CL81ENG	ect80_NS	B18IF905SP	B30BB935SS	B301B905SP	B30IR905SP	B36BT935NS	B36IT905NP
	Model Number	Description	MAP	MSRP	B2	B3	B3	B3	B3	B1	B3	B3	B3	B3	B3
	BORPLFTR30	Water Filter	40	49	•1										
0 1000	BORPLFTR50	UltraClarityPro™ Water Filter	46	59	•2	•	•	•	•	•	•	•	•	•	•
Î	BORPLFTR55	UltraClarityPro™ Water Filter (same filter as BORPLFTR50, new	46 packaging)	59	•2	•	•	•	•	•	•	•	•	•	•
From Farent' Marie Tomas American	<u> FPETHKT50</u>	FreshProtect™ Ethylene Filter "Starter" Kit	19	29			•		•						
Fusis front' Fu	FPETHRF50	FreshProtect™ Ethylene Filter "Refill" Kit	9	9			•		•						
	BFL18IF800	18" Stainless Steel Flat Panel Freezer Door	450	499						•					
l.	BFL30IR800	30" Stainless Steel Flat Panel Freezer Door	550	649									•		
	B36HNDL800	36" Handle for Single Door	100	109						•			•		
	HEATKITB82	Heater Kit	399	439						•	•	•	•	•	•

Please make sure to order HEATKITB82 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB82 is recommended for use with any installation in areas that are subject to extreme humidity.

¹ B20CS30SNS/02

² B20CS30SNS/03

Number Description MAP **MSRP**

All Bosch 100 Series Dishwashers Include the Following Features:

Quality

- · Anti-Finger Print Stainless Steel
- · Stainless Steel Tub With Polypropylene
- · 24/7 Overflow Protection

Efficiency

- 269 kWh/year
- ENERGY STAR® Certified

Performance

- Up to Six Wash Cycles Including: Heavy, Auto, Normal, Speed 60 and Rinse & Hold
- · Up to Five Performance-Enhancing Options

100 Series

Quietness

• 50 dBA

Design

· Standard Button Controls

Racks

- 14-Place Setting Capacity
- Utility Rack
- Manual Adjusting Upper Rack
- · 2 Lower Rack Flip Tines
- · 2 Silverware Baskets

Performance

- · Additional Wash Cycles: Delicate, Express
- Additional Options: Delay Start, Sanitize (NSF certified to remove up to 99.9% of bacteria)



549 649

649 749

SHEM3AY52N SHEM3AY55N

Recessed Handle, White

Recessed Handle, Stainless Steel

With Silver Fascia

Quietness

• 50 dBA

Design

· Electronic Scrolling **Controls**

Racks

- 14-Place Setting Capacity
- Manual Adjusting Upper Rack
- · 2 Lower Rack Flip Tines
- · 2 Silverware Baskets

SHE3AR72UC Recessed Handle, White

SHE3AR75UC Recessed Handle, Stainless Steel

With Silver Fascia

SHE3AR76UC Recessed Handle, Black


Performance

- Additional Wash Cycles: Delicate, Express
- Additional Options: 3/6/9 H Delay Start, Sanitize (NSF certified to remove up to 99.9% of bacteria)



649 749

549 649



Quietness

- 49 dBA
- · InfoLight®

Design

Electronic Controls

Racks

- 14-Place Setting Capacity
- 2 Step RackMatic®
- Upper Rack Flip Tines
- 2 Silverware Baskets

Performance

- · Additional Wash Cycles: Delicate
- · Additional Options: 24 H Delay Start, and Extra Dry

849

849

949



SHVM4AYR3N

SHVM4AYB3N

Quietness

48 dBA

Design

InfoLight®

Custom Panel

Racks

- 15-Place Setting Capacity
- Standard 3rd Rack
- 3 Step RackMatic®
- Upper & Lower Rack Flip Tines
- 1 Silverware Basket

Performance

- · Additional Wash Cycles: Speed 60
- Additional Options: 24 H Delay Start, and Extra Dry. Sanitize (NSF certified to remove up to 99.9% of bacteria)




SHXM4AY55N

SHXM4AY55N

Time Remaining Display

• Electronic Controls

Bar Handle, Stainless Steel





All Bosch 300 Series Dishwashers Include the Following Features:

Quietness

- 44 dBA
- · InfoLight®
- · Time remaining Display

Design

• Electronic Controls

Racks

- 16 place setting capacity
- · Standard 3rd Rack
- 3 Step RackMatic®
- FlexSpace™ Tines
- 1 Flip Tine Upper Rack

Quality

- · Deeper Full Stainless Steel Tub
- 24/7 AquaStop®
- Easily Accessible 3-Stage Filtration System

Efficiency

- 269 kWh/yr
- ENERGY STAR® Certified

Performance

1,049 1,199

- Five Wash Cycles: Auto Wash, Heavy, Normal Wash, Speed60, Rinse & Hold
- Four Options: Sanitize (NSF certified to remove up to 99.9% of bacteria), Extra Dry, 24H Delay Start, Half Load

300 Series

Racks

· 2 silverware baskets

SHVM63W53N

SHEM63W55N ¹	Recessed Handle, Stainless Steel	949	1,049
SHSM63W55N	Scoop Handle, Stainless Steel	999	1,099
SHXM63W55N	Bar Handle, Stainless Steel	1,049	1,199

Fully Integrated - Requires Custom Panel



SHEM63W55N



SHSM63W55N



SHXM63W55N



SHVM63W53N



All Bosch 500 Series Dishwashers Include the Following Features:

Quietness

- 44 dBA
- InfoLight®

Design

- · Pocket Handle Design
- Electronic Controls
- · Time remaining Display

Racks

- 16 Place Setting Capacity
- Flexible 3rd Rack
- 3 Step RackMatic®
- FlexSpace™ Tines

• 2 Flip Tines Upper Rack

Quality

- Full Stainless Steel Tub
- 24/7 AquaStop®
- Easily Accessible 3-Stage Filtration System
- EasyGlide™ Upper Rack

Efficiency

- 269 kWh/yr
- ENERGY STAR® Certified

Performance

- Five Wash Cycles: Heavy, Auto Wash, Normal Wash, Speed60, Rinse & Hold
- Four Options: Sanitize (NSF certified to remove up to 99.9% of bacteria), 24H Delay Start, Half Load, AutoAir™

Featuring AutoAir™—which opens the door to let fresh air circulate for 40% drier dishes.*

*Based on average drying performance of Bosch Dishwashers with AutoAir™ after seven hours as compared to Bosch Dishwashers with PureDry™.

500 Series

Racks

SHPM65Z52N

Performance

2 silverware baskets

• Additional Options:

Delicate

Pocket Handle, White

SHPM65Z55N Pocket Handle, Stainless Steel

SHPM65Z52N

1,049 1,199

1,049 1,199



SHPM65Z55N



All Bosch 800 Series Dishwashers Include the Following Features:

Quiet Operation:

- · Multiple layers of sound-absorbing insulation
- EcoSilence™ dual brushless motor system
- · Solid molded base* to absorb noise while minimizing vibration

Design:

- · Integrated control system
- Flush installation with full size tub
- · Self-latching door
- · Touch Controls
- · InfoLight® Except for Front Control Models
- Time Remaining Display

Racks:

- 16 Place Setting Capacity
- 3 Step RackMatic®
- FlexSpace™ Tines
- 2 Flip Tines Upper Rack

Quality:

- · Full Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Easily Accessible 3-Stage Filtration System
- EasyGlide™ Upper Rack
- · Concealed water heating element
- · Quick installation kit included

Efficiency:

- 269 KWh/yr
- ENERGY STAR® Certified

Performance:

- · Six Wash Cycles: Heavy, Auto Wash, Eco, Normal Wash, Speed60, Rinse
- · Five Options: Sanitize (NSF certified to remove up to 99.9% of bacteria), **Delicate**, 24H Delay Start, Half Load, CrystalDry™

Featuring CrystalDry™—a patented drying technology that transforms moisture into heat to get dishes, including plastics, 60% drier.*

*Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

800 Series

Quietness Racks

 42 dBA · Flexible 3rd Rack InfoLight® · 2 silverware baskets

SHPM78Z54N	Pocket Handle, Black Stainless Steel	1,299	1,449
SHPM78Z55N	Pocket Handle, Stainless Steel	1,249	1,399
<u>SHXM78Z55N</u>	Bar Handle, Stainless Steel	1,299	1,449

Fully Integrated - Requires Custom Panel



SHPM78Z54N









Quietness: 40 dBA

InfoLight®

SHVM78Z53N

Racks:

MyWay™ 3rd Rack

· 2 Flip Tines Lower Rack

• 2 Silverware Baskets

Performance:

Additional Options: Eco



SHPM88Z75N



SHXM88Z75N

SHPM88Z75N Pocket Handle, Stainless Steel SHXM88Z75N

Bar Handle, Stainless Steel

1,449 1,599 1,449 1,599

1,299 1,449





Number Description MAP MSRP

800 Series

Quietness

42 dBA

Racks

- Flexible 3rd Rack
- 2 Silverware Baskets

Performance

 Home Connect™ allows you to remotely monitor and Control with Wi-Fi Connectivity

Additional Options:
 Remote Start





SHEM78ZH5N*

Recessed Handle, Stainless Steel

1,649 1,849

All Bosch Benchmark Series Dishwashers Include the Following Features:

Quietness

- 38 dBA
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise While Minimizing Vibration

Design:

- · Touch Screen Display
- · Time Remaining Display
- · Integrated Control System
- · Flush Installation With Full Size Tub
- · Self Latching Door
- InfoLight®

SHX89PW75N

Racks

- 3 Step RackMatic®
- DoubleFlex™ Silverware Basket
- 15 Place Setting Capacity
- · Flexible Third Rack
- 6 Flip Tines Upper Rack
- 8 Flip Tines Lower Rack

Quality:

- 24/7 AquaStop® Leak Protection System
- · Concealed Heating Element
- Full Stainless Steel Tub
- · Interior Light
- 24/7 AquaStop® Plus
- Telescopic Glides on all 3 loading levels
- · Stainless Steel toekick
- Water Softener
- · Vase Holder and Small Item Clips
- Made in Germany

Efficiency

- 269 kWh/yr
- ENERGY STAR® Certified

Performance

- Seven Cycles: Heavy, Auto Wash, Glass, Normal Wash, Speed60, Express, Rinse & Hold
- Seven Options: 24H Delay Start, ExtraScrub, SpeedPerfect, Half Load, Delicate, Sanitize, ExtraDry,
- · Corrugated Shaped Filter
- · Quick Installation Kit Included

Benchmark® Series

SHE89PW75N Recessed Handle TFT Display, Stainless Steel

(currently not available)

Bar Handle TFT Display, Stainless Steel

(currently not available)

SHV89PW73N¹ Fully Integrated TFT Display

Requires Custom Panel (currently not available)

2,249 2,499

2,249 2,499

2,249 2,499

p q



SHV89PW73N

SHE89PW75N





All Bosch ADA-Height Dishwashers Include the Following Features:

Design

- · Time Remaining Display
- ADA Compliant Height (32" Tall)

Racks

- RackMatic®
- · Flexible Silverware Basket

Quality

- · Full Stainless Steel Tub
- 24/7 AquaStop® Plus
- · Easily Accessible 3-Stage Filtration System

Efficiency

- 259 kWh/yr
- ENERGY STAR® Certified

Performance

- · Four Wash Cycles: Heavy, Auto, Normal, Rinse & Hold
- · Four Options: Delicate, Extra Dry, Sanitize, 24H Delay Start

300 Series EuroTub/ADA-Height 18" and 24"

Quietness

46 dBA

Racks

- Place Setting Capacity 10 (18" Width)
- · Standard 3rd Rack

Quality

· Made in Poland

Performance

- Additional Cycle: Favorite
- · Additional Options: Machine Care, Remote Start
- Home Connect[™] allows you to remotely monitor and Control with Wi-Fi Connectivity



SPE53B52UC



SPE53B55UC



SPE53B56UC



SPE53B52UC 18" Recessed Handle, White

SPE53B55UC 18" Recessed Handle, Stainless Steel

SPE53B56UC 18" Recessed Handle, Black

- · Additional Cycle: Favorite
- Machine Care, Remote Start
- Home Connect[™] allows you to remotely monitor and Control with Wi-Fi Connectivity



SGE53B55UC



Quietness

46 dBA

Racks

- Place Setting Capacity 14
- Quality
- · Made in Germany
- · Water Softener

Performance

- Additional Options:

949 1,049

949 1,049

949 1,049

949 1.049

SGE53B55UC

24" Recessed Handle, Stainless Steel





Model Number

Description

MAP **MSRP**

1,049 1,199

1,149 1,299

1,149 1,299

800 Series EuroTub/ADA-Height 18" and 24"

Quietness

- 44 dBA
- · InfoLight®

Racks

- · Place Setting Capacity 10
- · Standard 3rd Rack

Quality

- · Made in Poland
- · Vase Holder and Small **Item Clips**

Performance

- · Additional Wash Cycles: Delicate, Express, Favorite
- Additional Options: Machine Care, Remote Start
- Home Connect[™] allows you to remotely monitor and Control with Wi-Fi Connectivity



SPE68B55UC



SPX68B55UC



SPV68B55UC



SPE68B55UC*	18" Recessed Handle, Stainless Steel
-------------	--------------------------------------

18" Bar Handle, Stainless Steel

18" Fully Integrated - Requires Custom Panel

Quietness

- 42 dBA
- InfoLight®

SPX68B55UC

SPV68B53UC

Racks

- Place Setting Capacity 15
- · Made in Germany
- · Water Softener
- Vase Holder and Small **Item Clips**

Performance

- · Additional Wash Cycles: CrystalDry™, Favorite
- Additional Options: Machine Care, Remote Start
- Home Connect[™] allows you to remotely monitor and Control with Wi-Fi Connectivity



SGX78B55UC



SGV78B53UC



SGX78B55UC	24" Bar Handle, Stainless Steel	1,299	1,449

SGV78B53UC 24" Fully Integrated - Requires Custom Panel 1,299 1,449





 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number Description MAP MSRP

Accessorie	es for Dishwash	ners								₀
					100 Series	300 Series	500 Series	800 Series	Benchmark	SPV68B53UC
	<u>SGZ1010UC</u>	Dishwasher Drain Hose Extension 76%"	18	19	•	•	•	•	•	
	<u>SGZ9091UC</u>	Dishwasher Softener Salt (4.4 lbs) — Models With Water Softener Only	16	19					•	
No.	<u>SGZ1052UC</u>	Dishwasher Accessory Kit With Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•					
	SMZ1007UC	Bosch Dishwasher Bar Handle, Stainless Steel	59	69		•	•	•	•	
	SMZ4026	MyWay™ Rack Silverware Insert Accessory	20	29				•1		
	SMZ4000UC	Flexible Silverware Basket	25	29	•	•	•	•	•	
PAR.	<u>SMZ5000</u>	Dishwasher Accessory Kit With Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29		•	•	•	•	
	SMZ5002UC	Anti-Tarnish Silverware Cassette With Clips	25	29	•	•	•	•	•	
FIFT I	<u>SMZ5003</u>	18" Dishwasher Accessory Hinge for 4" Toekick Height Installation	150	169						•
	SMZ5400	MyWay™ Rack Large Silverware Insert Accessory	30	39				•1		
380	SMZCD200UC	Flexible 3rd Rack	49	59	•2	•	•	•	•	





¹ SH_M88Z7_N models only

² Alternative for SHXM4AY5_N only

Model Number Description MAP MSRP

Accessorie	es for Dishwash	ers			100 Series	300 Series	500 Series	800 Series	Benchmark	SPV68B53UC
Way .	SMZEPCC1UC	Power Cord Clips + Edge Protector Kit Edge Protector Is For Dishwasher Installations Through Metal Cabinetry, for Water/drain/electrical Lines	5	9	•	•	•	•	•	
	SMZ3IN1UC	Dish Junction Box and Supply Hose Kit	49	59	•	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	20	29	•	•	•	•	•	
	SMZSH002UC	Bosch Dishwasher Water Supply Hose	20	29		•	•	•	•	



All Bosch Washers Include the Following Features:

- SpeedPerfect[™] Provides Up to 40% Faster Washing
- EcoSilence™ BLDC Motor for Quieter Operation
- ActiveClean® System
- · Wave Profiled Stainless Steel Drum
- · Anti-Vibration Circular Side Walls
- Spin Speed Up to 1400 rpm

- ENERGY STAR® Certified
- Improved Energy Efficiency and Performance
- Energy Consumption 84 kWh/year
- Exceeds the February 2018
 ENERGY STAR® Water Consumption Standards
- · Child Lock

- Signal
- · Internal Water Heater
- Installation: Stackable, Side-by-Side, Under Counter Or Pedestal Option
- 208-240 V
- Plug type 240V; NEMA 6-15 (3 prong)

300 Series

24" Compact Washer

Design:

- White Exterior With White Dial and White Door Ring
- · Touch Control Display
- Large 2.2 cu.ft. Capacity, Wash Up to 15.4 lbs Or 16 Bath Towels
- Clear See-Through Window
- Matching Dryer WTG86403UC

Silence Level:

 Washing/Spinning 54/73 dBA

15 Individually-Tailored Washing Programs

 Cotton Normal, Cotton Light Soil, Permanent Press, Permanent Press Heavy Soil, Permanent Press Light Soil, Jeans, Quick Wash 30 min., Heavy Duty, Delicates, Hand wash/Wool, Allergen, Towels, Drum Clean, Drain, Rinse/Spin

6 Options

- SpeedPerfect[™],
 Temperature, Finish In,
 Extra Rinse, Prewash, Spin
 Speed, Start/Pause
- Plugs Into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 48"



WAT28400UC



WAT28400UC

24" White Cabinet With White Dial and White Door Ring

1,099 1,249

500 Series

24" Compact Washer

Home Connect™ Features

- App Allows You To Operate Washer From Anywhere In The Home
- Easy Start Option For Your Wash Cycle
- Energy Management Information

Design:

- White Exterior With Silver/ White Dial and Silver Door Ring
- Touch Control Display
- Large 2.2 cu.ft. Capacity, Wash Up to 17.6 lbs Or 18 Bath Towels

- Clear Glass Window with Bosch Magneto
- Matching Dryer WTW87NH1UC

Quality:

- ENERGY STAR® Most Efficient Certified
- AquaShield® Hose Leak Protection System
- Silence Level: Washing/ Spinning 52/72 dBA

14 Individually-Tailored Washing Programs

 Cotton, Mix, Permanent Press, Whitest Whites, Sanitize, Outdoor/Sport, Jeans, Quick 30, Bulky/ Large Items, Delicates, HandWash/Wool, Drum Clean, Spin/Drain, Rinse

10 Options

- SpeedPerfect™,
 Temperature, Finish In,
 Prewash, Spin Speed,
 Start/Pause, EcoPerfect™,
 Rinse Plus, Remote Start,
 Stains (Stains Program
 Treats Blood, Food Based,
 Red Wine and Grass Based
 Stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 59"



WAW285H1UC



WAW285H1UC

24" White Cabinet With Silver/White Dial and Silver Door Ring

1,399 1,549



800 Series

24" Compact Washer

Home Connect™ Features

- App Allows You to Operate Washer from Anywhere in the Home
- · Easy Start Option for Your Wash Cycle
- · Energy Management Information

Design:

- White Exterior With Chrome Illuminated Selection Dial and Chrome Door Ring
- · Premium Large Touch Control Display
- · Large 2.2 cu.ft. Capacity, Wash Up to 17.6 lbs Or 18 **Bath Towels**
- Interior LED Drum Light

- · Clear Glass Window With Bosch Magneto
- · Matching Dryer WTG865H4UC

Quality:

• AquaStop® Plus Leak Protection System in the Hoses and the Base

Silence Level:

• Washing/Spinning 50/71

14 Individually-Tailored Washing Programs

· Cotton, Permanent Press, Permanent Press Heavy Soil, Whitest Whites, Sanitize, Super Quick 15 min., Quick Wash 30 min., Bulky/Large Items,

Delicates, Hand Wash/ Wool, Towels, Drum Clean, Spin/Drain, Rinse

MAP

MSRP

10 Additional Options

- SpeedPerfect™, Temperature, Finish In, Prewash, Spin Speed, Start/Pause, EcoPerfect™, Rinse Plus, Remote Start, Stains (Stains Program Treats Blood, Food Based, Red Wine and Grass Based Stains)
- Plugs Into Wall Receptacle or Dryer Adapter (provided with each dryer)
- · Hose Length: 59"



WAW285H2UC





WAW285H2UC

24" White Cabinet With Chrome Illuminated Selection Dial and Chrome Door Ring

1,599 1,799



All Bosch Dryers Include the Following Features:

- Large 4.0 cu.ft. Capacity
- Anti-Vibration Circular Side Walls
- · Sensitive Drying System
- · Start/Pause To Add an Item
- · Child Lock
- · Extra-Fine Lint Filter
- · ActiveDry® System

Installation:

- Stackable, Side-by-Side, Under Counter Or Pedestal Option
- · No Ducting Required
- Drain Pump and Hose Included

 Power Cord Included with Plug Type: 240V; NEMA 6-15 (3 Prong).
 Dryer Is Also Supplied With A Power Adapter To Fit A Standard 4-Prong 30A Dryer Receptacle (NEMA 14-30R) And Powers Both Bosch Washer and Dryer

300 Series

24" Compact Condensation Dryer

Design:

- White Exterior With White Dial and White Door Ring Touch Control Display
- · Galvalume Drum
- Dry Up to 15.4 lbs Or 16 Bath Towels
- Clear See-Through Window
- Matching Washer WAT28400UC

Quality:

- ENERGY STAR® Certified
- Energy Consumption 315 kWh/year

Silence Level:

• 67 dBA

15 Individually-Tailored Drying Programs

 Cotton Extra Dry, Cotton Dry (Regular), Permanent Press Extra Dry, Permanent Press Dry, Permanent Press Damp, Jeans, Quick Dry Auto, Air Fluff/No Heat, Time Dry Variable, Quick 40, Delicates, Heavy Duty, Sanitize, Hand Wash/Wool, Towels



 Dry Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Signal



WTG86403UC



WTG86403UC

24" Ventless Condensation Drying System White With White Dial and White Door Ring

1,099 1,249

500 Series

24" Compact Heat Pump Dryer with Self-Cleaning Condenser

Home Connect™ Features

- App Allows You to Operate Dryer from Anywhere in the Home
- Easy Start Option for Your Dry Cycle

Design:

- White Exterior With Silver/ White Dial and Silver Door Ring
- Touch Control Display
- Reversible Door (No Additional Parts Required)
- Stainless Steel Structured Drum

- Dry Up to 17.6 lbs Or 18 Bath Towels
- Clear Glass Window With Bosch Magneto
- Matching Washer WAW285H1UC

Quality:

- ENERGY STAR® Most Efficient
- Energy Consumption 123 kWh/year
- Maintenance-Free Self Cleaning Condenser
- Dual-layer Lint Filtration System

Silence Level:

• 65 dBA

14 Individually-Tailored Drying Programs

 Cotton, Permanent Press, Mix, Jeans, Quick Dry Auto, Air Fluff, Time Dry, Quick 40, Anti Shrink, Outdoor/Sport, Delicates, Sanitize, HandWash/Wool, Bulky/Large Items

9 Options

 Dryness Level, Time Dry, Finish in, Wrinkle Block, Low Heat, Remote Start, Start/Pause, Level Adjust, End Signal

1,399 1,549



WTW87NH1UC





WTW87NH1UC 24" Ventless Heat Pump Dryer with

Self-Cleaning Condenser

White With Silver/White Dial and Silver Door Ring



Number Description MAP MSRP

800 Series

24" Compact Condensation Dryer

Home Connect™ Features

- App Allows You to Operate Dryer from Anywhere in the Home
- Easy Start Option for Your Dry Cycle

Design:

- White Exterior With Chrome Illuminated Selection Dial and Chrome Door Ring
- Premium Large Touch Control Display
- Interior LED Drum Light
- Reversible Door (No Additional Parts Required)

Stainless Steel Structured Drum

- Dry Up to 17.6 lbs Or 18 Bath Towels
- Clear Glass Window With Bosch Magneto
- Matching Washer WAW285H2UC

Quality:

- ENERGY STAR® Certified
- Energy Consumption 315 kWh/year

Silence Level:

• 63 dBA

14 Individually-Tailored Drying Programs

 SuperQuick 15, Cotton, Permanent Press, Jeans, Quick Dry Auto, Air Fluff, Time Dry, Quick 40, Anti Shrink, Delicates, Sanitize, Hand Wash/Wool, Towels, Bulky Large Items

9 Options

 Dryness Level, Time Dry, Finish in, Wrinkle Block, Low Heat, Remote Start, Start/Pause, Level Adjust, End Signal



WTG865H4UC





WTG865H4UC

24" Ventless Condensation Drying System White With Chrome Illuminated Selection Dial and Chrome Door Ring

1,599 1,799



Model Number Description MAP MSRP

Accessorie	s for Laundry				Wa	ashe	rs	D	ryer	s
					WAT28400UC	WAW285H1UC	WAW285H2UC	WTG86403UC	WTG865H4UC	WTW87NH1UC
		or Wool items, r Bosch 24" Dryers	79	89				•	•	•
	<u>WMZPW20W</u> Pedestal With for 24" Wash		299	329	•	•	•			
	WTZPW20D Pedestal with for 24" Dryer		299	329				•	•	•
to an out	WTZ11400UC Stacking Kit with Pull Out	Tray	149	169	•	•	•	•	•	•
A to a	WTZ20410UC Stacking Kit without Pull C	out Tray	49	59	•	•	•	•	•	•
		Adapter - 4 Prong 4-30R to 6-15R	69	79				•1	•1	•1
	NEW WTZPA30US Dryer Power 240V; NEMA	Adapter - 3 Prong 10-30R to 6-15R	69	79				•1	•1	•1
******	NEW WTZSB30UC Bracket Style	e Stacking Kit	49	59	•	•	•	•	•	•



¹ Adapter only works with dryers listed in this guide.

Number Description MAP MSRP

800 Series

24" Built-In Coffee Machine

- Home Connect[™] App Allows You to Prepare Coffee from Anywhere in the Home
- Within Minutes Prepare Espressos, Cappuccinos, Lattes, Macchiato and More
- MyFavorites Stores Up to 8 of Your Favorite Coffee Preferences
- Large TFT Color Touch Screen Interface
- Automatic System for Cleaning, Milk Steam Rinsing and Descaling

- AromaPro Provides
 Constant Pressure for
 an Enhanced Coffee
 Experience
- Grinding Settings for Dark Or Light Coffee
- CoffeeSensor Measures the Ground Coffee After Each Grinding Cycle
- OneTouch DoubleCup Dispenses Two Beverages At the Same Time
- Integrated Built-In Sensors Will Alert You When Coffee, Water Level Is Low

- AromaDouble Shot Prepares Extra-Strong Coffee With Less Bitterness
- Individual Cup Volume Allows You to Adjust Your Coffee Cup Size
- 1 lb. Bean Container
- 10-Cup Water Reservoir
- Stainless Steel 17 oz. Milk Container
- Built-In Drip Tray
- · Soft-Closing Door
- 120 V



BCM8450UC



BCM8450UC

Bosch Built-In Coffee Machine

3,399 3,749

Accessories for Coffee Machine		BCM8450UC
HEZCMT3050 30" SS Trim Kit	399 439	•

For coffee accessories, please see the Cleaners & Accessories Price List.

All Bosch Industrial-Style Gas Ranges Include the Following Features:

• Powerful 18,000 BTU dual flame burner

- 3 cooking modes
- 17,000 BTU Bake burner
- · Dishwasher safe grates
- · Continuous grate design
- · Heavy metal knobs
- · One halogen light

- Catalytic clean cavity
- · Kitchen timer
- · LP conversion kit
- Electrical supply: 15 A, 120 V

800 Series

30" Industrial-Style Gas Range

5-burners
 2 standard racks

• Oven capacity at 3.7 cu. ft. • 11,500 BTU Broil burner

LR: 10,000 BTU (NG)

C: 18,000 BTU (NG)

RR: 5,000 BTU (NG)

RF: 10,000 BTU (NG)

HGS8055UC Stainless Steel 3,599 3,999

HGS8045UC Black Stainless Steel 4,099 4,549



HGS8055UC



HGS8045UC

36" Industrial-Style Gas Range

6-burners adding more
 1 Telescopic rail with rack
 1 Standard rack

• 1 Standard rack

Oven capacity at 3.5 cu. ft.
 14,000 BTU Broil burner

LR: 5,000 BTU (NG)	CR: 10,000 BTU (NG)	RR: 10,000 BTU (NG)
LF: 18,000 BTU (NG)	CF: 10,000 BTU (NG)	RF: 10,000 BTU (NG)

 HGS8655UC
 Stainless Steel
 4,799
 5,299

 HGS8645UC
 Black Stainless Steel
 5,299
 5,849



000000

HGS8645UC

All Bosch Industrial-Style Dual-Fuel Ranges Include the Following Features:

- · Powerful 18,000 BTU dual flame
- · Genuine European Convection
- · 8 Cooking modes
- · Sabbath mode
- · Temperature probe

- 1,700 W Bake element
- 2,900 W Broil element
- · Dishwasher safe grates
- · Continuous grate design
- · Heavy metal knobs

- · One halogen light
- · Catalytic clean cavity
- · Kitchen timer
- · LP conversion kit
- Electrical supply: 20 A, 240 V/208 V

800 Series

30" Industrial-Style Dual Fuel Range

• 5-burners

· 2 standard racks

• Oven capacity at 3.9 cu. ft.

• 2,700 W Convection

element

LR: 10,000 BTU (NG) LF: 5,000 BTU (NG)

CR: 18,000 BTU (NG)

RR: 5,000 BTU (NG)

RF: 10,000 BTU (NG)

HDS8055U **HDS8045U** Stainless Steel

Black Stainless Steel

3,799 4,199

4,199 4,649

6,099 6,749



00



36" Industrial-Style Dual Fuel Range

- · 6-burners adding more flexibility to your cooking
- 1 Telescopic rail with rack
- 1 Standard rack
- Oven capacity at 3.7 cu. ft.
 - 2,500 W Convection

element

LR: 5,000 BTU (NG)	CR: 10,000 BTU (NG)	RR: 10,000 BTU (NG)
LF: 18,000 BTU (NG)	CF: 10,000 BTU (NG)	RF: 10,000 BTU (NG)

HDS8655U Stainless Steel 5,599 6,199

HDS8645U **Black Stainless Steel**





HDS8645U

All Bosch Gas Slide-In Ranges Include the Following Features:

- The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- 400 W Warming Drawer
- Touch Control for Easier Operation of the Oven
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- · Extra Large Door Window

- Star-K Certified 100°-450°F
- · Rear Vent Trim Included
- · Heavy-Duty Metal Knobs
- Low-Profile Continuous Grate Design
- · Stainless Steel Maintop
- 9 Specialized Cooking Modes
- · Standard Convection

- 5 Burners Add Flexibility to Your Cooking
- · Kitchen Timer
- · Large Oven Capacity At 4.8 cu.ft.
- 18,000 BTU Bake Burner
- 12,500 BTU Broil Burner
- · LP Conversion Kit Included
- Electrical Supply: 15 A

800 Series

30" Gas Slide-In Range

 Powerful 18,000 BTU Center Burner • 3 Standard Racks

LF: 10,000 BTU (NG)

C: 18,000 BTU (NG)

RR: 5,000 BTU (NG)

RF: 15,000 BTU (NG)

HGI8056UC Stainless Steel

HGI8046UC Black Stainless Steel

2,499 2,749

2,699 2,999



HGI8056UC



HGI8046UC

Benchmark Series

30" Gas Slide-In Range

- · QuietClose® Door
- · Temperature Probe
- A Full-Extension Telescopic Rack
- Temperature Probe

LR: 5,000 BTU (NG)

- Two Oven Lights
- Powerful 20,000 BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer

C: 20,000 BTU (NG) Dual-Stacked RR: 5,000 BTU (NG)

RF: 15,000 BTU (NG)

1 Telescopic Rack,
 2 Standard racks

HGIP056UC

HGIP056UC 30" Gas Slide-In Range

2,899 3,199

All Bosch Dual-Fuel Slide-In Ranges Include the Following Features:

- The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- 400 W Warming Drawer
- Touch Control for Easier Operation of the Oven
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- Extra Large Door Window
- Star-K Certified 100°-450°F

- · Rear Vent Trim Included
- · Heavy-Duty Metal Knobs
- Low-Profile Continuous Grate Design
- Stainless Steel Maintop
- 11 Specialized Cooking Modes
- 2,000 W Convection Ring Element
- · Genuine European Convection
- Temperature Probe
- Fast Preheat™

- 5 Burners Add Flexibility to Your Cooking
- Large Oven Capacity At 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- · LP Conversion Kit Included
- Electrical Supply: 30 A

800 Series

30" Dual Fuel Slide-In Range

 Powerful 18,000 BTU Center Burner

LR: 5,000 BTU (NG)

LF: 10,000 BTU (NG)

Two Oven Lights

· Kitchen Timer

C: 18,000 BTU (NG)

3 Standard Racks

RR: 5,000 BTU (NG)

RF: 15,000 BTU (NG)



HDI8056U

HDI8056U Stainless Steel 2,899 3,199

Benchmark Series

30" Dual Fuel Slide-In Range

- · QuietClose® Door
- A Full-Extension Telescopic Rack
- Temperature Probe
- Two Oven Lights

LR: 5,000 BTU (NG)

- · Kitchen Timer
- Powerful 20,000 BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer
- 1 Telescopic Rack,
 2 Standard racks



HDIP056U

C: 20,000 BTU (NG) Dual-Stacked RR: 5,000 BTU (NG)

HDIP056U 30" Dual-Fuel Slide-In Range

3,299 3,649

All Bosch Electric Slide-In Ranges Include the Following Features:

- The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- 400 W Warming Drawer
- Touch Control for Easier Operation of the Oven
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean

- · Extra Large Door Window
- Star-K Certified 100°-450° F
- · Rear Vent Trim Included
- 2,000 W Convection Ring Element
- · Genuine European Convection
- Heavy-Duty Metal Knobs
- 11 Specialized Cooking Modes
- Fast Preheat™

- · Kitchen Timer
- Large Oven Capacity At 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- Electrical Supply: 40 A

800 Series

30" Electric Slide-In Range

- 2,000 W Convection Ring Element
- 3 Standard Racks

LR: 6" @ 1,200 W LF: 9"/6" @ 3,000 W/1,400 W

HEI8056U

HEI8046U

C: 6" @ 100 W Warming Element

Stainless Steel

Black Stainless Steel

RR: 6" @ 1,200 W nent RF: 9.5" @ 3,200 W

2,399 2,649

2,599 2,899



HEI8056U



HE18046U

Benchmark Series

30" Electric Slide-In Range

- QuietClose® Door
- Temperature Probe
- A Full-Extension Telescopic Rack
- Two Oven Lights
- Cook With 6", 9" Or 12" Elements
- 1 Telescopic Rack,2 Standard racks

LR: 6" @ 1,200 W LF: 6"/9"/12" @ 1,050 W/1,950 W/3,000 W

C: 6" @ 100 W Warming Element RR: 6" @ 1,200 W RF: 9.5" @ 3,200 W



HEIP056U

HEIPO56U 30" Electric Slide-In Range 2,999 3,299

All Bosch Induction Slide-In Ranges Include the Following Features:

- The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- 400 W Warming Drawer
- Touch Control for Easier Operation of the Oven
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- · Temperature Probe
- Extra Large Door Window

- Star-K Certified 100°-450°F
- · Rear Vent Trim Included
- 17 Heat Levels
- A 11" Heating Element Offers 3,700 W of Power
- · Faster Than Gas Or Electric
- · Easier to Clean and More Efficient
- · SpeedBoost®
- ChildLock

- SafeStart
- 2,000 W Convection Ring Element
- Genuine European Convection
- Fast Preheat™
- · Large Oven Capacity At 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Flement
- Powerful 2,400 W 4-Pass Bake Element
- Electrical Supply: 40 A

800 Series

30" Induction Slide-In Range

- 11 Specialized Cooking Modes
- · One Oven Light
- Large Oven Capacity At 4.6 cu.ft.
- 3 Standard Racks

LR: 9" @	RR: 11" @
2,200 W/3,700 W (SpeedBoost®)	2,600 W/3,700 W (SpeedBoost®)
LF: 6" @	RF: 6" @
1,400 W/2,200 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)

Stainless Steel

 Each Element Has an Independent CountDown Timer (discontinuing SKUs only)



HII8056U/HII8057U

HII8046U Black Stainless Ste	el 3,899	4,299

NEW HII8047U Black Stainless Steel

Both Available Q2 2022

NEW HII8057U

3,699 4,099 3,899 4,299



HII8046U/HII8047U

Benchmark Series

30" Induction Slide-In Range

- · QuietClose® Door
- A Full-Extension Telescopic Rack
- Two Oven Lights
- Kitchen Timer
- FlexInduction® Cooktop Can Combine Two Cooking Zones Into One Continuous Surface
- PowerMove®
- PotSense

PreciseSelect®

Full Zone: 16" x 9" @ 3,300 W/3,600 W (SpeedBoost®)

- 1 Telescopic Rack,2 Standard racks
- Each Element Has an Independent CountDown Timer (discontinuing SKU only)



HIIP056U/HIIP057U

LR : 8" × 9" @	RR: 11" @
2,200 W/3,600 W (SpeedBoost®)	2,600 W/3,700 W (SpeedBoost®)
LF: 8" × 9" @	RF: 6" @
2,200 W/3,600 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)

30" Induction Slide-In Range 3,899 4,299

Discontinues Q2 2022

HIIP056U

N⊒W HIIP057U 30" Induction Slide-In Range 3,999 4,399

Available Q2 2022

Description MAP MSRP

Accessorie	es for Industria	l Style Ranges			G	as		Dι	ual	Fue	el
				HGS8055UC	HGS8045UC	HGS8655UC	HGS8645UC	HDS8055U	HDS8045U	HDS8655U	HDS8645U
	HEZ9GR41UC	Griddle for Industrial Style 179 Range	199	•	•	•	•	•	•	•	•
\bigcirc	HEZ9GW23UC	Wok Ring for Industrial Style 69 Range	79	•	•	•	•	•	•	•	•
-	HEZ9YZ30UC	9" Low Backguard for 179 30" Industrial Style Range, Stainless Steel	199	•	•	•	•	•	•	•	•
	HEZ9YZ36UC	9" Low Backguard for 189 36" Industrial Style Range, Stainless Steel	209	•	•	•	•	•	•	•	•
	HEZ8YZ30UC	9" Low Backguard for 229 30" Industrial Style Range, Black Stainless Steel	259	•	•	•	•	•	•	•	•
	HEZ8YZ36UC	9" Low Backguard for 239 36" Industrial Style Range, Black Stainless Steel	269	•	•	•	•	•	•	•	•
	HEZ9ZZ30UC	3" Rear Vent Trim Extension for 119 30" Industrial Style Range, Stainless Steel	139	•	•	•	•	•	•	•	•
	HEZ9ZZ36UC	3" Rear Vent Trim Extension for 119 36" Industrial Style Range, Stainless Steel	139	•	•	•	•	•	•	•	•
	HEZ8ZZ30UC	3" Rear Vent Trim Extension for 139 30" Industrial Style Range, Black Stainless Steel	159	•	•	•	•	•	•	•	•
	HEZ8ZZ36UC	3" Rear Vent Trim Extension for 139 36" Industrial Style Range, Black Stainless Steel	159	•	•	•	•	•	•	•	•
/	HEZ9YZ04UC	Side Panel Extension Kit for 89 Industrial Style Range, Stainless Steel Provides full side coverage extending to rear of range		•	•	•	•	•	•	•	•
	HEZ8YZ04UC	Side Panel Extension Kit for 99 Industrial Style Range, Black Stainless Steel Provides full side coverage extending to rear of range	109	•	•	•	•	•	•	•	•

Model Number Description MAP MSRP

Accessorie	es for Industria	l Style Ranges				Ga	as		Dι	ual	Fue	əl
					HGS8055UC	HGS8045UC	HGS8655UC	HGS8645UC	HDS8055U	HDS8045U	HDS8655U	HDS8645U
_	HEZ9TK30UC	Range Toe Kick 30", Stainless Steel	219	249	•				•			
	HEZ9TK36UC	Range Toe Kick 36", Stainless Steel	239	269			•				•	
	HEZ8TK30UC	Range Toe Kick 30", Black Stainless Steel	229	259		•				•		
	HEZ8TK36UC	Range Toe Kick 36", Black Stainless Steel	249	279				•				•
	HEZ9LLUC	Range Feet Premium 30"/36", Stainless Steel-Set of 4	79	89	•		•		•		•	
	HEZ8LLUC	Range Feet Premium 30"/36", Black Stainless Steel-Set of 4	149	169		•		•		•		•

Model Number Description MAP MSRP

Accessorie	es for Slide-In F	Ranges			Induction	Electric	Gas	Dual Fuel
	HEZ298102	Wok Ring-Attaches to Grates	69	79			•	
		Pan With Aluminum Core Optimized for Cooking ior Heat Distribution	g With A	AutoChef®	•	•	•	•
	HEZ390210	8" Pan for 6" Element	89	99				
	HEZ390220	9" Pan for 7" Element	99	109	•	•	•	•
	HEZ390230	10" Pan for 8" and 9" Elements	119	139	•	•	•	•
	HEZGR301	Griddle for on Top of Gas Grates	139	159			•	
	Teppanyaki Woon Induction Cod	orks on Electric and Induction Cooking Surfaces • oktops	Optimi	zed for Cooking	•	•		
	HEZ390512	Teppanyaki	369	409				
		tion Grill Non-Stick Cast Aluminum with a Thick g Meats, Seafood and Vegetables	Ferron	nagnetic Base •	•1			
	HEZ9GR37UC	17" x 9" Grill Pan	249	279				
	HEZTR301	Gliding Telescopic Rack	279	309	•	•	•	
	HEZBS301	4" Low Back Accessory for Electric and Induction Slide-In Ranges	249	279	•	•		
	HGZBS301	4" Low Back Accessory for Gas Slide-In Ranges	219	249			•	
	HDZBS301	4" Low Back Accessory for Dual-Fuel Slide-In Ranges	249	279				•
	HDZIT301	Island Trim Accessory For Use in Dual-Fuel Range Island Applications	249	279				•
	HGZIT301	Island Trim Accessory For Use in Gas Range Island Applications	219	249			•	

¹ FlexInduction® Models Only

All Bosch Over-the-Range Microwaves Include the Following Features:

- Design-Matched for Use in Combination With Bosch Range Or Cooktop
- Exclusive Stainless Steel Handle
- · Easy to Read White LCD Display
- · Easy to Use Touch Control
- Side-Hinged Door Allows Full Access to Microwave Cavity
- Installation for Recirculation Or Outside Venting
- · Reheat Setting
- · Potato Program
- · Automatic Defrost
- Popcorn Program
- Timer With Cook Time and Automatic Shut Off Function

- · Convenient Kitchen Timer
- Easily Adds 30 Seconds to Cooking Time
- 10 Microwave Power Levels
- Plugs Into Standard 110 V, 3-Prong Outlet

300 Series

30" Over-the-Range Microwave

- Stainless Steel Colored Vent Grid
- 1.6 cu.ft. Large Oven Capacity
- Large 13 ½" Glass Turntable
- Three-Speed Vent With Up to 300 CFM Power
- Two Surface Lights for Bright Cooktop Illumination

499

549



HMV3053U

HMV3053U Stainless Steel

500 Series

30" Over-the-Range Microwave

- Easy-Clean Stainless Steel Vent Cover
- 2.1 cu.ft. Large Oven Capacity
- Large 14³/₁₆" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent With Up to 385 CFM Power
- Two LED Lights for Bright Cooktop Illumination
- Double Microwave Distribution System



HMV5053U

HMV5053U Stainless Steel 599 699

800 Series

30" Over-the-Range Convection Microwave

- Easy-Clean Stainless Steel Vent Cover
- 1.8 cu.ft. Large Oven Capacity
- Large 14³/₁₆" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent With Up to 385 CFM Power
- Two LED Lights for Bright Cooktop Illumination
- Convection Cooking
- Full Stainless Steel Cavity



HMV8044U

HMV8053U

999

949

849

HMV8044U Black Stainless Steel

HMV8053U Stainless Steel

tainless Steel 899

OVER-THE-RANGE MICROWAVE OVENS/DRAWER MICROWAVE OVEN/SPEED OVENS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Model
Number Description MAP MSRP

Benchmark Series

30" Over-the-Range Convection Microwave

- Easy-Clean Stainless Steel Vent Cover
- 1.8 cu.ft. Large Oven Capacity
- Large 14 ³/₁₆" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent With Up to 385 CFM Power
- Two 30 W LED Lights for Bright Cooktop Illumination
- · Convection Cooking
- Full Stainless Steel Cavity
- Heavy-Duty Mesh Ventilation Filter
- Triple Distribution System



HMVP053U

HMVP053U

Stainless Steel

899 999

800 Series

24" and 30" Drawer Microwave Oven

- Touch Control With White Display
- 1.2 cu.ft. Overall Capacity
- Microwave Power: 950 W
- 10 Power Levels
- · Sensor Cooking
- Door Opens and Closes Through Touch Control
- · Can Be Installed Flush



HMD8451UC

HMD8451UC

24" Drawer Microwave, Stainless Steel

1,749 1,949

HMD8053UC 30" Drawer Microwave, Stainless Steel 1,849 2,049



HMD8053UC

All Bosch Speed Ovens Include the Following Features:

- 1.6 cu.ft. Overall Capacity
- Nine SpeedChef® Cooking Cycles
- Convection Broil and Convection Bake Modes
- Seven Auto Sensor Microwave Cycles
- 1,000 W Microwave
- 1,750 W Broil Element
- 600 W Bake Element
- 1,700 W Convection Element
- Kitchen Timer and Panel Lock Setting
- · Stainless Steel Cooking Interior
- Cut-resistant Metal Turntable and Separate Ceramic Cooking Tray
- Multi-Use Oven Rack
- Wall or Under Counter Approved Installation (HMC54151UC cannot be installed under a cooktop)

500 Series

24" and 30" Speed Ovens

- Cooks Faster Than a Traditional Oven and Can Also Be Used As a Microwave
- Electrical Connection 120 V NEMA 5-20 3-Prong Plug
- Electric Load 20 A

нл



1,899 2,099

HMC54151UC

24" 120 V Speed Oven, Stainless Steel

Number Description MAP MSRP

800 Series

27" and 30" Speed Ovens

- Cooks Faster Than a Traditional Oven and Can Also Be Used As a Microwave
- LCD Display and LED Light

HMC87152UC

HMC80252UC

HMC80242UC

HMC80152UC

 Electrical Connection – 120 V NEMA 5-20 3-Prong Plug for HMC80152UC and HMC87152UC; 240 V Direct Wire for HMC80252UC and HMC80242UC

27" 120 V Speed Oven, Stainless Steel

30" 240 V Speed Oven, Stainless Steel

30" 120 V Speed Oven, Stainless Steel

30" 240 V Speed Oven, Black Stainless Steel

• Electric Load - 20 A

2,049 2,299

2,199 2,449

2,249 2,4991,999 2,199



HMC87152UC



HMC80152UC



HMC80242UC

Benchmark Series

30" Speed Oven Touch Control With TFT Display

- Electrical Connection: 240 V Direct Wire
- Electric Load 16 A
- Installs in Horizontal Configuration Paired With 30"
 Bosch Single Wall Ovens/
 Steam Oven and Warming

Drawers

0 855

HMCP0252UC

<u>HMCP0252UC</u> 30" Stainless Steel 2,399 2,649

800 Series

27" and 30" Built-In Microwave Touch Control With Drop Down Door

- LCD Display and LED Light
 - Microwave Power: 950 W
- 1.6 cu.ft. Overall Capacity14 %" Glass Turntable
- 10 Power Levels
- Sensor Cooking
- Sensor Reheat
- No Trim Kit Required
- Plugs Into a Standard 120 V, 3-Prong Outlet



HMB57152UC



HMB50152UC

 HMB57152UC
 27" Microwave, Stainless Steel
 1,399
 1,549

 HMB50152UC
 30" Microwave, Stainless Steel
 1,399
 1,549

All Bosch 500 Series 24" Built-In Ovens Include the Following Features:

- Oven Is Perfect for Kitchens With a Smaller Footprint
- Designed to Be Installed Flush With Your Cabinetry
- Genuine European Convection Ensures Even Cooking and Baking Results on Multiple Racks
- Halogen Light to Better Monitor Cooking Progress
- · Kitchen Timer

500 Series

24" Single Wall Oven, European Convection

- · Telescopic Extension Rail
- · Knob Control
- 9 Oven Modes
- Custom Cooking Modes: Pie, Frozen Foods, Defrost, Warm, and Broil Plus
- The DualClean® System
 Uses the Cavity Coating
 and Heat to Burn Off Most
 Grease
- Timer With Cook Time and Delay Start Function
- · Capacity At 2.8 cu.ft.
- 8-Pass Broil Element



HBE5453UC

HBE5453UC 24" Stainless Steel 2,099 2,349

24" Single Wall Oven, European Convection

- Home Connect[™] Features. Remotely Monitor and Control the Wall Oven With Wi-Fi Connectivity
- 24" Touch Control Bosch Wall Oven With Full Color TFT Display
- 12 Oven Modes

- Designed With Black Glass Door and a Unique Ring Control
- Custom Cooking Modes: Convection Multi-Rack, Bake, Pizza, Roast, Proof, Convection Broil, Broil, Slow Cooking, Defrost, Plate Warming, Warming
- · Sabbath Mode
- EcoClean® Coating Uses Heat to Burn Off Most Grease
- · Three Standard Racks
- Capacity At 2.5 cu.ft.



HBE5452UC



HBE5452UC 24" Stainless Steel 2,399 2,649

All Bosch 500 Series 30" Built-In Ovens Include the Following Features:

- Heavy-Duty Metal Knobs for a Premium Look and Feel
- Compatible With Most Existing Cut-Outs
- Designed to Be Installed Flush With Your Cabinetry
- 2, 3, and 4-Hour Self-Clean Cycles
- · One Oven Light
- Kitchen Timer
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- · Large Capacity At 4.6 cu.ft.
- Recessed 8-Pass Broil Element will be Updated to 12-Pass in April for Increased Capacity and Performance

500 Series

30" Single Wall Ovens, Thermal Cooking

- Thermal Cooking With Bake, Broil, Roast, and
- 6 Oven Modes

Warm

<u>HBL5351UC</u> 30" Stainless Steel 2,049 2,299

N⊒W HBL5344UC 30" Black Stainless Steel 2,199 2,449

Available April

HBL5451UC



HBL5351UC/HBL5344UC

30" Single Wall Oven, European Convection

- Genuine European Convection
- 14 Oven Modes

30" Stainless Steel

- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- Temperature Conversion for Convection Cooking

2,499 2,749

3,249 3,599



HBL5451UC

30" Double Wall Oven, Thermal Cooking

 Thermal Cooking With Bake, Broil, Roast and Warm in Both Cavities

HBL5551UC 30" Stainless Steel



HBL5551UC

Number Description MAP MSRP

500 Series

30" Double Wall Oven, European Convection (Upper Cavity)

30" Stainless Steel

- Genuine European Convection in Upper Oven
- 14 Upper Oven Modes

HBL5651UC

- Custom Cooking Modes Upper Oven: Pizza, Pie, Warm and Proof
- Thermal Cooking With Bake, Broil, Roast and Warm in Lower Oven

 Temperature Conversion for Convection Cooking in Upper Oven



3,599 3,999

30" Microwave Combination Oven

- Combination Oven
 Featuring a Microwave and
 Wall Oven With Stainless
 Steel Knobs
- 1.6 cu.ft. Capacity Microwave With Drop Down Door and LCD Display

 Genuine European Convection in Lower Oven



HBL5651UC

3,849 4,249

HBL57M52UC 30" Stainless Steel

HBL57M52UC

30" Speed Combination Oven

- Combination Oven
 Featuring a Speed Oven
 and Wall Oven with Heavy Duty Metal Knobs
- The Upper Speed Oven Functions as a Microwave and Convection Oven So You Have Flexible Cooking Options
- Speed Oven: For Additional Details Please Review SKU HMC80152UC page 7-3
- Genuine European Convection in Lower Oven





HBL5754UC

NEW HBL5754UC Available April 30" Stainless Steel

All Bosch 800 Series Built-In Ovens Include the Following Features:

- · QuietClose® Door
- A Full-Extension Telescopic Rack
- Designed to Be Installed Flush With Your Cabinetry
- Compatible With Most Existing Cut-Outs
- 15 Oven Modes
- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- · Genuine European Convection

- Temperature Conversion for Convection Cooking
- Touch Control With SteelTouch™
 Buttons Makes Operating the Oven
 Easier
- Temperature Probe Takes Guesswork Out of Cooking
- Fast Preheat™ Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- · Two Oven Lights

- Timer With Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Large Capacity At 4.6 cu.ft.
- Recessed 8-Pass Broil Element will be Updated to 12-Pass in April for Increased Capacity and Performance

800 Series

30" Single Wall Ovens

 Home Connect[™] Features. Remotely Monitor and Control the Wall Oven With Wi-Fi Connectivity



HBL8453UC



HBL8463UC







HBL8453UC	30" Single Wall Oven, Stainless Steel
-----------	---------------------------------------

HBL8463UC 30" Single Wall Oven, Black

Discontinues February

HBL8443UC

30" Single Wall Oven, Black Stainless Steel

2,999 3,299

2,949 3,249

3,199 3,549

30" Single Wall Oven

- The Bosch Wall Oven Combines Your Favorite Tools Into One Appliance. It's an Air Fryer, Convection Oven, Roaster, Dough Proofer and More
- Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil
- Home Connect™ Features. Remotely Monitor and

Control the Wall Oven with Wi-Fi Connectivity



NEW HBL8454UC

30" Single Wall Oven, Stainless Steel

with Air Fry

2,999 3,299



HBL8454UC

Available April

Number Description MAP MSRP

800 Series

30" Single Wall Ovens SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- The Bosch SideOpening Door Wall Oven Combines Your Favorite Tools Into One Appliance. It's an Air
- Fryer, Convection Oven, Roaster, Dough Proofer and More
- Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil
- Home Connect[™] Features. Remotely Monitor and Control the Wall Oven With Wi-Fi Connectivity

NEW HBL8444LUC 30" Single Wall Oven, Right SideOpening Door, 3,399 3,749

Black Stainless Steel

NEW HBL8444RUC 30" Single Wall Oven, Left SideOpening Door, 3,399 3,749

Black Stainless Steel

Available April

30" Double Wall Oven

- 15 Upper Oven Modes
- 6 Lower Oven Modes
- Genuine European Convection in Upper Oven
- Thermal Cooking With Bake, Broil, Roast and Warm in Lower Oven







HBL8661UC



HBL8642UC

HBL8651UC 30" Stainless Steel 4,099 4,549

HBL8661UC 30" Black 3,999 4,399

Discontinues February

HBL8642UC 30" Black Stainless Steel 4,299 4,749

800 Series

30" Microwave Combination Oven

 Home Connect[™] Features. Remotely Monitor and Control the Lower Wall Oven With Wi-Fi Connectivity

HBL87M53UC

Combination
 Oven Featuring a
 Microwave and Wall
 Oven With
 Touch Control

30" Stainless Steel

- 1.6 cu.ft. Capacity Microwave With Drop Down Door and LCD Display
- 15 Lower Oven Modes

4,449 4,899



HBL87M53UC



30" Speed Combination Oven

- Home Connect[™] Features. Remotely Monitor and Control the Lower Wall Oven With Wi-Fi Connectivity
- Combination Oven
 Featuring a Speed Oven
 and Wall Oven With
 Touch Control
- Speed Oven Cooks Faster Than a Traditional Oven
- Speed Oven: For Additional Details Please Review SKU HMC80252UC (page 7-3)
- 15 Lower Oven Modes







HBL8743UC



HBL8753UC 30" Combo, Stainless Steel,

HBL8743UC 30" Combo, Black Stainless Steel,

5,149 5,699 5,549 6,149

All Bosch Benchmark Series Built-In Ovens Include the Following Features:

- QuietClose® Door Dampened Hinges Softly and Quietly Guide the QuietClose® Door Shut
- · The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity
- · Designed to Be Installed Flush With Your Cabinetry
- · Compatible With Most Existing Cut-Outs

- 14 Specialized Cooking Modes -Gourmet Cooking Made Easy
- Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof
- Genuine European Convection
- Temperature Conversion for Convection Cooking
- Fast Preheat[™] Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- EcoChef Mode Remaining Heat in Cavity Finishes Cooking Process

- · AutoProbe Takes the Guesswork Out of Cooking
- Two Halogen Lights Provide Superior Cavity Illumination
- Timer With Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Two Separate Time Intervals Can Be Programmed
- · Large Capacity At 4.6 cu.ft.

Benchmark Series

30" Single Wall Oven SideOpening Door

· SideOpening Door Offers Better Ergonomic Access to the Oven Cavity · Recessed 8-Pass Broil Element will be Updated to 12-Pass in April for Increased Capacity and Performance



HBLP451RUC



3,349 3,699

HBLP451LUC



HBLP451UC

HBLP451RUC	30" Stainless Steel, Right SideOpening Door	3,549	3,949
HBLP451LUC	30" Stainless Steel, Left SideOpening Door	3,549	3,949
HBLP451UC	30" Stainless Steel	3,249	3,599

30" Single Wall Oven

- · The Bosch Wall Oven Combines Your Favorite Tools Into One Appliance. It's an Air Fryer, Convection Oven, Roaster, Dough Proofer and More
- · Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil



HBLP454UC

30" Single Wall Oven, Stainless Steel

with Air Fry

Available April

NEW HBLP454UC

Number Description MAP MSRP

Benchmark Series

30" Double Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- AutoProbe in the Upper Oven Takes the Guesswork Out of Cooking
- Recessed 8-Pass Broil Element will be Updated to 12-Pass in April for Increased Capacity and Performance







HBLP651RUC

HBLP651LUC

HBLP651UC

HBLP651RUC	30" Stainless Steel, Right SideOpening Door	5,249	5,799
HBLP651LUC	30" Stainless Steel, Left SideOpening Door	5,249	5,799
HBLP651UC	30" Stainless Steel	4,749	5,249

Benchmark Series

30" Steam Convection Oven

- The Only Steam Convection Oven in Its Class That Installs Flush, for a European Kitchen Design
- Steam Convection Cooking Cooks Crispy Outside, Tender Inside
- Steam Cooking Maintains Your Vegetables' Nutrients, Flavors and Color
- Designed to Fit Perfectly Above a Warming Drawer Or Storage Drawer

- The Color TFT Control Panel With SteelTouch™ Buttons Is Easy to Use
- Installs Horizontally for Perfect Alignment With Speed Or Steam Oven
- One Halogen Light
- Genuine European Convection
- Features Vegetable and Chicken Programs: Oven Automatically Sets Temperature and Humidity
- · Perfect Reheating

- Timer With Cook Time and Delay Start Function
- 1 Rack, 2 Perforated and 2 Non-Perforated Pans Are Included
- Non-Plumbed for Easy Installation
- · Steam Assist Clean
- 1.4 qt. Water Tank Can Be Used for an Entire Cooking Cycle
- Child Lock
- · Large Capacity At 1.4 cu.ft.



HSLP451UC

HSLP451UC

30" Stainless Steel

3,699 4,099

Number Description MAP MSRP

Benchmark Series

30" Steam Convection Combination Oven

 Combination Oven Featuring a Steam Convection Oven

HSLP751UC

- Steam Oven Cooks Meats, Vegetables, Rice, Fish to Perfection
- Steam Convection Oven: For Additional Details Please Review SKU HSLP451UC (page 8-8)
- Recessed 8-Pass Broil Element will be Updated to 12-Pass in April for Increased Capacity and Performance

6,899 7,599



HSLP751UC

30" Speed Combination Oven With TFT Display

30" Stainless Steel

- Combination Oven Featuring a Speed Oven
- Speed Oven Cooks Faster Than a Traditional Oven
- Speed Oven: For Additional Details Please Review SKU HMCP0252UC (page 7-3)

HBLP752UC 30" Stainless Steel

 Recessed 8-Pass Broil Element will be Updated to 12-Pass in April for Increased Capacity and Performance

5,449 5,999



HBLP752UC

500 Series

27" and 30" Warming Drawers

- Keeps Meals Hot and Is Designed to Match the Perfectly Flush Fit of a Bosch Wall, Speed Or Steam Oven
- 3 Settings to Keep Meals Hot and Ready to Serve
- Installs Vertically Under Bosch Speed, Steam Or Wall Oven
- Matches Bosch Built-In Products
- Install Either Flush Or Proud
- 450 W Heating Element Concealed Below Drawer
- Special Dough Proofing Mode
- Sturdy Ball Bearing Telescopic Rails for Smooth Opening

- · Star-K Certified
- 1 Hour Automatic Shut Off Function With Adjustable Timer
- 2.2 cu.ft. Large Cavity (1.9 cu.ft. for 27")
- Lower Side Walls Allow Easy Loading and Unloading of Drawer



HWD5051UC

<u>HWD5751UC</u> 27" Stainless Steel 1,349 1,499

HWD5051UC 30" Stainless Steel

30" Storage Drawer

 Designed to Match the Perfectly Flush Fit of a Bosch Wall, Speed Or Steam Oven Fits 30" Racks, the Temperature Probe and Other Cooking Relevant Utensils • A Silicone Mat Protects the Bottom of Drawer

• 2.4 cu.ft. Large Cavity



HSD5051UC

HSD5051UC

30" Stainless Steel

Discontinues February

1,399 1,549

Accessories for Ovens				30"	30"
				Single Wall	Double Wall
				Ovens	Ovens
Adjustable to All	escopic Rack Ball Bearing Full Extension Te I Rack Support Levels • Convenient Handling • Darate Accessory for Even More Convenience			•	•
HEZTR301	30" Telescopic Rack	279	309		

All Bosch Induction Cooktops Include the Following Features:

- · Faster Than Gas Or Electric
- Easier to Clean and More Efficient
- SpeedBoost®

- PotSense
- Each Element Has an Independent CountDown Timer (available on current models only)
- ChildLock
- See All Pan Accessories on Page 9-15.-9-16

500 Series

24" Induction Cooktop

- An 11" Heating Element Offers 3,700 W of Power
- 30 A Breaker

LR: 11" @	RR: 7" @ 1,800 W/3,100 W (SpeedBoost®)
2,600 W/3,700 W (SpeedBoost®)	RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)



NIT5469UC

2,600 W/3,700 W (SpeedBoost®)	RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)
LR: 11" @	1,000 W/3,100 W (Speedboosts)

Frameless

NIT5469UC 24" Induction, Black, Frameless 1,749 1,949 NEW NIT5460UC 24" Induction, Black, Stainless Steel

1,749 1,949

1,899 2,099

1,899 2,099



NIT5460UC

30" Induction Cooktop

- An 11" Heating Element Offers 3,700 W of Power
- 30 A Breaker

LR: 9" @	RR: 11" @
2,200 W/3,700 W (SpeedBoost®)	2,600 W/3,700 W (SpeedBoost®)
LF: 6" @	RF: 6" @
1,400 W/2,200 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)



NIT5068UC

NIT5068UC 30" Induction, Black, Frameless

NEW NIT5060UC 30" Induction, Black, Stainless Steel

Frameless



NIT5060UC

36" Induction Cooktop

- Dual 12" Heating Element Offers 3,700 W of Power
- 40 A Breaker

LR: 7" @	C: 12"/9" @	RR: 6" @
1,800 W/3,100 W (SpeedBoost®)	3,700 W/5,400 W (SpeedBoost®)/	1,400 W/2,200 W (SpeedBoost®)
LF: 7" @ 1,800 W/3,100 W (SpeedBoost®)	2,200 W/3,300 W (SpeedBoost®)	RF: 9" @ 2,200 W/3,700 W (SpeedBoost®)



NIT5668UC

NIT5668UC 36" Induction, Black, Frameless 2,299 2,549 NEW NIT5660UC 36" Induction, Black, Stainless Steel

2,299 2,549

NIT5660UC

Frameless

Number Description MAP **MSRP**

800 Series

30" Induction Cooktop

- Home Connect[™] (Wi-Fi Enabled)
- · AutoChef®

- An 11" Heating Element Offers 3,700 W of Power
- PreciseSelect®
- · Hood Control
- · 30 A Breaker
- · SafeStart

LR: 9" @	RR: 11" @
2,200 W/3,700 W (SpeedBoost®)	2,600 W/3,700 W (SpeedBoost®)
LF: 6" @	LF: 6" @
1,400 W/2,200 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)











NIT8069SUC 30" Induction, Black With 2,299 2,549

Stainless Steel Frame

NEW NIT8060SUC 30" Induction, Black, Stainless Steel Frame 2,299 2,549

NIT8069UC 30" Induction, Black, Frameless 2,299 2,549

NEW NIT8060UC 30" Induction, Black, Frameless 2,299 2,549

36" Induction Cooktop

LR

 Home Connect[™] (Wi-Fi Enabled)

· AutoChef®

1,800 W/3,100

1,800 W/3,100

NEW NIT8660SUC

· PreciseSelect®

• Dual 12" Heating Element	 Hood Control
With Powerful 5,400 W	• 40 A Breaker

R: 7" @	C: 12"/9" @	RR: 6" @
O W (SpeedBoost®)	3,700 W/5,400 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)
: 7" @) W (SpeedBoost®)	2,200 W/3,300 W (SpeedBoost®)	RF: 9" @ 2,200 W/3,700 W (SpeedBoost®)



NIT8669SUC





2,799 3,099



36" Induction, Black With NIT8669SUC 2,799 3,099

Stainless Steel Frame

NIT8669UC 36" Induction, Black, Frameless 2,799 3,099

36" Induction, Black, Stainless Steel Frame

NEW NIT8660UC 36" Induction, Black, Frameless 2,799 3,099

All Bosch Benchmark Series Induction Cooktops Include the Following Features:

- Home Connect[™] (Wi-Fi Enabled)
- FlexInduction® Can Combine Two Cooking Zones Into One Continuous Surface
- · Faster Than Gas and Electric
- · Easier to Clean and More Efficient
- SpeedBoost®
- PotSense
- Each Element Has an Independent CountDown Timer (This feature only available on current model)
- PreciseSelect®

- PowerMove®
- ChildLock
- See All Pan Accessories on Page 9-15.-9-16

Benchmark Series

30" Induction Cooktop

- A 11" Heating Element Offers 3,700 W of Power
- AutoChef®
- Hood Control
- 30 A Breaker

Full Zone: 16"x9" @
3,300 W /
3,600 W (SpeedBoost®)

NITDOGOGUC

Upper: 8"x9" @	Upper: 11" @
2,200 W/3,600 W	2,600 W/3,700 W
(SpeedBoost®)	(SpeedBoost®)
Lower: 8"x9" @	Lower: 6" @
2,200 W/3,600 W	1,400 W/2,200 W
(SpeedBoost®)	(SpeedBoost®)







2 740 2 040



NITP069SUC

20" Industion Block

NITP060SUC

NITP069UC

NITP060UC



NEW NITP060UC	30" Induction, Black, Frameless	2,749	3,049
NITP069UC	30" Induction, Black, Frameless	2,749	3,049
NEW NITP060SUC	30" Induction, Black With Stainless Steel Frame	2,749	3,049
NITP069SUC	With Stainless Steel Frame	2,749	3,049

Model Number Description MAP MSRP

Benchmark Series


36" Induction Cooktop

- Dual 12" Heating Element With Powerful 3,700 W
- AutoChef®
- Hood Control • 50 A Breaker

Full 7ana 14" v 0"	
Full Zone: 14"x8"	യ
3,300 W /	
3,600 W	
(SpeedBoost®)	

Upper: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)
Lower: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)





Full Zone: 14"x8" @3,300 W / 3,600 W (SpeedBoost®)









NITP669SUC

NITP660SUC

NITP669UC

NITP660UC



NITP669SUC	36" Induction Cooktop, Black With Stainless Steel Frame	3,299	3,649
NEW NITP660SUC	36" Induction Cooktop, Black, Stainless Steel Frame	3,299	3,649
NITP669UC	36" Induction Cooktop, Black, Frameless	3,299	3,649
NEW NITP660UC	36" Induction Cooktop, Black, Frameless	3,299	3,649

All Bosch Electric Cooktops Include the Following Features:

- Simple and sleek, modern European design
- Dual ring heating element for multiple pan sizes
- See All Pan Accessories on Page 9-15.-9-16
- Ceramic glass top is easy to clean
 Heat indicator for each element

500 Series

24" Knob Control, Frameless Design

4 Elements Knob Controls for

Precision Cooking

- Heat Indicator for Each Element
- 8" Heating Element With Powerful 2,200 W

LR: 8" @	RR: 6" @
2,200 W	1,200 W
LF: 6" @	RF: 7" @
1,850 W	1,800 W

 Power/Amps: 240 V, 60 Hz/ 30 A



NEM5466UC

NEM5466UC

24" Electric Cooktop

949 1,049

30" Knob Control, Frameless Design

- Dual Element Offer the Capability to Use Multiple Pan Sizes
- Infinite Temperature Controls for Precision Cooking
- · Heat Indicator

LR: 7" @	RR: 6" @
1,800 W	1,200 W
LF: 7"/5" @	RF: 9" @
1,700 W/700 W	2,500 W

- 9" Heating Element With Powerful 2,500 W
- Power/Amps: 240 V, 60 Hz/30 A



NEM5066UC

NEM5066UC

30" Electric Cooktop

1,049 1,199

36" Knob Control, Frameless Design

- 2 Dual Elements Offer the Capability to Use Multiple Pan Sizes
- Infinite Temperature Controls for Precision Cooking
- · Heat Indicator
- 9" Heating Element With Powerful 2,500 W
- Power/Amps: 240 V, 60 Hz/ 40 A



NEM5666UC

LR: 7" @	C: 7" @	RR: 6" @
1,800 W	1,800 W	1,200 W
LF: 7"/5" @ 1,700 W/700 W		RF: 9"/6" @ 2,500 W/1,100 W

NEM5666UC 36" Electric Cooktop 1,249 1,399

Number Description MAP MSRP

800 Series

30" Cooktop With Or Without Stainless Steel Frame

- · PreciseSelect®
- Front and Back Stainless Steel Frame
- Bridge Element
- · Dual Element

- · SpeedBoost®
- Clean Lock
- · 2-Level Heat Indicator
- ChildLock

- Built-In Timers for Each Element: Doubles As General-Purpose Kitchen
 Timer
- Power/Amps: 240, 60 Hz/ 40 A

LR: 7" @ 1,800 W (400 W Bridge)	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	
LF: 7" @ 1,800 W		RF: 6" @ 1,200 W









NET8068SUC

NET8069SUC

NET8068UC

NET8068SUC	30" Electric, Black With	1,399	1,549
	Stainless Steel Frame		

NEW NET8069SUC 30" Electric, Black, Stainless Steel Frame 1,499 1,649

NET8068UC 30" Electric, Black, Frameless 1,399 1,549

NET NET 8069UC 30" Electric, Black, Frameless 1,399 1,549

36" Cooktop With Or Without Stainless Steel Frame

- PreciseSelect®
- Front and Back Stainless Steel Frame
- Bridge Element
- 2 Dual Elements
- SpeedBoost®
- Clean Lock
- 2-Level Heat Indicator
- ChildLock

- Built-In Timers for Each Element: Doubles As General-Purpose Kitchen Timer
- Power/Amps: 240, 60 Hz/ 50 A

LR: 7" @	C: 9"/6" @	RR: 6" @
1,800 W (400 W Bridge)	3,600 W/1,400 W (SpeedBoost®)	1,200 W
LF: 7" @ 1,800 W		RF: 8"/5" @ 1,900 W/800 W









NET8668SUC

NET8669SUC

NET8668UC

NET8669UC

NET8668SUC	36" Electric, Black With	1,499 1,649
	Stainless Steel Frame	
NEW NET8669SUC	36" Electric. Black. Stainless Steel Frame	1,499 1,649

THE REPOSSOR	oo Etectric, Black, Staintess Steet France	1,433	1,043
NET8668UC	36" Electric, Black, Frameless	1,499	1,649
NEW NET8669UC	36" Electric, Black, Frameless	1,499	1,649

All Bosch Benchmark Series Electric Cooktops Include the Following Features:

· AutoChef®

· PreciseSelect®

 Front and Back Stainless Steel Frame

· Keep Warm Mode

- CountDown Timer
- CountUp Timer
- Clean Lock
- 2-Level Heat Indicator
- ChildLock

1,499 1,649

1,599 1,799

1,599 1,799

- See All Pan Accessories on Page 9-15.-9-16
- Power/Amps: 240, 60 Hz/40 A

Benchmark Series

30" Five Element Cooktop With AutoChef®

• 2-Zone 9" Heating Element With Powerful 3,600 W Element • Dual Element Left Front With AutoChef®

• SpeedBoost®

LR: 6" @ 1,200 W	C: 9"/6" @	RR: 6" @ 1,200 W
AutoChef® LF: 7"/5" @ 2,000 W/800 W	3,600 W/1,400 W (SpeedBoost®)	RF: 6" @ 1,500 W

NETP068SUC 30" Electric, Black 1,499 1,649
With Stainless Steel Frame

NEW NETP069SUC 30" Electric, Black

With Stainless Steel Frame



NETP068SUC



NETP069SUC

36" Triple Ring AutoChef® Cooktop

 3-Zone 11" Heating Element With Powerful 3,080 W Element With AutoChef®

- PowerStart®
- · Bridge Element

LR: 7" @ 1,800 W (400 W Bridge)	AutoChef® C: 11"/8"/6" @	RR: 6" @ 1,200 W
LF: 7" @ 1.800 W	3,080 W/2,200 W/1,050 W	RF: 8"/5" @

NETP668SUC 36" Electric, Black

With Stainless Steel Frame

NEW NETP669SUC 36" Electric, Black

With Stainless Steel Frame



NETP668SUC



NETP669SUC

Number Description MAP **MSRP**

All Bosch Gas Cooktops Include the Following Features:

 Front Controls for Easy Operation Continuous Cast Iron Grates LP Kit Included

500 Series

24" Gas Cooktop

- 4 Burners • Recessed Burner Areas 16K BTU Max Metal Knobs
 - LR: 9,300 BTU RR: 11,500 BTU LF: 5,000 BTU RF: 5,000 BTU

· Automatic Re-Ignition



NGM5456UC

NGM5456UC

24" Gas Cooktop, 4 Burners, Stainless Steel

949 1,049

Discontinues March

30" Gas Cooktop

 4 Burners • 16K BTU Max

- OptiSim® Burner
- · Recessed Burner Areas
- Metal Knobs
- · Automatic Re-Ignition



NGM5056UC

LR: 10,000 BTU	RR: 5,500 BTU
LF: 10,000 BTU	RF: 16,000 BTU

NGM5056UC **Discontinues March** 30" Gas Cooktop, 4 Burners, Stainless Steel

· Recessed Burner Areas

949 1,049

36" Gas Cooktop

• 5 Burners

16K BTU Max

· OptiSim® Burner

· Metal Knobs

· Automatic Re-Ignition

LR: 10,000 BTU LF: 10,000 BTU

C: 16,000 BTU

RR: 5,500 BTU RF: 10,000 BTU



NGM5656UC

NGM5656UC

Discontinues March

36" Gas Cooktop, 5 Burners, Stainless Steel

1,099 1,249

Number Description MAP MSRP

All New Bosch Gas Cooktops Include the Following Features:

- Front-Center Controls
- Continuous Cast Iron Grates
- · LP Kit Included

- · High Efficiency Gas Burners
- Thermocouple Flame Monitor Control

500 Series

24" Gas Cooktop

- 4 Burners
- 10.3K BTU Max
- Stainless-Look Metal Knobs
- One-Piece Stainless Steel Maintop Design
- Ideal for Kitchens with a Smaller Footprint
- Durable Laser Etched Graphics



NGM5458UC

LR: 6,000 BTU	RR: 10,300 BTU
LF: 6,000 BTU	RF: 3,4000 BTU

NEW NGM5458UC


24" Gas Cooktop, 4 Burners, Stainless Steel

949 1,049

Available March

30" Gas Cooktop

- 5 Burners
- 16K BTU Max
- OptiSim® Burner
- Stainless-Look Metal Knobs
- One-Piece Stainless Steel Maintop Design
- · LED "On" Indicator Light
- New Low Profile Cooking Surface
- Durable Laser Etched Graphics
- Sealed Burners for Easier Cleanup



NGM5058UC

LR: 6,000 BTU	C: 16.000 BTU	RR:10,300 BTU
LF: 3,400 BTU	C: 10,000 B10	RF: 6,000 BTU

NEW NGM5058UC

30" Gas Cooktop, 5 Burners, Stainless Steel


1,049 1,199

36" Gas Cooktop

• 5 Burners

Available March

- 16K BTU Max
- OptiSim® Burner
- · Stainless-Look Metal Knobs
- One-Piece Stainless Steel Maintop Design
- LED "On" Indicator Light
- New Low Profile Cooking Surface
- Durable Laser Etched Graphics
- Sealed Burners for Easier Cleanup



NGM5658UC

LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU
LF: 3,400 BTU	C. 10,000 B10	RF: 6,000 BTU

NEW NGM5658UC Available March 36" Gas Cooktop, 5 Burners, Stainless Steel

1,199 1,349

Number Description MAP **MSRP**

· OptiSim® Burner

All Bosch Gas Cooktops Include the Following Features:

• 5 Burners

· Continuous Cast Iron Grates

LP Kit Included

• Front Controls for Easy Operation

800 Series

30" Gas Cooktop

19K BTU Max

• Black Stainless Metal

· Recessed Burner Areas

Knobs (NGM8046UC) · Automatic Re-Ignition

• Red LED Light Indicates

Burners Are On



NGM8056UC

LR: 5,500 BTU LF: 10,000 BTU

C: 19,000 BTU

RR: 10,000 BTU RF: 5,500 BTU



NGM8056UC Discontinues March

30" Gas Cooktop, 5 Burners, Stainless Steel

1,299 1,449

NGM8046UC

LR: 5,500 BTU	C 10 000 PTU	RR: 9,300 BTU
LF: 9,300 BTU	C: 19,000 BTU	RF: 5,500 BTU

NGM8046UC

30" Gas Cooktop, 5 Burners, Black With Black Stainless Knobs

1,349 1,499

Discontinues March

36" Gas Cooktop

• 19K BTU Max

· Recessed Burner Areas

• Black Stainless Metal

LR: 10,000 BTU

Knobs (NGM8646UC)

· Automatic Re-Ignition

· Red LED Lights Indicate

Burners Are On



NGM8656UC

RR: 5,500 BTU C: 19,000 BTU LF: 12,000 BTU RF: 12,000 BTU

36" Gas Cooktop, 5 Burners, Stainless Steel



NGM8646UC

Discontinues March

NGM8656UC

LR: 9,300 BTU C: 19,000 BTU LF: 9,300 BTU

RR: 5,500 BTU RF: 9,300 BTU

NGM8646UC

36" Gas Cooktop, 5 Burners, **Black With Black Stainless Knobs** 1,549 1,749

Discontinues March

Number Description MAP MSRP

800 Series

30" Gas Cooktop

- FlameSelect® (9 Power Levels)
- · Dual Flame Power Burner
- 17K BTU Max
- · Low Profile Stainless Steel

LR: 6,000 BTU

LF: 3,400 BTU

Cooking Surface

- Stainless Steel Appearance Knobs
- · Dishwasher Safe Grates
- · Electronic Ignition

C: 17,000 BTU

• Flame Failure Safety Device



NGM8057UC

(Flame Select

21. 0,400 810

30" Gas Cooktop, 5 Burners, Stainless Steel

1,549 1,749

NGM8057UC
Discontinues March

36" Gas Cooktop

- FlameSelect® (9 Power Levels)
- · Dual Flame Power Burner
- 17K BTU Max
- Low Profile Stainless Steel

Cooking Surface

- Stainless Steel Appearance Knobs
- · Dishwasher Safe Grates
- Electronic Ignition

 Flame Failure Safety Device

RR: 9,000 BTU

RF: 6,000 BTU



NGM8657UC

(Flame Select

LR: 6,000 BTU

C: 17,000 BTU

RR: 9,000 BTU

RF: 6,000 BTU

1,699 1,899

NGM8657UC Discontinues March 36" Gas Cooktop, 5 Burners, Stainless Steel

All New Bosch Gas Cooktops Include the Following Features:

- 5 Burners
- FlameSelect® (9 Power Levels)
- 17K BTU Max
- · Dual Ring Power Burner
- · OptiSim® Burner

- · High Efficiency Gas Burners
- Front-Center Controls
- LED Light Line Knob Illumination
- Continuous Cast Iron Grates
- · Dishwasher-Safe Grates
- Thermocouple Flame Monitor
 Control
- Residual Heat Indication
- · LP Kit Included

800 Series

30" Gas Cooktop

LR: 6,000 BTU

C: 17,000 BTU

RR: 10,300 BTU


RF: 6,000 BTU

NGM8058UC 30" Gas Cooktop, 5 Burners, Stainless Steel 1,449 1,599

NEW NGM8048UC 30" Gas Cooktop, 5 Burners, Black 1,549 1,749

With Black Stainless Knobs

Available March



NGM8058UC

() FlameSelect



NGM8048UC

() FlameSelect

36" Gas Cooktop

LR: 6,000 BTU

C: 17,000 BTU

RR: 10,300 BTU


RF: 6,000 BTU

Black With Black Stainless Knobs

NEW NGM8658UC 36" Gas Cooktop, 5 Burners, Stainless Steel 1,599 1,799

NEW NGM8648UC 36" Gas Cooktop, 5 Burners, 1,699 1,899

Available March



NGM8658UC

() FlameSelect



NGM8648UC

(Flame Select

All Bosch Benchmark Series Gas Cooktops Include the Following Features:

• 5 Burners

• Up-Front Centralized Controls

· OptiSim® Burner

· Continuous Cast Iron Grates

• LP Kit Included

• See All Pan Accessories on Page 9-15.-9-16

Benchmark Series

30" Gas Cooktop

· Stainless Steel

· Dual-Stack Center Burner

• 20K BTU Max

· Recessed Burner Areas

Metal Knobs

· Automatic Re-Ignition

 Red LED Lights Indicate Burners Are On



NGMP056UC

LR: 5,500 BTU

C: 20,000 BTU RF: 5,500 BTU

30" Gas Cooktop, 5 Burners,

Stainless Steel

1,649 1,849

Discontinues March

NGMP056UC

30" Gas Cooktop

• 18K BTU Max

 Stainless-Look Metal Knobs

 Bosch Exclusive Dual Ring Power Burner LED Power Level/Residual Heat Indication Display

 FlameSelect® (9 Power Levels)

· Dishwasher Safe Grates

Black Glass Control Panel



NGMP058UC

(Flame Select

LR: 6,000 BTU

LF: 3,400 BTU

C: 18,050 BTU

RR: 10,300 BTU RF: 12,000 BTU

30" Gas Cooktop, 5 Burners, Stainless Steel 1,799 1,999

Available March

30" Gas Cooktop

NEW NGMP058UC

 FlameSelect® (9 Power Levels)

• Dual Flame Power Burner

• 14.3K BTU Max

• Smooth Glass Cooking Surface

 Stainless Steel Appearance Knobs

· Dishwasher Safe Grates

Electronic Ignition

• Flame Failure Safety Device

 Install Flush Or Surface Mounted



NGMP077UC

(Flame Select

LR: 6,000 BTU

C: 14,300 BTU

RR: 10,300 BTU RF: 6,000 BTU

NGMP077UC 30" Gas Cool

30" Gas Cooktop, 5 Burners, Gray Tempered Glass

1,849 2,049

Number Description MAP MSRP

Benchmark Series

36" Gas Cooktop

- · Stainless Steel
- · Dual-Stack Center Burner
- 20K BTU Max
- · Recessed Burner Areas
- Metal Knobs
- · Automatic Re-Ignition

 Red LED Lights Indicate Burners Are On

· Black Glass Control Panel



NGMP656UC

LR: 10,000 BTU

LF: 12,000 BTU

C: 20,000 BTU RF: 12,000 BTU

36" Gas Cooktop, 5 Burners, Stainless Steel

1,799 1,999

Discontinues March

NGMP656UC

36" Gas Cooktop

- Bosch Exclusive Dual Ring Power Burner
- 18K BTU Max
- Stainless-Look Metal Knobs
- LED Power Level/Residual Heat Indication Display
- FlameSelect® (9 Power Levels)
- · Dishwasher Safe Grates



NGMP658UC

LR: 6,000 BTU

C: 18,050 BTU RF: 12,000 BTU

NEW NGMP658UC

36" Gas Cooktop, 5 Burners, Stainless Steel

1,899 2,099

Available March

36" Gas Cooktop

- Dual Flame Power Burner
- 14.3K BTU Max
- Stainless Steel Appearance Knobs
- Smooth Glass Cooking Surface
- FlameSelect®
 (9 Power Levels)
- · Dishwasher Safe Grates
- Electronic Ignition
- Flame Failure Safety Device
- Install Flush Or Surface Mounted



NGMP677UC

(Flame Select

LR: 6,000 BTU

LF: 3,400 BTU

C: 14,300 BTU

RF: 6,000 BTU

RR: 10,300 BTU

NGMP677UC

36" Gas Cooktop, 5 Burners, Gray Tempered Glass 1,999 2,199

Number Description MAP MSRP

Accessorie	es for Cooktops				С	coo	kto	ps	Rang	etops
					Induction	Electric	Mainline Gas	Benchmark Gas	30"	36"
	HEZ390210	8" Pan for 6" Element	89	99	•	•	•	•	•	•
	HEZ390220	9" Pan for 7" Element	99	109	•	•	•	•	•	•
	AutoChef® Eleme	Pan With Aluminum Core Optimized for Cookent • Superior Heat Distribution		120	•	•	•	•	•	•
0000	HEZ390230 HEZ27754	10" Pan for 8" and 9" Elements Cooktop Metal Control Knob Kit, Stainless Steel Bosch 800 Series FlameSelect® Gas Cooktops Only	119	139			•1			
000	HEZ27755	Cooktop Metal Control Knob Kit, Stainless Steel Bosch Benchmark® Series FlameSelect® Gas Cooktops Only	119	139				•2		
	HEZ298107	Wok Ring for FlameSelect® Gas Cooktops	69	79			•3	•3		
0	HEZ298102	Wok Ring—Attaches to Grates	69	79			•4	•4		
	Teppanyaki Wo Cooking on Indu HEZ390512	orks on Electric and Induction Cooking Surfaces ction Cooktops Teppanyaki	369	ized for 409	•	•				
		tion Grill Non-Stick Cast Aluminum with a Thi ase • Ideal For Grilling Meats, Seafood and Veg 17" x 9" Grill Pan		279	•5					
\bigcirc	HEZ9GW23UC	Industrial-Style Wok Ring For 30" Gas Rangetop	69	79					•	

¹ For FlameSelect® NGM8057UC, NGM8657UC Models Only

² For FlameSelect® NGM8057UC, NGM8657UC Models Only

³ For FlameSelect® NGM8057UC, NGM8657UC, NGMP077UC, NGMP677UC Models Only

⁴ NGM5656UC, NGM8646UC, NGM8656UC, NGMP656UC, NGM8048UC, NGM8058UC, NGM8648UC, NGM8658UC, NGMP058UC, NGMP658UC Gas Cooktop Models Only

⁵ NGM5656UC, NGM8646UC, NGM8656UC, NGMP656UC, NGM8048UC, NGM8058UC, NGM8648UC, NGM8658UC, NGM8658UC, NGMP658UC Gas Cooktop Models Only

Model Number Description MAP MSRP

Accessories for Cooktops					Cooktops				Rangetops	
					Induction	Electric	ന ।	Benchmark Gas	30"	36"
	HEZ9GR41UC	Industrial-Style Griddle For 30" and 36" Gas Rangetops	179	199					•	•
	HEZ7YZ30UC	9" Stainless Steel Low Backguard For 30" Gas Rangetop	199	219					•	
	HEZ7YZ36UC	9" Stainless Steel Low Backguard For 36" Gas Rangetop	209	229						•

All Bosch Gas Rangetops Include the Following Features:

•	18	K	ВΙ	U	IV	lax
---	----	---	----	---	----	-----

- · OptiSim® Burner
- · High Efficiency Burners
- · Industrial-Style Design
- Porcelain Enameled Cooking Surface
- Large Metal Control Knobs
- Up-Front Centralized Controls
- Continuous Surface Cast Iron Grates LP Kit Included
- Dishwasher Safe Grates
 - · Electronic Ignition
 - Flame Supervision Device

800 Series

30" Gas Rangetop

•	18K BTU Dual Flame
	Ring Burner

• Two 12K BTU Large Burners • 5K BTU OptiSim®

Simmer Burner



LR: 12,000 BTU	RR: 5,000 BTU	
LF: 12,000 BTU	RF: 18,000 BTU	

RGM8058UC

RGM8058UC

30" Gas Rangetop, 4 Burners, Stainless Steel

2,999 3,299

36" Gas Rangetop

•	Two	18K	BTU	Dual	Flame
	Ring	Bur	ners		

• Three 12K BTU Large Burners

• 5K BTU OptiSim® Simmer Burner



LR: 12,000 BTU CR: 12,000 BTU RR: 5,000 BTU LF: 18,000 BTU CF: 12,000 BTU RF: 18,000 BTU

RGM8658UC

RGM8658UC

36" Gas Rangetop, 6 Burners, Stainless Steel

3,499 3,849

MSRP

599

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description

300 Series

30" & 36" Under-Cabinet Hood

• 5" Height

· Slim-Line Styling

· 3-Speed Control

• 280 CFM

· 2 Incandescent Lights

· Dishwasher-Safe Aluminum Mesh Filters

· Ducted Or Convertible to Non-Ducted Operation

• 7" Round and 31/4" x 10"

Duct Transitions Included

MAP

· Horizontal Or Vertical Ducting



DUH30152UC

DUH30152UC 30" Stainless Steel, 280 CFM Blower 519

DUH36152UC 36" Stainless Steel, 280 CFM Blower 579 649

500 Series

30" & 36" Under-Cabinet Hood

• 5" Height

Slim-Line Styling

• 4-Speed Control

• 400 CFM

• 2 Halogen Lights (Not

Included)

· Dishwasher-Safe Aluminum Mesh Filters

• Ducted Or Convertible to Non-Ducted Operation

• 7" Round and 31/4" x 10" **Duct Transitions Included**

· Horizontal of Vertical Ducting



DUH30252UC

DUH30252UC 30" Stainless Steel, 400 CFM Blower 649 749

DUH36252UC 36" Stainless Steel, 400 CFM Blower 699 799

800 Series

30" and 36" Professional-Style Under-Cabinet Hood

- 11" Height
- · Professional Styling
- 2-Speed Control
- 600 CFM

- · 2 Incandescent Lights
- Deep Capture Area
- · Dishwasher-Safe Aluminum Mesh Filters
- · Adaptable for Recirculation Option (Add 4" to Height of Hood)
- Horizontal Or Vertical Ducting



DPH30652UC

30" Stainless Steel, 600 CFM Blower **DPH30652UC** 1,149 1,299

DPH36652UC 36" Stainless Steel, 600 CFM Blower 1,199 1,349

Accessories for Under-Cabinet Hoods					DUH		DF	РН
					30"	36"	30"	36"
	DHZ3002UC	Recirculation Kit/Charcoal Filter Kit,	119	139	•			
	DHZ3602UC	Recirculation Kit/Charcoal Filter Kit,	119	139		•		
	DRZ3052UC	4" High, External Recirculation Kit, (Includes Charcoal Filters)	319	359			•	
	DRZ3652UC	4" High, External Recirculation Kit, (Includes Charcoal Filters)	319	359				•
	DHZ3052UC	Replacement Charcoal Filters, 30" and 36" DPH Series	119	139			•	•

Number Description MAP MSRP

800 Series

Slim Profile Box Canopy Island Hood

- 600 CFM
- Four-Speed Electronic Control With White and Red LCD Display
- Kitchen Timer
- · Clean Filter Reminder
- · Auto On/Heat Sensor
- Four 20 W Halogen Lights
- Three Anodized Aluminum Mesh Filters With Stainless Steel Bosch Design Covers and Metal Latch
- Vertical Ducting With 8" Round Duct
- Backdraft Damper and Transition Included
- Recirculation Kit Available As an Accessory
- Extension Kit for Ceilings
 9' to 11' 6" Available As an Accessory



HIB82651UC

HIB82651UC

42" Island Hood, 600 CFM

2,249 2,499

Accessorie	es for Island Ho	oods			HIB
					42"
	Island Hood Ext	tension Kit			
	• Fits Ceilings F to 11' 6" in He				•
	HCIEXT5UC	Island Hood Extension Kit	539	599	
• m	HCREC5UC	Box/Pyramid/Glass Canopy Chimney Hood Recirculation Kit	119	139	•
TO IM	HIREC5UC	Island Hood Recirculation Kit	109	119	•

Number Description MAP **MSRP**

All Bosch Chimney Wall Hoods Include the Following Features:

- · Kitchen Timer
- · Clean Filter Reminder
- · Auto On/Heat Sensor
- · Anodized Aluminum Mesh Filters
- · Vertical Ducting With 8" Round
- · Backdraft Damper and Transition Included
- · Recirculation Kit Available As an Accessory
- Extension Kit for Ceilings 9'-11' 6" Available As an Accessory

300 Series

ENERGY STAR® Certified Pyramid Canopy Chimney Hood

• 300 CFM

- Three-Speed Electronic Control With White and Red LCD Display
- Two Bright LED Lights



HCP34E52UC

24" Pyramid Canopy Chimney Hood, 300 CFM HCP34E52UC 1,049 1,199 HCP30E52UC 30" Pyramid Canopy Chimney Hood, 300 CFM 1,149 1,299

HCP36E52UC 36" Pyramid Canopy Chimney Hood, 300 CFM 1,249 1,399

500 Series

Box Canopy Chimney Hood

• 600 CFM

HCB56651UC

 Four Speed Electronic Control With White and Red LCD Display

36" Box Canopy Chimney Hood, 600 CFM

Four Speed Electronic

• Two 40 W Halogen Lights

30" Box Canopy Chimney Hood, 600 CFM HCB50651UC 1,499 1,649



HCB50651UC

Pyramid Canopy Chimney Hood

 Home Connect[™] (Wi-Fi Enabled)

Cooktop Hood Control

- Control With White and Red LCD Display 600 CFM
- · Two Bright LED Lights



HCP50652UC

30" Pyramid Canopy Chimney Hood, 600 CFM HCP50652UC 1,499 1,649

HCP56652UC 36" Pyramid Canopy Chimney Hood, 600 CFM, 1,599 1,799



800 Series

Pyramid Canopy Chimney Hood

- · Black Stainless Steel Guards Against Surface Scratches And Fingerprints
- Speed Electronic Control With White and Red LCD Display
- 600 CFM • Two 40 W Halogen Lights

HCP80641UC 30" Pyramid Chimney, 600 CFM, Black Stainless

1,349 1,499

HCP80641UC

HCP86641UC

36" Pyramid Chimney, 600 CFM, Black Stainless

1,499 1,649

Job # 20-BSH-0914.3 R2 12/20/2021 Effective February 1, 2022 through March 31, 2022

Number Description MAP MSRP

Benchmark Series

Glass Canopy Chimney Hood

- 600 CFM
- Four Speed Electronic Control With White and Red LCD Display
- Clean Filter Reminder
- Two 40 W Halogen Lights
- Anodized Aluminum Mesh Filter With Stainless Steel Bosch Design Cover and Metal Latch



HCG56651UC

HCG56651UC	36" Glass Canopy Chimney Hood, 600 CFM	2,049 2,299

Accessorie	es for Chimney	Wall Hoods			HCB/Box	HCP/Pyramid	HCG/Glass Canopy
	• Fits Ceilings F 6" in Height	From 9' to 11' Stainless Steel Flue Extensions and Inner Structure Parts Included					
NI	HCBEXT5UC	Box Canopy Chimney Hood Extension Kit, Stainless Steel	319	359	•		
	HCGEXT5UC	Glass Canopy Chimney Hood Extension Kit	319	359			•
	HCPEXT5UC	Pyramid Canopy Chimney Hood Extension Kit, Stainless Steel	319	359			•
	HCPEXT4UC	Pyramid Canopy Chimney Hood Extension Kit, Black Stainless Steel	539	599	•	•	•
	HCIFILTUC	Box/Pyramid/Glass Canopy Chimney Hood Filter Kit	119	139	•	•	•
	HCREC5UC	Box/Pyramid/Glass Canopy Chimney Hood Recirculation Kit	119	139	•	•	•

Number Description MAP MSRP

500 Series


Integrated Stainless Pull-Out Range Hood

- 400 CFM
- Electronic Control With White LCD Display
- · Kitchen Timer
- Clean Filter Reminder
- · Three Fan Speeds With

Intensive Speed

- Two Bright LED Lights
- Two Anodized Aluminum Mesh Filters
- Vertical Ducting With 6" Round Duct

 Backdraft Damper and Transition Included



 110 V UL Rated With 120 V 3-Prong Plug

869

999



HUI54452UC

HUI54452UC

24" Pull-Out Hood, 400 CFM

Integrated Stainless Pull-Out Range Hood

- 300 CFM (30" Width) 500 CFM - (36" Width)
- Three Speed Slider Switch Control
- Two 20 W Halogen Lights
- Four Aluminum Mesh Filters
- Removable Stainless Steel Front Visor Panel That Can Be Replaced With a Custom Strip (Not Provided)
- 6" Round Duct
- Vertical and Horizontal Discharge
- 120 V Junction Box Direct Wire
- CFM Reducer Kit Available As Accessory
- Non-Duct Recirculation
 Kit Available As Accessory
 (Vent Grate Cover Included With Hood)



HUI56551UC

HUI50351UC	30" Pull-Out Hood, 300 CFM, Stainless Steel	899	999
HUI56551UC	36" Pull-Out Hood, 500 CFM, Stainless Steel	949	1,049

Accessorie	s for Pull-Out H	loods			HUI54452UC	HUI50351UC	HUI56551UC
	-	/Charcoal Filter Accessory Kit For HUI5035 With High Quality Heavy Duty Charcoal Filten ns				•	•
		Non-Duct Recirculation Accessory Kit/ Charcoal Filter Accessory Kit	109	119			
		cessory Kit For HUI56551UC Model • Redu and Duct to a 5" Round Duct • Check Your Lo airements					•
	HUIRED56UC	CFM Reducer Accessory Kit, Reduces CFM to Under 300 CFM	59	69			
	Recirculation/Ch	arcoal Kit for HUI54452UC – 24" Pull-Out H	ood				
		Pull-Out Hood Recirculation/ Charcoal Filter Accessory Kit	109	119	•		

MAP MSRP

800 Series

Downdraft Ventilation

- Design Matched For Use In Combination With Bosch Cooktops
- 12" Telescopic Chimney Rise
- Preserves Clean Sight Lines When Not In Use
- · Stainless Steel
- Six Possible Discharge Connections To Fit Your Kitchen Design Allowing Flexibility To Exhaust At Sides, Front, Rear Or Downward (Additional Accessories May Be Required Depending On Installation, See Manual)
- Sleek Front Panel Conceals Mesh Filters, Giving A Timeless Aesthetic And Acts As A Splatter Guard While Cooking
- Dishwasher-Safe Aluminum Mesh Filters
- 3-Speed Control

Required To Complete The Installation: Blower Options, Sold Separately

 600 CFM Remote (DHG6023RUC), Inline (DHG6015NUC) Or Flexible Blower (DHG602DUC) Options Available May Be Required To Complete The Installation Depending On Exhaust Direction & Blower Chosen:

- Downdraft Transitions (HDDSTRAN6, HDDSTRAN8, HDDFTRAN6, HDDFTRAN8, HDD2RECTD, HDDSTRAN2 see page 11-7)
- Recirculation Possible, Accessory Sold Separately (HDDREC5UC see page 11-8)
- Gas Cooktop Seal Kit Sold Separately (Required For Installation With Gas Cooktops see page 11-8).



HDD86051UC

HDD80051UC30" Downdraft, Optional Blower1,6491,849HDD86051UC36" Downdraft, Optional Blower1,6991,899NOTE: Transition required and sold separately for all remote and inline blower installations.

Accessorie	es for Downdra	ft–Blowers	HDD86051UC	HDD80051UC	
	DHG6015NUC	600 CFM Inline Blower 589 649 (Transition Required: See Page 11-7) 6" Round Exhaust	•		
00	DHG602DUC	600 CFM Flexible Blower 689 799 For HDD86051UC and HDD80051UC Bosch Downdrafts Only 8" Round Exhaust	•	•	
	DHG6023RUC	600 CFM Remote Blower 629 699 6" Round Exhaust	•	•	
	EXTNCB25W	25-ft Remote & Inline Blower See Thermador Price List Extension Cable Compatible with DHG6015NUC & DHG6023RUC	•		
113	EXTNSET4	3-pc extension set for Inline and See Thermador Price List remote blowers; For older generation blowers when paired with new generation blowers Compatible with DHG6015NUC & DHG6023RUC	•	•	

Description MAP MSRP

Accessories for Downdraft-Transitions

	The Below Transitions May Be Required To Complete the Installation of HDD80051UC and HDD86051UC Depending On the Discharge Connection Chosen in Combination With the Downdraft Blower Selected (See Installation Manual) • For Use With Inline and Remote Blowers			HDD86051UC	HDD80051UC	
	HDD2RECTD	2' Rectangular Duct Rectangular Duct That Is 2' Long × 1%" Deep × 19" Wide Ability to Use As an Extension to Exhaust Through A Cabinet Or Wall. To Modify Length, Duct May Be Cut. HDDSTRAN6 Or HDDSTRAN8 May Be Used to Co		99 sing	•	•
0	HDDFTRAN6	6" Round Front Plate Front Rough-In Plate for Front Exhaust Applica	79 tions	89	•	•
0	HDDFTRAN8	8" Round Front Plate for Downdraft Front Rough-In Plate for Front Exhaust Applicat	79 ions	89	•	•
	HDDSTRAN2	Transition for Rectangular Duct Required to Attach HDD2RECTD 2' Rectangular Duct to Downdraft Housing	69	79	•	•
-	HDDSTRAN6	6" Side/Rear Transition Rectangular 1%" X 19" Transition to 6" Round For Side and Rear Exhaust Applications	139	159	•	•
4	HDDSTRAN8	8" Side/Rear Transition Rectangular 1%" X 19" Transition to 8" Round For Side and Rear Exhaust Applications	139	159	•	•

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description MAP

Accessorie	es for Downdraft	HDD86051UC	HDD80051UC
	 Enables Non-Ducted Downdraft Installation By Allowing Filtered Air To Re-Enter The Kitchen After Passing Through A Charcoal Filter Includes Recirculation Module, Charcoal Filter And Metal Grill Vent Plate Recirculation Module Works In Wall Or Island Applications Applications Nounts To Cabinet Base, Recesses Into Toe Kick/ Socket Area Fits In Toe-Kick/Socket Heights Of 4" Or Taller Module And Grill Vent Plate Can Be Placed So Air Downdraft And Internal Blower Sold Separately To Be Used Only With Bosch Downdrafts And Blowers May Bypass The Need To Supply Make Up Air, Subject To Local Code 		
00	HDDREC5UC Recirculation Kit for Downdraft 479 529 Replace Filters Every 3-6 Months, Depending On Usage, With HDDFILTUC	•	•
-	HDDFILTUC Charcoal Filter Replacement 89 99 For Recirculation Kit For Downdraft	•	•
	Gas Cooktop Seal Kit • For Use With 36" • Required For Installation HDD86051UC And 30" With Gas Cooktops HDD80051UC Downdrafts • Includes Trim Bracket, Seal, And 2 Metal Grills HDD0RSP 30" Gas Cooktop Seal Kit for Downdraft 89 99	•	•
	HDD6RSP 36" Gas Cooktop Seal Kit for Downdraft 89 99	•	•
	HDDTRIM30S Trim accessory for 30" downdraft 49 59		•
	HDDTRIM36S Trim accessory for 36" downdraft 49 59	•	

В	Н	HDDFTRAN811-7
B09IB91NSP1-4	HBE5452UC8-1	HDDREC5UC 11-8
B10CB81NVB 1-5	HBE5453UC8-1	HDDSTRAN211-7
B10CB81NVW1-5	HBL57M52UC8-3	HDDSTRAN611-7
B11CB50SSS 1-4	HBL87M53UC8-6	HDDSTRAN811-7
B11CB30333 1-4	HBL5344UC8-2	HDDTRIM30S11-8
B18IF905SP	HBL5351UC8-2	HDDTRIM36S 11-8
B20CS30SNS 1-1	HBL5351UC8-2	HDI8056U6-4
B30BB935SS2-1	HBL5551UC8-2	HDIP056U6-4
	HBL5651UC8-2	HDS8045U6-2
B30IB905SP2-1		HDS8055U6-2
B30IR905SP2-3	HBL5754UC8-3	HDS8645U6-2
B36BT935NS2-2	HBL8443UC8-4	HDS8655U6-2
B36CD50SNB1-1	HBL8444LUC8-5	HDZBS3016-9
B36CD50SNS1-1	HBL8444RUC8-5 HBL8453UC8-4	HDZIT301 6-9
B36CL80ENS1-2		HEATKITB822-4
B36CL80SNS1-2	HBL8454UC8-4	HEI8046U 6-5
B36CL81ENG1-2	HBL8463UC8-4	HEI8056U 6-5
B36CT80SNB1-3	HBL8642UC8-5	HEIP056U6-5
B36CT80SNS1-3	HBL8651UC8-5	HEZ7YZ30UC9-16
B36HNDL8002-4	HBL8661UC8-5	HEZ7YZ36UC9-16
B36IT905NP 2-2	HBL8743UC8-6	HEZ8LLUC6-8
BCM8450UC5-1	HBL8753UC8-6	HEZ8TK30UC6-8
BFL18IF8002-4	HBLP451LUC8-7	HEZ8TK36UC6-8
BFL30IR8002-4	HBLP451RUC8-7	HEZ8YZ04UC6-7
BORPLFTR302-4	HBLP451UC8-7	HEZ8YZ30UC6-7
BORPLFTR50 2-4	HBLP454UC8-7	HEZ8YZ36UC6-7
BORPLFTR552-4	HBLP651LUC8-8	HEZ8ZZ30UC6-7
D	HBLP651RUC8-8	HEZ8ZZ36UC6-7
D	HBLP651UC8-8	HEZ9GR37UC 6-9, 9-15
DHG602DUC11-6	HBLP752UC8-9	HEZ9GR41UC6-7, 9-16
DHG6015NUC11-6	HCB50651UC11-3	HEZ9GW23UC6-7, 9-15
DHG6023RUC11-6	HCB56651UC11-3	HEZ9LLUC6-8
DHZ3002UC11-1	HCBEXT5UC11-4	HEZ9TK30UC6-8
DHZ3052UC11-1	HCG56651UC 11-4	HEZ9TK36UC6-8
DHZ3602UC11-1	HCGEXT5UC11-4	HEZ9YZ04UC6-7
DPH30652UC11-1	HCIEXT5UC 11-2	HEZ9YZ30UC6-7
DPH36652UC11-1	HCIFILTUC11-4	HEZ9YZ36UC6-7
DRZ3052UC11-1	HCP30E52UC11-3	HEZ9ZZ30UC6-7
DRZ3652UC11-1	HCP34E52UC11-3	HEZ9ZZ36UC6-7
DUH30152UC 11-1	HCP36E52UC11-3	HEZ27754 9-15
DUH30252UC 11-1	HCP50652UC11-3	HEZ277559-15
DUH36152UC11-1	HCP56652UC11-3	HEZ2981026-9, 9-15
DUH36252UC11-1	HCP80641UC11-3	HEZ2981079-15
_	HCP86641UC11-3	HEZ3902106-9, 9-15
E	HCPEXT4UC 11-4	HEZ3902206-9, 9-15
EXTNCB25W11-6	HCPEXT5UC 11-4	HEZ3902306-9, 9-15
EXTNSET411-6	HCREC5UC11-2, 11-4	HEZ3905126-9, 9-15
LATINGLI411-0	HDD0RSP11-8	HEZBS3016-9
F	HDD2RECTD11-7	HEZCMT30505-1
_	HDD6RSP11-8	HEZGR3016-9
FPETHKT50 2-4	HDD80051UC11-6	HEZTR301 6-9, 8-11
FPETHRF50 2-4	HDD86051UC11-6	HGI8046UC6-3
	HDDFILTUC 11-8	HGI8056UC6-3
	HDDFTRAN611-7	HGIP056UC 6-3

11000045110	0.4	NETDOGGGGG	0.7	0.0770055110	0.7
HGS8045UC		NETP668SUC		SGX78B55UC	
HGS8055UC		NETP669SUC		SGZ1010UC	
HGS8645UC		NGM5056UC		SGZ1052UC	
HGS8655UC		NGM5058UC		SGZ9091UC	
HGZBS301		NGM5456UC		SHE3AR72UC	
HGZIT301		NGM5458UC		SHE3AR75UC	
HIB82651UC	11-2	NGM5656UC		SHE3AR76UC	
HII8046U	6-6	NGM5658UC	9-9	SHE89PW75N	
HII8047U	6-6	NGM8046UC	9-10	SHEM3AY52N	3-1
HII8056U	6-6	NGM8048UC	9-12	SHEM3AY55N	3-1
HII8057U	6-6	NGM8056UC	9-10	SHEM63W55N	3-2
HIIP056U	6-6	NGM8057UC	9-11	SHEM78ZH5N	3-5
HIIP057U		NGM8058UC		SHPM65Z52N	
HIREC5UC		NGM8646UC		SHPM65Z55N	
HMB50152UC		NGM8648UC		SHPM78Z54N	
HMB57152UC		NGM8656UC		SHPM78Z55N	
HMC54151UC		NGM8657UC		SHPM88Z75N	
HMC80152UC		NGM8658UC		SHSM63W55N	
HMC80242UC		NGMP056UC		SHV89PW73N	
HMC80252UC		NGMP058UC		SHVM4AYB3N	
HMC87152UC		NGMP077UC		SHVM63W53N	
HMCP0252UC		NGMP656UC		SHVM78Z53N	
HMD8053UC		NGMP658UC		SHX89PW75N	
HMD8451UC	7-2	NGMP677UC	9-14	SHXM4AY55N	
HMV3053U	7-1	NIT5060UC	9-1	SHXM63W55N	3-2
HMV5053U	7-1	NIT5068UC	9-1	SHXM78Z55N	3-4
HMV8044U	7-1	NIT5460UC	9-1	SHXM88Z75N	3-4
HMV8053U	7-1	NIT5469UC	9-1	SMZ3IN1UC	3-9
HMVP053U		NIT5660UC		SMZ1007UC	
HSD5051UC		NIT5668UC		SMZ4000UC	
HSLP451UC		NIT8060SUC		SMZ4026	
HSLP751UC		NIT8060UC		SMZ5000	
HUI50351UC		NIT8069SUC		SMZ5002UC	
HUI54452UC		NIT8069UC		SMZ50020C	
HUI56551UC		NIT8660SUC		SMZ5400	
HUIF06UC		NIT8660UC		SMZCD200UC	
HUIRED56UC		NIT8669SUC		SMZEPCC1UC	
HVREC5UC		NIT8669UC		SMZPCJB1UC	
HWD5051UC		NITP060SUC		SMZSH002UC	
HWD5751UC	8-10	NITP060UC		SPE53B52UC	
		NITP069SUC		SPE53B55UC	
N		NITP069UC		SPE53B56UC	
NEM5066UC	0-5	NITP660SUC	9-4	SPE68B55UC	3-7
NEM5466UC		NITP660UC	9-4	SPV68B53UC	3-7
NEM5666UC		NITP669SUC	9-4	SPX68B55UC	3-7
		NITP669UC	9-4		
NET8068SUC				W	
NET8068UC		R			
NET8069SUC				WAT28400UC	
NET8069UC		RGM8058UC		WAW285H1UC	
NET8668SUC		RGM8658UC	10-1	WAW285H2UC	
NET8668UC		•		WMZ20600	
NET8669SUC		S		WMZPW20W	
NET8669UC	9-6	SGE53B55UC	2-6	WTG865H4UC	4-4
NETP068SUC	9-7	SGV78B53UC		WTG86403UC	4-3
NETP069SUC		3GV/0D33UC	3- <i>1</i>	WTW87NH1UC	
	= -			= = :	

WTZ11400UC	4-5
WTZ20410UC	4-5
WTZPA20UC	4-5
WTZPA30US	4-5
WTZPW20D	4-5
WT7SB30UC	4-5

Bosch Home Appliances

North America Corporate Office 1.800.944.2904

www.bosch-home.com/us

